

Telangana State Council Higher Education

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	Textile Technology 13th Aug 2021 Shift 1
Subject Name :	Textile Technology
Creation Date :	2021-08-13 15:04:34
Duration :	120
Total Marks :	120
Display Marks:	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console? :	Yes

Textile Technology

Group Number :	1
Group Id :	63643129
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No

Edit Attended Group? :	No
Break time :	0
Group Marks :	120
Is this Group for Examiner? :	No

Mathematics

Section Id :	63643154
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	10
Number of Questions to be attempted :	10
Section Marks :	10
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Sub-Section Number :	1
Sub-Section Id :	63643154
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 6364313361 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The sum of Eigen values of the matrix $\begin{bmatrix} 1 & 4 & 9 \\ 4 & 9 & 1 \\ 9 & 1 & 4 \end{bmatrix}$ is

Options :

1. ✓ 14

2. ✗ 7

3. ✘ -7

4. ✘ 21

Question Number : 2 Question Id : 6364313362 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Any square matrix can be decomposed into sum of

Options :

1. ✘ Two similar matrices
2. ✔ Symmetric and skew-symmetric matrices
3. ✘ Two orthogonal matrices
4. ✘ Unitary and skew unitary matrices

Question Number : 3 Question Id : 6364313363 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

$$\text{If } z = \left(\frac{x^2 + y^2}{x^2} \right)^{3/2} + \cot^{-1} \left(\frac{x^2}{x^2 + y^2} \right), \text{ then } x \frac{\partial z}{\partial x} + y \frac{\partial z}{\partial y} =$$

Options :

1. ✘ z

2. ✘ $-z$

3. ✔ 0

4. ✘ $2z$

Question Number : 4 Question Id : 6364313364 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The number of real roots of the equation $x^5 - x^2 - 1 = 0$ is

Options :

1. ✔ 1

2. ✘ 3

3. ✘ 4

4. ✘ 5

Question Number : 5 Question Id : 6364313365 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The directional derivative of $\phi = \sin xy + \cos yz$ at the point $(1, 0, 1)$ in the direction of the vector $\vec{i} + 2\vec{j} + 2\vec{k}$ is

Options :

1. ✘ $\frac{1}{3}$

2. ✔ $\frac{2}{3}$

3. ✘ 1

4. ✘ $\frac{4}{3}$

Question Number : 6 Question Id : 6364313366 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The particular integral of $x^2y'' - y = \frac{1}{x}$ is

Options :

1. ✘ 1

2. ✘ X

3. ✔ $\frac{1}{x}$

4. ✘ $\frac{1}{x^2}$

Question Number : 7 Question Id : 6364313367 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If the solution of $\frac{\partial^2 z}{\partial x^2} = \frac{\partial^2 z}{\partial y^2}$ is $z = f(y + ax) + g(y + bx)$, then $(a, b) =$

Options :

1. ✔ $(1, -1)$

2. ✘ $(0, -1)$

3. ✘ $(1, 0)$

4. ✘ $(1, 1)$

Question Number : 8 Question Id : 6364313368 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If X is a binomial variate with parameters n and p with mean and variances respectively 10 and 5, then $n =$

Options :

1. ✘ 10

2. ✘ 15

3. ✔ 20

4. ✘ 30

Question Number : 9 Question Id : 6364313369 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A member n is selected at random from 1, 2, 3,100. Then the probability that n is of the form $7k + 3$ is

Options :

1. ✘ $\frac{7}{100}$

2. ✔ $\frac{7}{50}$

3. ✘ $\frac{1}{10}$

4. ✘ $\frac{1}{20}$

Question Number : 10 Question Id : 6364313370 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

$$L^{-1} \left\{ \frac{e^{-s}}{s^2} \right\} =$$

Options :

1. ✘ t for $t > 2$

2. ✔ $(t - 1)u(t - 1)$

3. ✘ t^2 for $t < 1$

4. ✘ $(t - 2)u(t - 1)$

Textile Technology

Section Id :	63643155
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	110
Number of Questions to be attempted :	110
Section Marks :	110
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Sub-Section Number :	1
Sub-Section Id :	63643155
Question Shuffling Allowed :	Yes

Question Number : 11 Question Id : 6364313371 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Consider the following Assertion [A] and Reason [R] and choose the most appropriate answer with respect to properties of Cotton.

[A] Moisture regain of cotton is 8.5 %

[R] Polymer Structure of Cotton shows 60% Amorphous and 40% Crystalline.

Options :

1. ✘ [A] is right [R] is wrong
2. ✔ [A] is right [R] is right
3. ✘ [A] is wrong [R] is right
4. ✘ [A] is wrong [R] is wrong

Question Number : 12 Question Id : 6364313372 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is a strongest Natural fibre

Options :

1. ✘ Cotton
2. ✘ Asbesotos

3. ✓ Basalt

4. ✗ Hemp

Question Number : 13 Question Id : 6364313373 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Fibre is defined as the unit matter where in the diameter is _____ times the length.

Options :

1. ✗ 100

2. ✗ 10

3. ✗ 1000

4. ✓ 10,000

Question Number : 14 Question Id : 6364313374 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

“Action of Light” is very important property of _____ fibre

Options :

1. ✗ Cotton

2. ✘ Basalt

3. ✘ Asbestos

4. ✔ Silk

Question Number : 15 Question Id : 6364313375 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is a species of Cotton grown in India

Options :

1. ✘ *Gossypium hirsutum*

2. ✘ *Gossypium barbadense*

3. ✔ *Gossypium arboretum*

4. ✘ *Gossypium herbaceum*

Question Number : 16 Question Id : 6364313376 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

In Man-made fibre spinning line the staple length cutting blades are set at _____ degrees

Options :

1. ✘ 110

2. ✓ 120

3. ✘ 90

4. ✘ 75.5

Question Number : 17 Question Id : 6364313377 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is not a Bast fibre

Options :

1. ✘ Ramie

2. ✘ Kenaf

3. ✓ Kapok

4. ✘ Hemp

Question Number : 18 Question Id : 6364313378 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Crepe-de- Chine is a type of High twisted Silk yarn with _____ TPI

Options :

1. ✘ 50
2. ✘ 60
3. ✘ 40
4. ✔ 80

Question Number : 19 Question Id : 6364313379 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ Sateen weave is very popular in Silk fabrics

Options :

1. ✘ Swansdon
2. ✔ Habutai
3. ✘ Venitain
4. ✘ Oat-Meal

Question Number : 20 Question Id : 6364313380 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The percentage of applied Spin finish is generally less than _____

Options :

1. ✓ 0.5
2. ✗ 1.1
3. ✗ 2.25
4. ✗ 3.25

Question Number : 21 Question Id : 6364313381 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Nomex is produced by _____ spinning

Options :

1. ✗ Dry
2. ✗ Melt
3. ✗ Wet
4. ✓ Dry-Jet wet

Question Number : 22 Question Id : 6364313382 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Most popular example of Micro Denier is _____

Options :

1. ✓ 50/86

2. ✗ 126/86

3. ✗ 150/86

4. ✗ 50/50

Question Number : 23 Question Id : 6364313383 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ method is most preferred as Spinneret cleaning in ASFI

Options :

1. ✗ Burning

2. ✓ Fluidized Bed

3. ✗ Chemical

4. ✗ Galvanising

Question Number : 24 Question Id : 6364313384 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

MOY is produced when the throughput rates are nearly _____ mpm

Options :

1. ✘ 10,000
2. ✔ 4,000
3. ✘ 6,000
4. ✘ 1800

Question Number : 25 Question Id : 6364313385 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A package is labeled as Z / S / Z. It means the yarn is _____

Options :

1. ✘ Ply of 3
2. ✘ 3 – fold
3. ✔ 3 Ply twisted
4. ✘ Standard

Question Number : 26 Question Id : 6364313386 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Higher amount of TiO_2 results in production of _____ yarn

Options :

1. ✘ Semi- Dull
2. ✔ Dull
3. ✘ Bright
4. ✘ White

Question Number : 27 Question Id : 6364313387 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In the following type of Cotton production no fertilizers are used

Options :

1. ✔ Bt
2. ✘ Cayano Ehtylated
3. ✘ Organic

4. ✘ Carboxy methylated

Question Number : 28 Question Id : 6364313388 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is a system used for Silk

Options :

1. ✘ Tex

2. ✘ Metric

3. ✔ Denier

4. ✘ Yorkshire

Question Number : 29 Question Id : 6364313389 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Match the followings of Group I and Group II choose the correct order for conversion factors in count calculation.

GROUP – I

P. 5315

Q. 31.89

R. 310

S. 1938

GROUP – II

1. Woollen to Tex

2. Metric to Tex

3. Woollen to Silk

4. Flax to Tex

5. Jute to Silk

6. Diner to Cotton

Options :

1. ✘ P-3, Q-6, R-2, S-1

2. ✘ P-2, Q-1, R-3, S-5

3. ✘ P-5, Q-1, R-6, S-2

4. ✔ P-6, Q-3, R-5, S-1

Question Number : 30 Question Id : 6364313390 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The dispersion % in Bear sorter diagram is a useful tool for _____

Options :

1. ✓ Deciding Noil % at Comber
2. ✗ Setting in Card
3. ✗ Setting at Ring Frame
4. ✗ Speed frame

Question Number : 31 Question Id : 6364313391 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Drape of a fabric is fully influenced by _____ wet processing in general

Options :

1. ✗ Singeing
2. ✓ Mercerizing
3. ✗ H₂O₂ Bleaching
4. ✗ Drumming

Question Number : 32 Question Id : 6364313392 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Match the following of Group I and Group II and correct order

GROUP – I

- P. Millitex
- Q. Run
- R. Spun Silk
- S. British

GROUP – II

- 1. Woollen
- 2. Polyester
- 3. One pound with 7 leas
- 4. Renditta
- 5. Asbestos
- 6. Hawick

Options :

- 1. ✘ P-3, Q-6, R-2, S-1
- 2. ✔ P-2, Q-1, R-3, S-5
- 3. ✘ P-5, Q-1, R-6, S-2
- 4. ✘ P-6, Q-3, R-5, S-1

Question Number : 33 Question Id : 6364313393 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Criterion used while cutting a fabric is

Options :

- 1. ✘ Off-Grain

2. ✓ On-grain
3. ✗ Weft way direction
4. ✗ Bias direction

Question Number : 34 Question Id : 6364313394 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Which one of the following has higher cleaning efficiency'

Options :

1. ✗ Mono cylinder
2. ✓ Cleanomat
3. ✗ Axi flow cleaner
4. ✗ Varioclean

Question Number : 35 Question Id : 6364313395 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Following is the right method of specifying a Sewing thread

Options :

1. ✘ Resultant Count
2. ✘ Single Yarn Number
3. ✔ Ticket Number
4. ✘ Belt Number

Question Number : 36 Question Id : 6364313396 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is odd element with respect to MBO in Blow room

Options :

1. ✔ V shaped lattice
2. ✘ Rubber Feed lattice
3. ✘ Disc bladed beater
4. ✘ Single Stripper

Question Number : 37 Question Id : 6364313397 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Following is the correct line of machines in Modern Blow room for a Jayadhar Cotton

Options :

1. ✓ Blendomat-MBO-Monocylinder-ERM cleaner-Hopper fed Scutcher
2. ✗ MBO-PD Box-Porcupine Beater-Trippl Opener-Scutcher
3. ✗ MBO-Vertical opener-Axilfow Cleaner-Scutcher
4. ✗ MBO-Baby Step cleaner-Vertical Opener-Scutcher

Question Number : 38 Question Id : 6364313398 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The intensity of opening is higher in _____ operation

Options :

1. ✗ Tearing up in bale opener
2. ✓ Picking apart in carding machine
3. ✗ Floating in air in transport ducting
4. ✗ Picking out in bale plucker

Question Number : 39 Question Id : 6364313399 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In Modern Carding machine, the development has taken place in _____ region

Options :

1. ✓ Condenser
2. ✗ Carding
3. ✗ Feeding
4. ✗ Coiler

Question Number : 40 Question Id : 6364313400 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Tension Draft in Blow room is between _____

Options :

1. ✗ Feed Roller and Shell roller
2. ✗ Guide and Feed Roller
3. ✗ Cage and Beater
4. ✓ Shell roller and Calendar

Question Number : 41 Question Id : 6364313401 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is
Question Mandatory : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Back to Back to action is found between _____ in Carding

Options :

1. ✘ Flat and Cylinder
2. ✘ Cylinder and Licker in
3. ✔ Doffer and Cylinder
4. ✘ Doffer and Table Calendar

Question Number : 42 Question Id : 6364313402 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is
Question Mandatory : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Pneumafil Waste form _____ % in Cotton mixing in Blowroom

Options :

1. ✘ 4.158
2. ✘ 6.125
3. ✘ Nearly 4
4. ✔ About 5

Question Number : 43 Question Id : 6364313403 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In Modern Comber U % of Combed sliver is improved due to one of these as observed in Modern development

Options :

1. ✘ Plane segment
2. ✔ Web condenser
3. ✘ Improved Nipper
4. ✘ Table Calendar

Question Number : 44 Question Id : 6364313404 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Fractionating Efficiency is referred for a

Options :

1. ✘ Blow Room
2. ✘ Carding
3. ✘ Draw Frame
4. ✔ Comber

Question Number : 45 Question Id : 6364313405 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is
Question Mandatory : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The combined cleaning efficiency of blow room having three machines with individual cleaning efficiency of 35%, 30% and 25% is

Options :

1. ✘ 56%
2. ✔ 66%
3. ✘ 90%
4. ✘ 45%

Question Number : 46 Question Id : 6364313406 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is
Question Mandatory : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

A break draft of 1.21 in Drawframe should result in _____

Options :

1. ✔ Lower Count CV
2. ✘ Higher Count CV
3. ✘ Lower Neps /km

4. ✘ Lower Crackers

Question Number : 47 Question Id : 6364313407 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The main objective of carding machine is

Options :

1. ✘ Removing of neps and short fibres
2. ✘ Removing of microdusts and short fibres
3. ✔ Individualization of fibres
4. ✘ Parallelization and removal of hooks present in the fibre

Question Number : 48 Question Id : 6364313408 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Longer the Spinning Triangle length _____ is the Twist

Options :

1. ✘ Standard
2. ✘ Normal
3. ✘ Higher
4. ✔ Lesser

Question Number : 49 Question Id : 6364313409 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Reduction in Hairs / inch can be achieved in _____ spinning technique

Options :

1. ✘ Conventional
2. ✘ Air Jet
3. ✔ Air Jet Ring
4. ✘ STT

Question Number : 50 Question Id : 6364313410 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Robo Spin is a feature of _____ Ring Frame

Options :

1. ✘ A 39
2. ✘ Z 38
3. ✔ G 37
4. ✘ LM 38

Question Number : 51 Question Id : 6364313411 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Select the incorrect statement with respect to action at cylinder-doffer zone

Options :

1. ✘ Disentanglement of neps in this zone
2. ✔ Removal of hooks in this zone
3. ✘ One of the closest setting in the carding machine
4. ✘ Wire point density of cylinder is higher than that of doffer

Question Number : 52 Question Id : 6364313412 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Consider the following Assertion [A] and Reason [R] and choose the most appropriate answer

[A] Cross Reeling is preferred than Straight Reeling for compact Hank

[R] Traverse motion will distribute the yarn and unwinding is smoother.

Options :

1. ✘ [A] is right [R] is wrong

2. ✓ [A] is right [R] is right
3. ✘ [A] is wrong [R] is right
4. ✘ [A] is wrong [R] is wrong

Question Number : 53 Question Id : 6364313413 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Which one of the following is effective in removing trailing hooks

Options :

1. ✘ Combing cylinder of comber
2. ✘ Action between cylinder and doffer of card
3. ✓ Roller drafting
4. ✘ Action between cylinder and flat of card

Question Number : 54 Question Id : 6364313414 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The department which communicate with the buyer directly

Options :

1. ✘ Merchandising dept.

2. ✓ Cutting dept.

3. ✗ Sampling dept.

4. ✗ Quality dept.

Question Number : 55 Question Id : 6364313415 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The delivery rate of draw frame with single delivery is 500 m/min. The linear density of output sliver is 5 ktex. Production (kg) per hours at 100% efficiency is

Options :

1. ✗ 15

2. ✓ 150

3. ✗ 1.5

4. ✗ 120

Question Number : 56 Question Id : 6364313416 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

CCF is measured in _____ tester used for testing the textured yarn

Options :

1. ✘ DYNAFIL-N
2. ✘ DYNAFIL-C
3. ✔ DYNAFIL-M
4. ✘ DYNAFIL-CC

Question Number : 57 Question Id : 6364313417 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is affected by ageing concept

Options :

1. ✘ MOY
2. ✘ FOY
3. ✘ LOY
4. ✔ POY

Question Number : 58 Question Id : 6364313418 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

USTER 5 has _____ feature

Options :

1. ✘ Poly Circle
2. ✔ Quali Circle
3. ✘ Imper Circle
4. ✘ Neps Circle

Question Number : 59 Question Id : 6364313419 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Lawrence and Baqui classified the _____ yarn structure into three groups, as orderly wrapped, randomly wrapped and unwrapped section

Options :

1. ✘ Self Twist
2. ✔ Air Jet
3. ✘ DREF
4. ✘ Rotor

Question Number : 60 Question Id : 6364313420 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Double flanged bobbin winding is a best example of _____ coils

Options :

1. ✓ Close parallel
2. ✗ Close Cross
3. ✗ Close Open
4. ✗ Open Cross

Question Number : 61 Question Id : 6364313421 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Angle of Wind is obtained by _____

Options :

1. ✗ Surface speed / Traverse speed
2. ✓ Traverse speed / Surface speed
3. ✗ Drum speed / Package speed
4. ✗ Package speed / Spindle speed

Question Number : 62 Question Id : 6364313422 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The clearing efficiency of 60% is achievable using _____yarn clearer in yarn winding

Options :

1. ✘ Fixed Blade
2. ✔ ATIRA- ARVIND
3. ✘ Snick Plate
4. ✘ Electronic

Question Number : 63 Question Id : 6364313423 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Match sampling methods of Yarn manufacture Group I with Group II and choose the correct order

GROUP – I

- P. Serrated-heavy & light
- Q. P and Q RT winder
- R. 20 to 25 times in a minute
- S. Drum larger than package

GROUP – II

- 1. Craddle
- 2. Mechanical YC
- 3. Cimmco Muller
- 4. STT yarn
- 5. Electronic YC
- 6. DREF- II

Options :

- 1. ✘ P-3,Q-6, R-2. S-1
- 2. ✔ P-2, Q-1, R-5, S-3
- 3. ✘ P-5, Q-1, R-6, S-2
- 4. ✘ P-5, Q-2, R-3, S-6

Question Number : 64 Question Id : 6364313424 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

A weaver intends to produce 2,500 Hospital bedspreads in plain weave and can choose _____ as the best method of warping.

Options :

1. ✓ Sectional

2. ✘ Beam

3. ✘ Mill

4. ✘ Ball

Question Number : 65 Question Id : 6364313425 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Antibound let off is a feature of _____

Options :

1. ✘ Loom motions

2. ✓ Beam warping

3. ✘ Mill warping

4. ✘ Ball warping

Question Number : 66 Question Id : 6364313426 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ Clip is found in over and under creel in sizing

Options :

1. ✘ T
2. ✘ B
3. ✘ S
4. ✔ U

Question Number : 67 Question Id : 6364313427 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Which one of the following is not a machine element of ring frame

Options :

1. ✘ Traversing roving guide
2. ✘ Cradle
3. ✘ Nose bar
4. ✔ Floating condenser

Question Number : 68 Question Id : 6364313428 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Lappers formation in Creel zone of sizing follow _____ distribution

Options :

1. ✘ Bernoulli Distribution
2. ✘ Normal Distribution
3. ✔ Poisson Distribution
4. ✘ Weibull Distribution

Question Number : 69 Question Id : 6364313429 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is
Question Mandatory : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

_____ is not required for a modern shuttle and shuttle looms today

Options :

1. ✔ Denting-in
2. ✘ Pinning-in
3. ✘ Drawing-in
4. ✘ Gaiting-in

Question Number : 70 Question Id : 6364313430 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

On which side of the men's and ladies shirt Placket the Buttons are sewn, respectively

Options :

1. ✘ Left, right
2. ✔ Right, left
3. ✘ Left, left
4. ✘ Right, right

Question Number : 71 Question Id : 6364313431 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

It is necessary to produce a fabric with 65 epcm, the best Reed is

Options :

1. ✘ 2 / 82's Huddersfield
2. ✔ 4 / 82's Stockport
3. ✘ 4 / 82's Radcliff

4. ✘ 2 / 82's Stockport

Question Number : 72 Question Id : 6364313432 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Among the following spinning systems, which one is best suitable for spinning yarn from very short fibres

Options :

1. ✘ Ring spinning system
2. ✘ Two nozzle air jet spinning system
3. ✔ Friction spinning system
4. ✘ Compact spinning system

Question Number : 73 Question Id : 6364313433 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

In Dobby, _____ is made up of mild steel

Options :

1. ✘ Baulk lever
2. ✘ Feelers

3. ✘ Jacks

4. ✔ Needle

Question Number : 74 Question Id : 6364313434 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Cover of fabric is improved in _____ type of shed

Options :

1. ✔ Crossed

2. ✘ Bottom closed

3. ✘ Semi Open

4. ✘ Open

Question Number : 75 Question Id : 6364313435 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Irrespective of the Jacquard capacity, the _____ of card remains constant.

Options :

1. ✘ Diameter

2. ✘ Width

3. ✔ Length

4. ✘ Speed

Question Number : 76 Question Id : 6364313436 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The main objective of sizing is to

Options :

1. ✘ Increase elongation at break of warp yarn

2. ✘ Decrease tenacity of warp yarn

3. ✘ Increase uniformity of warp yarn

4. ✔ Avoid abrasion of warp yarn

Question Number : 77 Question Id : 6364313437 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

In 4 X 1 or 4 X 4 Box motion the movement of Picker is defined as _____

Options :

1. ✓ Axial
2. ✗ Tangential
3. ✗ Radial
4. ✗ Circular

Question Number : 78 Question Id : 6364313438 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Direct warping is preferred over sectional warping, when the

Options :

1. ✗ Multi coloured warp is prepared
2. ✗ Sizing is not required
3. ✗ Order size is small
4. ✓ Grey yarn require sizing

Question Number : 79 Question Id : 6364313439 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Chute is a part of _____ looms

Options :

1. ✘ Air Jet
2. ✘ Rapier
3. ✔ Gripper Projectile
4. ✘ Two Phase

Question Number : 80 Question Id : 6364313440 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

In “Wavy Sheds” beat up is by

Options :

1. ✘ Guide
2. ✘ Compensator
3. ✔ Antenas
4. ✘ Blades

Question Number : 81 Question Id : 6364313441 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ type of Rapier is used in two phase weaving

Options :

1. ✘ Flexible Single
2. ✔ Rigid
3. ✘ Flexible double
4. ✘ Telescopic

Question Number : 82 Question Id : 6364313442 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Higher W.I.R can be achieved using _____ type of weft Accumulators

Options :

1. ✘ Axial feed over end withdrawal
2. ✔ Axial fed axial withdrawal
3. ✘ Over end feed over end withdrawal
4. ✘ Over end feed axial withdrawal

Question Number : 83 Question Id : 6364313443 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The drawing order of ends in Reed for a fabric is _____ ends / dent

Options :

1. ✓ 2

2. ✗ 3

3. ✗ 4

4. ✗ 1

Question Number : 84 Question Id : 6364313444 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ type of draft is used for production of Plain weave in Industry

Options :

1. ✗ Broken

2. ✓ Skip

3. ✗ Pointed

4. ✗ Straight

Question Number : 85 Question Id : 6364313445 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The size pick is not influenced by

Options :

1. ✘ Squeeze pressure
2. ✘ Sizing machine speed
3. ✔ Drying cylinder temperature
4. ✘ Size paste concentration

Question Number : 86 Question Id : 6364313446 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is responsible for increase in production of Circular weft knit

Options :

1. ✘ Wall Creel
2. ✘ Number of Beds
3. ✔ Feeder
4. ✘ Pattern wheel

Question Number : 87 Question Id : 6364313447 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is the percentage of fabric utilization.

Options :

1. ✘ Pattern making
2. ✘ GSM
3. ✘ Consumption
4. ✔ Marker efficiency

Question Number : 88 Question Id : 6364313448 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ is the raw material for any Non woven machine

Options :

1. ✔ Card web
2. ✘ Roving sheet
3. ✘ Polymer

4. ✘ Twisted yarn

Question Number : 89 Question Id : 6364313449 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ means a series of stitches used to join two or more pieces of material together

Options :

1. ✘ Quilting
2. ✘ Seam
3. ✘ Stitches
4. ✔ Interlocking

Question Number : 90 Question Id : 6364313450 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Tightness factor is given by

Options :

1. ✔ $\sqrt{\text{Tex}/l}$

2. ✘ $L = 2H + C$

3. ✘ $L = d^2 + \frac{a^2}{4}$

4. ✘ $L = 3\sqrt{\left(\frac{d+a}{4}\right)^2}$

Question Number : 91 Question Id : 6364313451 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

_____ type of Nonwoven finds application in Medical field to a greater extent in these days.

Options :

1. ✔ Spun Bond
2. ✘ Adhesive bonded
3. ✘ Spun lace
4. ✘ Needle punched

Question Number : 92 Question Id : 6364313452 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Match the Knitting aspects from Group I with Group II and choose the correct one

GROUP – I

P Waxing cake
Q Brush
R. Spirality
S Spreader

GROUP – II

1. Opening of Latches & cleaning
2. Needle Breakage
3. Xerox Method
4. Hosiery yarn
5. Wooden trapezium unit
6. Clutch & Break

Options :

1. ✘ P-3, Q-6, R-2, S-1

2. ✔ P-2, Q-1, R-3, S-5

3. ✘ P-5, Q-1, R-6, S-2

4. ✘ P-5, Q-2, R-3, S-6

Question Number : 93 Question Id : 6364313453 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In needle punching DPN, ND and WW will influence _____ of the fabric

Options :

1. ✘ Fibre arrangement
2. ✔ Tenacity
3. ✘ Width
4. ✘ Thickness

Question Number : 94 Question Id : 6364313454 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Fabrics based on extra warp/weft figuring is more suitable for

Options :

1. ✘ Inner wears
2. ✘ Suiting
3. ✘ Towel
4. ✔ Blouse material

Question Number : 95 Question Id : 6364313455 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Which one of the following process significantly improves print resolution

Options :

1. ✘ Scouring
2. ✘ Bleaching
3. ✘ Shearing
4. ✔ Singeing

Question Number : 96 Question Id : 6364313456 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The approximate lot size fed to a Jet dyeing machine

Options :

1. ✘ 50 – 80 kg
2. ✘ 60- 90 kg
3. ✔ 120- 140 kg
4. ✘ Exactly 100 kg

Question Number : 97 Question Id : 6364313457 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Mercerization process involves of usage of sodium hydroxide in the range of

Options :

1. ✘ 12-15gpl
2. ✘ 18-25gpl
3. ✔ 180-250gpl
4. ✘ 1800-2500 gpl

Question Number : 98 Question Id : 6364313458 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In long jets the liquor to material ratio is

Options :

1. ✔ 1:1.5
2. ✘ 1:3
3. ✘ 1:8
4. ✘ 1:10

Question Number : 99 Question Id : 6364313459 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

One bath dyeing of P/C blends calls for use of

Options :

1. ✓ High temp. resistant reactive dyes
2. ✗ High viscosity disperse dyes
3. ✗ Low temp. disperse dyes
4. ✗ Low viscosity reactive dyes

Question Number : 100 Question Id : 6364313460 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The capacity of a processing unit is normally judged by the number of

Options :

1. ✓ Stenters
2. ✗ Dyeing machines
3. ✗ Printing machines
4. ✗ Drumming machines

Question Number : 101 Question Id : 6364313461 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Surface modification of Polyester imparts _____ feeling to Polyester

Options :

1. ✘ Smoothness
2. ✔ Silky
3. ✘ Scroopiness
4. ✘ Shining

Question Number : 102 Question Id : 6364313462 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Feed forward and feed backward concept is observed in _____ dyeing machine.

Options :

1. ✘ Winch
2. ✘ Jet
3. ✔ Jigger
4. ✘ Pad-Batch

Question Number : 103 Question Id : 6364313463 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Quality of the fabric finished in Stenters basically depends on _____

Options :

1. ✘ Width of fabric
2. ✘ Type of Gripping device
3. ✘ RH % of Room
4. ✔ % Over feed

Question Number : 104 Question Id : 6364313464 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

The best dyeing uniformity is obtained on _____ dyeing machine

Options :

1. ✘ Winch
2. ✔ Jet
3. ✘ Jigger

4. ✘ Pad- Batch

Question Number : 105 Question Id : 6364313465 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

In any dyeing method the effect of treatment temperature on Dye exhaustion is as follows

Options :

- Dye exhaustion initially increase with rise in temperature and then attains
- 1. ✔ constant irrespective of further increase in temperature
- Dye exhaustion initially decrease with rise in temperature and then increase
- 2. ✘ with increase in temperature
- Dye exhaustion initially increase with rise in temperature and then decrease
- 3. ✘ with increase in temperature
- Dye exhaustion initially remains constant with rise in temperature and then
- 4. ✘ rises with increase in temperature

Question Number : 106 Question Id : 6364313466 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Following is the latest method of cutting

Options :

1. ✘ Band cutting
2. ✘ Circular cutting
3. ✔ Plasma Cutting
4. ✘ Die cutting

Question Number : 107 Question Id : 6364313467 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Following is the method of indicating errors in the fabrics while bundling

Options :

1. ✘ Labeling
2. ✔ Stickers
3. ✘ Writing
4. ✘ Cutting the error

Question Number : 108 Question Id : 6364313468 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Analysing the losses occurred during the fabric spreading is called

Options :

1. ✘ Fabric loss record
2. ✔ Fabric reconciliation record
3. ✘ Fabric analysis
4. ✘ Fabric damage

Question Number : 109 Question Id : 6364313469 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Following machines are connected with computers

Options :

1. ✔ CNC machines
2. ✘ CCC Machines
3. ✘ NCN Machines
4. ✘ DNB Machines

Question Number : 110 Question Id : 6364313470 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The Care label symbol Δ is nearly representing _____ instruction

Options :

1. ✘ Non Chlorine Bleach
2. ✔ Bleach
3. ✘ Enzymatic Bleach
4. ✘ Do Not Bleach

Question Number : 111 Question Id : 6364313471 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Following is the method of marking on a lay of the Denim bottom

Options :

1. ✘ 1 way or 2 way
2. ✘ 3 way or 4 way
3. ✘ 5 way or 6 way
4. ✔ 8 way or 6 way

Question Number : 112 Question Id : 6364313472 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is

Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Compare the cost of Non-Woven fusing and Woven Fusing

Options :

1. ✘ NW>W
2. ✔ W>NW
3. ✘ W=NW
4. ✘ Costs cannot be compared

Question Number : 113 Question Id : 6364313473 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Following fusing has high durability

Options :

1. ✔ Woven
2. ✘ Non Woven
3. ✘ Knitted
4. ✘ Braided

Question Number : 114 Question Id : 6364313474 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Dyes used for tinting of denims

Options :

1. ✘ Direct Dyes
2. ✘ Vat Dyes
3. ✔ Reactive dyes
4. ✘ Basic dyes

Question Number : 115 Question Id : 6364313475 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Hand scraping is a type of

Options :

1. ✘ Wet Finishing
2. ✔ Dry Finishing
3. ✘ Air Finishing
4. ✘ Dry and Wet Finishing

Question Number : 116 Question Id : 6364313476 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Following is not a temporary finish

Options :

1. ✘ Crinkling
2. ✘ Tinting
3. ✘ Calendaring
4. ✔ Random bleach

Question Number : 117 Question Id : 6364313477 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Packing of all the garment panels is called

Options :

1. ✔ Bundling
2. ✘ Stickers
3. ✘ Cutting

4. ✘ Dispatching

Question Number : 118 Question Id : 6364313478 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Washing of Denim is also called

Options :

1. ✔ Finishing
2. ✘ Dyeing
3. ✘ Singeing
4. ✘ Anti-Chloring

Question Number : 119 Question Id : 6364313479 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Durable press finish is

Options :

1. ✘ Wet Finish
2. ✔ Permanent Finish

3. ✘ Temporary Finish

4. ✘ Semi Durable Finish

Question Number : 120 Question Id : 6364313480 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Is Question Mandatory : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Permanent surface ornamentation of the garment is done using

Options :

1. ✘ Printing

2. ✘ Threading

3. ✔ Embroidery

4. ✘ Applique work