Question Paper Preview

| Question Paper Name: Subject Name: | Pharmacy 30th April 2019 Shift1 Pharmacy |
|--|--|
| Share Answer Key With Delivery Engine: | Yes |
| Actual Answer Key: | Yes |
| | Pharmaceutics |
| Number of Questions: | 50 |
| Display Number Panel: | Yes |
| Group All Questions: | No |
| | |
| Question Number : 1 Question Id : 6' Orientation : Vertical | 7809439657 Display Question Number: Yes Single Line Question Option: No Option |
| Calculate the quantity of o | dextrose required to prepare 1 fl.oz of 10 % solution |
| Options : 1. 45 | |
| 2. 43 | |
| 3. 44 | |
| 4. 42 | |
| Question Number : 2 Question Id : 6' Orientation : Vertical | 7809439658 Display Question Number : Yes Single Line Question Option : No Option |
| Which of the following is a | a modification of Pin mill ? |
| Options : roller mill | |
| 2. cutter mill | |
| 3. Killoplex mill | |
| 4 ball mill | |

| Question Number: 3 Question Id: 67809439659 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|--|
| Splitting of face of tablet is called |
| Options: capping |
| _{2.} picking |
| 3. sticking |
| 4. whiskering |
| Question Number : 4 Question Id : 67809439660 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Which of the following is also known as equilibrium distillation? |
| Options: |
| Flash distillation |
| 2. Fractional distillation |
| 3. Simple distillation |
| 4. Extractive distillation |
| Question Number : 5 Question Id : 67809439661 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Which of following is used in handling of corrosive liquids? |
| Options: |
| 1. Volute pumps |
| Turbine pumps |
| 3. Air binding pumps |
| Peristaltic pumps 4. |
| Question Number : 6 Question Id : 67809439662 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| The shells of soft gelatin capsules may be made elastic or plastic like by addition of |

Options:

| 1. sorbitol | |
|--|---|
| 2. povidone | |
| 3. glucose | |
| 4. lactose | |
| Orientation : Vertical | Question Number: Yes Single Line Question Option: No Option motion to throw the liquid against the separator |
| Options: Vertical | |
| 2. horizontal | |
| 3. Whirling | |
| tangential 4. | |
| Question Number: 8 Question Id: 67809439664 Display Orientation: Vertical | Question Number: Yes Single Line Question Option: No Option |
| Which of the following evaporator is us | ed in manufacture of gelatin? |
| Options: Climbing film evaporator | |
| 2. Falling film evaporator | |
| 3. Vertical tube evaporator | |
| 4. Horizontal tube evaporator | |
| Question Number: 9 Question Id: 67809439665 Display Orientation: Vertical | Question Number: Yes Single Line Question Option: No Option |
| Units of overall heat transfer coefficient | |
| Options: 1. Wm ² K | |
| _{2.} W/m ² K | |

```
<sub>3.</sub> m<sup>2</sup>/WK
4 K/ Wm<sup>2</sup>
Question Number: 10 Question Id: 67809439666 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Loss on drying is defined as
Options:
  mass of water in sample /total mass of dry sample
2 mass of water in sample/ total mass of wet sample
  total mass of dry sample/ mass of water in sample
  total mass of wet sample/mass of water in sample
Question Number: 11 Question Id: 67809439667 Display Question Number: Yes Single Line Question Option: No Option
Triple point of water is given as
Options:
1 98° C
2 98°F
   0.0098°C
4. 0.0098°F
Question Number: 12 Question Id: 67809439668 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 Fibrous materials can be dried by use of
Options:
  rotary dryer
2 vacuum dryer
3. cylinder dryer
4 tunnel dryer
```

| Question Number: 13 Question Id: 67809439669 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Rollers in roller mill rotate on |
|--|
| |
| Options: Iongitudinal axis |
| horizontal axis |
| tangential axis |
| Orthogonal axis |
| Question Number: 14 Question Id: 67809439670 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Hygroscopic materials can be size reduced by use of |
| Options: |
| colloidal mill |
| _{2.} ball mill |
| fluid energy mill |
| hammer mill |
| Question Number: 15 Question Id: 67809439671 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Dorrclone is a modification of cyclone separator used for separation of |
| Options: solids in a liquid |
| solids from solids |
| solids from gases |
| solids from mixtures |
| Question Number: 16 Question Id: 67809439672 Display Question Number: Yes Single Line Question Option: No Option |

Which of the following is not size separation equipment?

| Options: |
|---|
| 1. Bag filter |
| 2. Cyclone separator |
| Air separator |
| 4. Scrubber |
| Question Number: 17 Question Id: 67809439673 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Mechanism of mixing in sigma blade mixer is |
| Options: diffusive mixing 1. |
| 2. tumbling |
| 3. convective mixing |
| 4. shearing |
| Question Number: 18 Question Id: 67809439674 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Hummer screen uses |
| Options: 1. bar screens |
| _{2.} punched plated |
| 3. blotting cloth sieves |
| 4. woven wire sieves |
| Question Number: 19 Question Id: 67809439675 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The disintegration time of the Soft capsules is Options: |
| 1. 15 minutes |

| 2. 30 minutes |
|---|
| 45 minutes 3. |
| 60 minutes 4. |
| Question Number: 20 Question Id: 67809439676 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical National formulary committee was constituted in the year Options: 1947 |
| _{2.} 1953 |
| _{3.} 1956 |
| 4. 1955 |
| Question Number: 21 Question Id: 67809439677 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Moist heat sterilization for vaccines is done at a temperature of |
| Options: |
| 1. 40-50°C |
| 1. 40-50°C 2. 55-60°C |
| 2. 55-60°C 3. 60-70°C |
| _{2.} 55-60°C |
| 2. 55-60°C 3. 60-70°C 4. 70-80°C Question Number : 22 Question Id : 67809439678 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| 2. 55-60°C 3. 60-70°C 4. 70-80°C Question Number : 22 Question Id : 67809439678 Display Question Number : Yes Single Line Question Option : No Option |
| 2. 55-60°C 3. 60-70°C 4. 70-80°C Question Number : 22 Question Id : 67809439678 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| 2. 55-60°C 3. 60-70°C 4. 70-80°C Question Number : 22 Question Id : 67809439678 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Volatile oil:water:gum ratio in dry gum method is Options : |

```
4. 3:2:1
Question Number: 23 Question Id: 67809439679 Display Question Number: Yes Single Line Question Option: No Option
For preparation of dermatological jellies concentration of sodium alginate used is
Options:
2-5%
2 1.5-2%
  5-10%
4 2-4%
Question Number: 24 Question Id: 67809439680 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Sorbitol is used in suspensions as
Options:
  flocculating agent
yetting agent
suspending agent
  dispersing agent
Question Number: 25 Question Id: 67809439681 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Following type of incompatibility is produced when benzoates and silicates are
reacted with acid
Options:
   Physical incompatibility
  Chemical incompatibility
  Therapeutic incompatibility
```

Question Number: 26 Question Id: 67809439682 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** How much 95% alcohol is required for preparation of 500 ml of 20% alcohol? **Options:** 100 mL ₂ 120 mL _{3.} 105 mL 4 110 mL Question Number: 27 Question Id: 67809439683 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical Young's rule is applicable to children below **Options:** 6 years 2 10 years 12 years ₄ 1 year Question Number : 28 Question Id : 67809439684 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical The term light as applied to pharmaceutical powders means **Options:** 1 low bulk density low granule density low true density high granule density

No incompatibility

| Question Number: 29 Question Id: 67809439685 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|---|
| Proof sprit value of 30% v/v alcohol is |
| Options: |
| 47.5 under proof |
| 47.5 over proof |
| 3. 52.5 over proof |
| 52.5 under proof |
| |
| Question Number : 30 Question Id : 67809439686 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Child's maintenance dose by use of surface area can be calculated by formula |
| Options: |
| Surface area of child in m ² /1.73 * Adult dose |
| |
| Surface area of adult in m ² /1.73 * Adult dose |
| Surface area of child in cm ² /1.73 * Adult dose |
| Surface area of Adult in cm ² /1.73 * Adult dose |
| |
| Question Number: 31 Question Id: 67809439687 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Surfactants which cannot be used in shampoo manufacture are |
| Outland . |
| Options: anionic |
| 2. cationic |
| non ionic |
| amphoteric |
| |

Question Number : 32 Question Id : 67809439688 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

| Options: 1. benzoic acid |
|---|
| 2. chlororphyllin |
| 3. thymol |
| zinc phenosulpahte |
| Question Number : 33 Question Id : 67809439689 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Gamma form of cocoa butter has melting point of |
| Options: 1. 28°C |
| 2. 31°C |
| 3. 20°C |
| 4. 18°C |
| Question Number : 34 Question Id : 67809439690 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Which of the following is not used in preparation of baby powders? |
| Options: Stearic acid 1. |
| 2. Boric acid |
| 3. Kaolin |
| 4. Calcium carbonate |
| Question Number: 35 Question Id: 67809439691 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |

Astringent action in mouth washes is produced by

| A suspension is not suitable dosage form for |
|---|
| a) Intra articular injection b) Intra dermal injection |
| c) Intra muscular injection d) Intravenous injection |
| Options: c is correct 1. |
| b is correct |
| a is correct |
| a and d are correct |
| Question Number : 36 Question Id : 67809439692 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Lard is an example for |
| Options: Oleogenous base 1. |
| absorption base |
| emulsion base 3. |
| water soluble base 4. |
| Question Number : 37 Question Id : 67809439693 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Provisions applicable to blood bank are included in |
| Options: Schedule A |
| Schedule D |
| 3. Schedule F |
| Schedule L |

| Question Number : 38 Question Id : 67809439694 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
|--|
| Which of the following drugs fall under psychotropic substances under Narcotic |
| and Psychotropic substances act? |
| Options: PEPAP 1. |
| 2. Dimepheptanol |
| 3. Levorphanol |
| 4. Mazindol |
| Question Number : 39 Question Id : 67809439695 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Factories act was passed in the year |
| Options: 1948 |
| _{2.} 1949 |
| _{3.} 1954 |
| 4. 1956 |
| Question Number: 40 Question Id: 67809439696 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following schedule includes shelf life of drugs? |
| Options: Schedule F |
| 2. Schedule M |
| 3. Schedule P |
| Schedule G |

| Question Number: 41 Question Id: 67809439697 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Eye tolerates the solutions of pH in the range |
|--|
| Options: 1. 2.4 - 3.7 |
| _{2.} 8.0 - 8.8 |
| _{3.} 10.1 – 11.3 |
| 12.3 -13.5 |
| Question Number: 42 Question Id: 67809439698 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The solvent used in throat paints is |
| Options: |
| 1. Alcohol |
| 2. Glycerine |
| 3. Castor oil |
| 4. Syrup |
| Question Number: 43 Question Id: 67809439699 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Multidose injections are packed in |
| Options: 1. vials |
| 2. ampoules |
| 3. infusion bottles |
| 4. disposable sets |
| Question Number: 44 Question Id: 67809439700 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |

One table spoon is approximately equal to

Options:

| 1. 12 ml |
|--|
| _{2.} 10 ml |
| 3. 4 ml |
| 4. 15 ml |
| Question Number: 45 Question Id: 67809439701 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Medicinal and Toilet Preparations Act was established in which year? |
| Options: 1999 |
| 2. 1990 2. |
| _{3.} 1981 |
| _{4.} 1971 |
| Question Number: 46 Question Id: 67809439702 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Options: X 1. |
| 2. G |
| H 3. |
| 4. B |
| Question Number : 47 Question Id : 67809439703 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| If the manufacturing license is cancelled then the loan license is |
| Options: 1. suspended |

| _{2.} cancelled |
|---|
| renewed 3. |
| penalized 4. |
| Question Number : 48 Question Id : 67809439704 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Government opium factory is situated at |
| Options: |
| Ghazipur |
| 2. Lucknow |
| 3. Srinagar |
| 4. Calcutta |
| Question Number: 49 Question Id: 67809439705 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Schedule T confirms the premises for manufacture of |
| Options: ayurvedic and siddha drugs |
| homeopathic drugs |
| narcotic drugs |
| 4. cosmetics |
| Question Number : 50 Question Id : 67809439706 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Under Narcotic and Psychotropic drugs act one of the following operation comes |
| under controlled operation |
| Options: |
| Cultivation of cannabis plant |

| maceutical Chemistry |
|--|
| 50 |
| Yes |
| No |
| |
| ion Number : Yes Single Line Question Option : No Option |
| obial agent through oxidative |
| |
| |
| |
| |
| |
| ion Number: Yes Single Line Question Option: No Option |
| |
| |
| |
| |
| |
| |
| j |

| Question Number: 53 Question Id: 67809439709 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|---|
| Pharmaceutical buffer system could be categorised into |
| Options: |
| 1. 3 |
| 2. 1 |
| 3. 2 |
| 4. 4 |
| Question Number : 54 Question Id : 67809439710 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Nitrazepam is used as |
| Options: |
| Sedative 1. |
| Respiratory stimulant |
| 3. Anti-depressant |
| Anti-histaminic 4. |
| Question Number : 55 Question Id : 67809439711 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Example of stimulant laxative is |
| Options: Castor oil |
| 2. Magnesium trisilicate |
| Antimony potassium tartarate |
| 4. Magnesium carbonate |
| Question Number : 56 Question Id : 67809439712 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |

In limit test for arsenic, H_2S gas can be prevented by using

| Options: |
|---|
| Sodium chloride |
| Lead acetate |
| Silver nitrate 3. |
| Potassium chloride 4. |
| Question Number: 57 Question Id: 67809439713 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Halogenation mechanism occurring with antiseptic is |
| Options: Sulphydryl 1. |
| 2. Phenyl |
| Hypohalite 3. |
| Halogens 4. |
| Question Number : 58 Question Id : 67809439714 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Example of strong acid is |
| Options: Ca ²⁺ |
| 2. 1 ⁺ |
| Hg ⁺ 3. |
| Cu ⁺ 4. |
| Question Number: 59 Question Id: 67809439715 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |

Dapsone is

| Options: |
|--|
| Dinitro diphenyl sulphone 1. |
| Diphenyl sulphone |
| Diacetyl amino diphenyl sulphone |
| Diamino diphenyl sulphone 4. |
| Question Number: 60 Question Id: 67809439716 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Al(OH)3 gel is used in |
| Options: |
| Dentrifices 1. |
| 2. Radioactive agents |
| Peptic ulcer |
| Expctorants 4. |
| Question Number: 61 Question Id: 67809439717 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Burnett syndrome is associated with the prolonged use of |
| Options: |
| Magnesium containing antacid |
| Aluminium containing antacid 2. |
| Calcium containing antacid 3. |
| Sodium containing antacid 4. |
| |

 $Question\ Number: 42\ Question\ Id: 67809439718\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$


| Sodium nitrite is classified as |
|---|
| Options: Chemical antidote |
| Physiological antidote |
| Mechanical antidote |
| Physical antidote |
| Question Number: 63 Question Id: 67809439719 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Simethicone is Options: Antacid |
| Astringent |
| Defoaming agent |
| Antiseptic 4. |
| Question Number: 64 Question Id: 67809439720 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| When metabolic acidosis is acute, the treatment is |
| Options : NaHCO3 |
| CaCl2 |
| KCI 3. |
| NaCI |

 $Question\ Number: 45\ Question\ Id: 67809439721\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

| The category of Calcium gluconate is |
|---|
| Options: 1. Antacid |
| Calcium replenished 2. |
| 3. Antioxidant |
| Radiopharmaceuticals 4. |
| Question Number: 66 Question Id: 67809439722 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Sodium acetate is used as |
| |
| Options: Urinary acidifier 1. |
| 2. Antioxidant |
| For peritoneal dialysis fluids |
| Calcium replenisher 4. |
| Question Number: 67 Question Id: 67809439723 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| A carbohydrate, known commonly as invert sugar is |
| Options: |
| Sucrose 1. |
| 2. Glucose |
| Fructose 3. |
| 4. Lactose |

Question Number : 68 Question Id : 67809439724 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

| The reagent used in the limit test for iron is |
|---|
| Options: Silver nitrate 1. |
| Thioglycollic acid 2. |
| Barium chloride 3. |
| Nitric acid 4. |
| Question Number : 69 Question Id : 67809439725 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Calcium levulinate is used as calcium replenisher and chemically it is |
| Options: |
| Calcium-3-oxo pentanoate dehydrate |
| 2. Calcium-4-oxo pentanoate dehydrate |
| Calcium-5-oxo pentanoate dehydrate 3. |
| Calcium-2-oxo pentanoate dehydrate 4. |
| Question Number : 70 Question Id : 67809439726 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Which one of the followings is used as systemic alkalizer? |
| Options: Sodium chloride |
| 2. Sodium bicarbonate |
| Sodium sulphate 3. |
| Sodium acetate 4. |



| Question Number: 74 Question Id: 67809439730 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Milk is deficient in |
|--|
| Options: 1. Vitamin B ₁ |
| Vitamin B ₂ |
| 3. Potassium |
| Sodium 4. |
| Question Number: 75 Question Id: 67809439731 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Which one of the following effects is unlikely to occur during treatment with Amitriptyline |
| Options: Sedation 1. |
| Elevation of the seizure threshold |
| Urinary retention 3. |
| Mydriasis 4. |
| Question Number : 76 Question Id : 67809439732 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Glucose cannot be synthesized from |
| Options: |
| Leucine 1. |
| Glycerol 2. |
| Lactate 3. |
| Alanine 4. |

| Question Number: 77 Question Id: 67809439733 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|---|
| Identify the respiratory stimulant from the following |
| Options: |
| Ammonium carbonate |
| Ammonium phosphate |
| Ammonium sulphate 3. |
| Ammonium formate 4. |
| Question Number: 78 Question Id: 67809439734 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A water soluble vitamin deficient in egg is |
| Options: |
| Thiamine 1. |
| Riboflavin 2. |
| Cobalamine 3. |
| Ascorbic acid 4. |
| Question Number : 79 Question Id : 67809439735 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Sulphydryl group is present in |
| Ontions |
| Options: |
| Cysteine 1. |
| Methionine 2. |
| Alanine 3. |
| Glycine 4. |
| |

| Question Number: 80 Question Id: 67809439736 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|--|
| Imipramine is an |
| Options : Anti-depressant drug |
| |
| Anti-convulsant drug |
| Anti-anxiety drug 3. |
| Analeptic drug 4. |
| Question Number: 81 Question Id: 67809439737 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| A vitamin which can be synthesized by human beings is |
| Options: |
| Niacin 1. |
| 2. Thiamine |
| Folic acid |
| Cyanocobalamin 4. |
| Question Number: 82 Question Id: 67809439738 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Glycogenesis is increased by |
| Options: |
| 1. CAMP |
| Insulin 2. |
| Glucagon 3. |
| Epinephrine 4. |

| Question Number: 83 Question Id: 67809439739 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|---|
| Benzocaine is a |
| Options : Secondary amine |
| 1. |
| Ester 2. |
| Amide 3. |
| 4. Substituted amide |
| |
| Question Number: 84 Question Id: 67809439740 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Which of the following drug is a volatile substance that is given by inhalation? |
| Options: |
| 1. Buspirone |
| 2. Thiopental |
| 3. Halothane |
| Alprazolam 4. |
| |
| Question Number : 85 Question Id : 67809439741 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Glutethimide has |
| Options: |
| Piperidine ring system |
| Phenothiazine ring system 2. |
| Tricyclic ring system 3. |
| Pyridine ring system 4. |

| Question Number : 86 Question Id : 67809439742 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
|---|
| Vitamin B ₁₂ is transported in blood by |
| Options: 1. Transcortin |
| Albumin 2. |
| 3. Transcobalmin II |
| 4. Transcobalmin I |
| Question Number: 87 Question Id: 67809439743 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Coenzyme A contains a nitrogenous base which is |
| Options: |
| Choline 1. |
| Adenine 2. |
| Guanine 3. |
| ethanolamine 4. |
| Question Number : 88 Question Id : 67809439744 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| Chloroquine is generally used as itssalt |
| Options: 1. Phosphate |
| 2. Succinate |
| Hydrochloride 3. |
| 4. Sulphate |

| Question Number: 89 Question Id: 67809439745 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|---|
| Phenytoin is an |
| Options: |
| Anti-tubercular drug |
| Analgesic 2. |
| Anti-convulsant drug 3. |
| Anti-depressant drug |
| Question Number: 90 Question Id: 67809439746 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Symptoms of hypothyroidism do not include |
| Options : |
| Increased appetite |
| Dry, puffy skin |
| Large tongue and dropping of eyelids 3. |
| Slow heart rate and sleepiness 4. |
| Question Number: 91 Question Id: 67809439747 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Alcohol drinking is associated with which of the following changes in serum lipid concentrations |
| Options: |
| Decreased HDL cholesterol |
| Decreased VLDL cholesterol |
| 3. Increased LDL cholesterol |
| Increased triglyceride |

| Question Number : 92 Question Id : 67809439748 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
|---|
| Chloramphenicol is aantibiotic |
| Options: |
| One amino acid |
| 2. Polyene |
| Two amino acid 3. |
| Plypeptide 4. |
| Question Number: 93 Question Id: 67809439749 Display Question Number: Yes Single Line Question Option: No Option |
| Orientation: Vertical |
| Atropine is |
| Options: |
| Laevo isomer |
| 2. Dextro isomer |
| 3. Meso form |
| Racemic mixture |
| Question Number : 94 Question Id : 67809439750 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| An amino acid having a hydrophilic side chain is |
| Options: 1. Serine |
| 2. Proline |
| Alanine 3. |
| 4. Methionine |

| Question Number : 95 Question Id : 67809439751 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
|---|
| Number of carbon atoms in cholesterol is |
| Options: |
| 17 |
| 1. |
| |
| 27 2. |
| 2. |
| 19 |
| 3. |
| |
| 4. 30 |
| |
| |
| Question Number : 96 Question Id : 67809439752 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| The most abundant protein in mammals is |
| Options: |
| Albumin |
| 1. Albanin |
| |
| 2. Elastin |
| |
| Haemoglobin 3. |
| 3. |
| Collagen |
| 4. |
| |
| Question Number: 97 Question Id: 67809439753 Display Question Number: Yes Single Line Question Option: No Option |
| Orientation: Vertical |
| Epimerisation of Tetracycline renders it |
| Options: |
| Less potent |
| 1. |
| Unstable |
| 2. |
| |
| Bitter 3. |
| |
| Toxic |
| 4. |
| |

Question Number: 98 Question Id: 67809439754 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Griseofulvin is administered as **Options:** Orally Intravenously Intra muscularly Topically Question Number: 99 Question Id: 67809439755 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which of the following drug may inhibit the hepatic microsomal P450 responsible for Warfarin metabolism? **Options:** Phenobarbital Cimatidine Procainamide Rifampin Question Number: 100 Question Id: 67809439756 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** lodine gives red color with **Options:** Glycogen Starch Dextrin Insulin

| | | Pharmacognosy | | |
|----------|---|---|--|--|
| | Number of Questions: Display Number Panel: | 50 Yes | | |
| | Group All Questions: | No | | |
| | | | | |
| Qu Or | testion Number: 101 Question Id: 67809439757 Display Questientation: Vertical | tion Number : Yes Single Line Question Option : No Option | | |
| T | he Nux vomica plant belongs to | family | | |
| - | Apocynaceae | | | |
| 2. | Loganiaceae | | | |
| 3. | Zingiberaceae | | | |
| 1. | Umbelliferaceae | | | |
| Or | Question Number: 102 Question Id: 67809439758 Display Question Number: Yes Single Line Question Option: No Option Drientation: Vertical Eugenol present in clove is known for activity | | | |
| | Local anesthetic | | | |
| 2. | CNS stimulation | | | |
| 3. | Cardio tonic | | | |
| 4. | Diuretic | | | |
| Or | nestion Number: 103 Question Id: 67809439759 Display Questientation: Vertical /hich of the following is not an essential fatt | | | |
| Op 1 | Arachidonic acid | | | |

| 2. Stearidonic acid |
|---|
| Palmitic acid 3. |
| 4. Linolenic acid |
| Question Number: 104 Question Id: 67809439760 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Borntragers test is used for identification of |
| Options: Digitoxin 1. |
| Sennosides 2. |
| 3. Citral |
| Quercetin 4. |
| Question Number: 105 Question Id: 67809439761 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The sweetness in honey is majorly because of |
| Options: Glucose and fructose 1. |
| Sucrose and maltose |
| 3. Lactose and glucose |
| Maltose and xylose 4. |
| Question Number: 106 Question Id: 67809439762 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Gelatin is a |
| 2-12-000-00-00-00-00-00-00-00-00-00-00-00-0 |

| 2. Glycoside | | |
|--|--|--|
| 3. Protein | | |
| Alkaloid 4. | | |
| Question Number: 107 Question Id: 67809439763 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical | | |
| Following types of calcium oxalate crystals are found in Senna leaf. | | |
| Options: | | |
| Rosettes | | |
| 2. Acicular | | |
| Styloid 3. | | |
| 4. Prismatic cluster | | |
| Question Number: 108 Question Id: 67809439764 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical | | |
| Which of the following is NOT correct for menthol? | | |
| Options: | | |
| It is a monoterpene | | |
| It is a secondary alcohol | | |
| 3. It gives positive response to Bayer's test | | |
| It is not aromatic 4. | | |
| Question Number: 109 Question Id: 67809439765 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical | | |
| Question Number: 109 Question Id: 67809439765 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical | | |
| Question Number: 109 Question Id: 67809439765 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Major chemical constituent of Fennel fruit is | | |

| Menthol 2. |
|---|
| 3. Vanillin |
| Cinnamaldehyde 4. |
| Question Number: 110 Question Id: 67809439766 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| The animocytic stomata are present in |
| Options: Clove 1. |
| Vasaka 2. |
| Digitalis 3. |
| Senna 4. |
| Question Number: 111 Question Id: 67809439767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Withanolides present in Aswagandha possess in their structure |
| Options: 1. Indole |
| 2. Steroid |
| 3. Triterpenoid |
| 4. Flavone |
| Question Number: 112 Question Id: 67809439768 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Shark liver oil is a rich source of |
| Options: Vitamin A 1. |

| Vitamin B12 |
|---|
| 3. Vitamin C |
| Vitamin D 4. |
| Question Number: 113 Question Id: 67809439769 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Which of the following is not correct for alkaloids? |
| Options: They form complexes with heavy metals like bismuth 1. |
| They exist as organic salts of free bases in plant tissue |
| They are extracted using Stass-Otto process |
| They exist as racemic mixtures 4. |
| Question Number: 114 Question Id: 67809439770 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Herbal medications for treating diabetes contain as active ingredient |
| Options: Amla 1. |
| Gymnemic acid 2. |
| 3. Curcuma |
| Catechu 4. |
| Question Number: 115 Question Id: 67809439771 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Boric acid reacts with curcumin and gives colour. |
| Options: Blue 1. |
| |

| 2. Green |
|--|
| Red 3. |
| 4. Yellow |
| Question Number: 116 Question Id: 67809439772 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Biological source for Agar is |
| |
| Options: Geledium Amansii lamarox 1. |
| Commiphora Mukul |
| Acacia Arabica |
| Catharanthus Rosea 4. |
| Question Number: 117 Question Id: 67809439773 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Papain obtained from papaya fruit is enzyme |
| Options: |
| 1. Oxidase |
| 2. Hydrolase |
| 3. Isomerase |
| 4. Lyase |
| Question Number: 118 Question Id: 67809439774 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Vasicine is alkaloid. |
| Options: |
| 1. Indole |

| 2. Quinoline |
|--|
| Isoquinoline 3. |
| Quinazoline 4. |
| Question Number: 119 Question Id: 67809439775 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| is the major source of starting material used for synthesis of steroidal hormones. |
| Options: |
| 1. Yam |
| 2. Vinca |
| 3. Amla |
| Pectin 4. |
| Question Number: 120 Question Id: 67809439776 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Glycerrhetinic acid obtained from liquorice root is chemically a |
| Options: |
| Biflavon 1. |
| Naphtoquinone 2. |
| Triterpene |
| 4. Hydroquinone |
| Question Number: 121 Question Id: 67809439777 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Demography is |
| Options: the study of the relationship between government and population. 1. |
| |

the study of population. the study of population growth. the mapping of population characteristics. Question Number: 122 Question Id: 67809439778 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Presently, natural increase in population is primarily due to an increase in the birth rate. an increase in the death rate. a decrease in the birth rate. a decrease in the death rate Question Number: 123 Question Id: 67809439779 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** What is first aid? **Options:** Completing a primary survey The first help given to the victim of an accident Assessing a victim's vital signs Treating a victim for shock Question Number: 124 Question Id: 67809439780 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** What is the best procedure for treating a known poisonous snake bite? **Options:** Capture the snake. Place it in an ice chest and take the snake and victim to a hospital.

Place a constricting bandage 4 inches above the head of the snake to slow the spread of venom Keep the victim calm, keep the bite location lower than the heart, get medical help immediately Treat the victim for shock and continue the planned activity Question Number: 125 Question Id: 67809439781 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which type of bacteria prepare their own food by utilization of solar energy? **Options:** Heterotrophic bacteria Autotropic Bacteria Tetra coccts bacteria. Diploccus bacteria Question Number: 126 Question Id: 67809439782 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which of the following is not one of Koch's postulate? **Options:** The organism is regularly found in lesions of disease The organism can be isolated from diseased tissues in pure culture on artificial media Inoculation of this pure culture produces similar disease in experimental 3. Animals Treatment of the disease is always achieved by multi drug therapy

Question Number : 127 Question Id : 67809439783 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

| Common type of nosocomial infection is |
|---|
| Options: Urinary tract infection |
| 2. Meningitis |
| Cellulitis 3. |
| 4. Gastroenteritis |
| Question Number: 128 Question Id: 67809439784 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following disease is not spread by infected droplets? |
| Options: 1. Measles |
| 2. Chicken Pox |
| Poliomyelitis 3. |
| 4. Mumps |
| Question Number: 129 Question Id: 67809439785 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical is a cell derived vaccine. |
| Options: 1. Measles |
| 2. BCG |
| 3. Hepatitis B |
| 4. OPV |
| Question Number: 130 Question Id: 67809439786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Major active constituent of Cod Liver Oil is Options: |
| Options. |

| 1. Vitamin A |
|--|
| 2. Vitamin B5 |
| 3. Vitamin D |
| 4. Vitamin E |
| Question Number: 131 Question Id: 67809439787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Options: High protein diet 1. |
| _{2.} BMI = 25 |
| 3. High HDL |
| High sodium intake |
| Question Number: 132 Question Id: 67809439788 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| The best strategy recommended by WHO for the control of pulmonary TB is |
| Options: BCG vaccination at mass level 1. |
| 2. Chemoprophylaxis with INH |
| Early case detection and prompt treatment |
| 4. Proper disposal of sputum |
| Question Number: 133 Question Id: 67809439789 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Restriction of activities of a contact, who has been exposed to a case of communicable disease for maximum incubation period, is termed as |
| Options: |

| 1. Elimination |
|---|
| 2. Quarantine |
| 3. Surveillance |
| Isolation 4. |
| Question Number: 134 Question Id: 67809439790 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Dettol is commonly used as antiseptic in the community. Its chemical name is |
| Options: Phenol 1. |
| 2. Cetrimide |
| 3. Cresol |
| Chloroxylenol 4. |
| Question Number: 135 Question Id: 67809439791 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Cholera red reaction is identified by |
| Options: Sulphuric acid |
| 2. Nitric acid |
| 3. Hydrochloric acid |
| Carbolic acid 4. |
| Question Number: 136 Question Id: 67809439792 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| The balance of personal and real accounts are shown in |
| Options: Profit and Loss account |

| 2. Balance sheet |
|--|
| 3. Current account |
| 4. Trading account |
| Question Number: 137 Question Id: 67809439793 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical will be credited if the goods are given as charity |
| Options: |
| Cash 1. |
| 2. Sales |
| Purchases 3. |
| 4. Debit |
| Question Number: 138 Question Id: 67809439794 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following problem is not associated with the poor selection of sales people? |
| |
| Options: Lower sales 1. |
| 2. Less office support |
| 3. Less productivity |
| Costly turnover 4. |
| Question Number: 139 Question Id: 67809439795 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following is not tested during the hiring process of the sales applicants? |
| Options: |
| Sales aptitude |
| 2. Organizational skill |

| 3. Accounting skill |
|---|
| 4. Personality traits |
| Question Number: 140 Question Id: 67809439796 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical One of the parameter considered for evaluation of Logistics performance is |
| |
| Options: Cost of product |
| Place of manufacture |
| 3. Nature of product |
| 4. Transportation cost |
| Question Number: 141 Question Id: 67809439797 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| A distribution channel moves goods and services from producers to consumers. It overcomes the major time, place and gaps that separate goods and services from those who would use them. |
| Options : |
| possession 1. |
| _{2.} profit |
| image 3. |
| psychological 4. |
| Question Number: 142 Question Id: 67809439798 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| The benefit of marketing channels is |
| Options: 1. Costly |
| 2. No time limits |
| |

| 3. Financial support not needed |
|---|
| Time saving 4. |
| Question Number: 143 Question Id: 67809439799 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| sells to the customers. |
| Options: |
| Wholesaler 1. |
| 2. Semi wholesaler |
| Distributor 3. |
| Retailer 4. |
| Question Number: 144 Question Id: 67809439800 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| With respect to a channel of distribution, the number of intermediary levels within the channel indicates theof a channel |
| Options: 1. Width |
| Depth 2. |
| |
| 3. Length |
| Similarity 4. |
| Question Number: 145 Question Id: 67809439801 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| In accounting, an economic event is referred to as |
| Options : Cash |
| 1. |

| 2. Bank statement |
|---|
| Transaction 3. |
| Exchange of goods 4. |
| Question Number: 146 Question Id: 67809439802 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Identify the correct sequence of events in accounting process |
| |
| Options: communicating – recording - identifying 1. |
| recording - communicating - identifying 2. |
| 3. identifying -communicating - recording |
| identifying - recording – communicating 4. |
| Question Number: 147 Question Id: 67809439803 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Auditing is |
| Options: |
| Reporting financial information |
| Examination of financial statements |
| 3. Preparation of financial statements |
| Maintaining ledger records 4. |
| Question Number: 148 Question Id: 67809439804 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| are considered as liabilities of an organization |
| Options: Resources 1. |

| 2. Obligations | |
|--|---|
| 3. Expenses | |
| Future benefits 4. | |
| Question Number: 149 Question Id: 67809439805 Dis Orientation: Vertical | splay Question Number: Yes Single Line Question Option: No Option |
| Transportation is the most | _ element of logistics operation |
| Options: Uncontrollable 1. | |
| 2. Operational | |
| 3. Visible | |
| Rational 4. | |
| Question Number: 150 Question Id: 67809439806 Dis Orientation: Vertical | splay Question Number : Yes Single Line Question Option : No Option |
| Selection of a particular mode is depe infrastructure in the region. | endent on the of transportation |
| Options: | |
| Availability 1. | |
| 2. Cost | |
| 3. Size | |
| Speed 4. | |
| | Pharmacology |
| Number of Questions: | 50 |
| Display Number Panel: Group All Questions: | Yes No |
| | |

| Question Number: 151 Question Id: 67809439807 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
|--|
| The function of protein sorting, lipid sorting and secretion is performed by |
| Options: |
| Rough Endoplasmic reticulum |
| 2. Smooth Endoplasmic reticulum |
| Golgi apparatus |
| 4. Peroxisomes |
| Question Number: 152 Question Id: 67809439808 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The shape of the hyoid bone is |
| Options: |
| C - shaped |
| 2. O - shaped |
| 3. S - shaped |
| 4. U - shaped |
| Question Number: 153 Question Id: 67809439809 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Lymph from the left side of the body is received by |
| Options: Left lymphatic duct |
| 2. Right lymphatic duct |
| 3. Right thoracic duct |
| Thoracic duct |
| Question Number: 154 Question Id: 67809439810 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which combines with iron to form the heme molecule? |

| Options: |
|--|
| Protoporphyrin X |
| 2. Protoporphyrin IX |
| 3. Protoporphyrin XI |
| 4. Protoporphyrin VIII |
| Question Number: 155 Question Id: 67809439811 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The first branch of abdominal aorta is |
| Options: Subclavian artery 1. |
| 2. Celiac artery |
| Iliac artery |
| Renal arteries 4. |
| Question Number: 156 Question Id: 67809439812 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The major action of the sympathetic nerves on the vascular system is to |
| cause |
| Options : Vasodilation |
| 2. Increased blood flow |
| 3. Vasoconstriction |
| Peripheral resistance |
| Question Number: 157 Question Id: 67809439813 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical During inspiration, intrapulmonary pressure is |

Options:

Greater than atmospheric pressure Greater than intrapleural pressure 3 Less than intrapleural pressure Less than atmospheric pressure Question Number: 158 Question Id: 67809439814 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Physiological acidosis is **Options:** _{1.} pH < 7.0 ₂ pH > 7.35 3 pH between 7.00 and 7.35 4 pH between 7.35 and 7.45 Question Number: 159 Question Id: 67809439815 Display Question Number: Yes Single Line Question Option: No Option Urine passes through the ureters by which mechanism? **Options:** Peristalsis Ciliary action Gravity alone Suction Question Number: 160 Question Id: 67809439816 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which of the following is not the basic property of muscular tissue? **Options:** 1. Contractility

Elasticity Electrical excitability 4. Hardness Question Number: 161 Question Id: 67809439817 Display Question Number: Yes Single Line Question Option: No Option The value for the resting membrane potential is **Options:** _{1.} - 75 m∨ 2 - 70 mV 3. - 65 mV 4 - 80 mV Question Number: 162 Question Id: 67809439818 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which of the following is false for ANS? **Options:** It has one motor neuron pathways It operates without conscious control It has sensory input from interoceptors It has 2 divisions Question Number: 163 Question Id: 67809439819 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The lacrimal fluid contains protective bactericidal enzyme **Options:** Lysozyme Lysozome

```
4. Lysizyme
Question Number: 164 Question Id: 67809439820 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Stratum basale is a
Options:
  8 – 10 layers of many sided keratinocytes
  3 – 5 rows of flattened keratinocytes
3 - 5 rows clear, flat keratinocytes
  Single row of cuboidal or columnar keratinocytes
Question Number: 165 Question Id: 67809439821 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
The oxidation of iodine is promoted by the enzyme
Options:
Hydroxylase
2. lodide
3. Peroxidase
  lodide peroxidase
Question Number: 166 Question Id: 67809439822 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Vitamin D loses almost all its effectiveness in the absence of
Options:
  Liver
  Gall bladder
  Pancreas
```

Isozyme

Kidneys Question Number: 167 Question Id: 67809439823 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The estrogenic potency of beta – estrodiaol when compared to estrone and estriol is **Options:** 1 11 and 80 2 12 and 80 14 and 80 4 16 and 80 Question Number: 168 Question Id: 67809439824 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Testosterone is secreted by the interstitial cells of leydig in the testes only when they are stimulated by **Options:** FSH from the Pituitary gland GnRH from the Pituitary gland LH from the Pituitary gland LH and FSH from the Pituitary gland Question Number: 169 Question Id: 67809439825 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The phase of gastric secretion which occurs even before food enters the stomach is **Options:** Gastric phase

Cephalic phase

| 3. Intestinal phase |
|--|
| Enterogastric phase 4. |
| Question Number: 170 Question Id: 67809439826 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| The simultaneous relaxation of sphincter of Oddi causes emptying of |
| Options: Pancreatic ducts |
| 2. Duodenum |
| 3. Gall bladder |
| 4. Large intestine |
| Question Number: 171 Question Id: 67809439827 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Anti-inflammatory drug used for the treatment of Systemic Lupus |
| Erythematous which targets B – cells is |
| Options: 1. Belimumab |
| 2. Rituxumab |
| Daclizumab 3. |
| 4. Natalizumab |
| Question Number: 172 Question Id: 67809439828 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| Neutrophils develop "drunken walk" when treated with |
| Options: 1. Probencid |
| 2. Rasburicase |

Allopurinol Colchicine Question Number: 173 Question Id: 67809439829 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Endogenous Cardiotonic steroids have been implicated in The regulation of cell growth and differentiation The modulation of immunity and of carbohydrate metabolism **Options:** i and ii are true , i is false and ii is true i is true and ii is false Both i and ii are false Question Number: 174 Question Id: 67809439830 Display Question Number: Yes Single Line Question Option: No Option Photosensitive skin rashes, grey/bluish discoloration of the skin, thyroid abnormalities, Irreversible pulmonary fibrosis are the adverse effects associated with **Options:** Dronedarone Amiodarone Demeclocycline Minocycline Question Number: 175 Question Id: 67809439831 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Potassium channel blocker which is used to treat muscle weakness in Lambert – Eaton myasthenic syndrome is **Options:** Amifampridine

| Amiodarone 2. |
|--|
| 3. Sotalol |
| 4. Dronedarone |
| Question Number: 176 Question Id: 67809439832 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The following adrenergic blocker is used to treat hypertension in Pregnancy |
| Options: 1. Labetolol |
| Carvedilol 2. |
| 3. Prazosin |
| 4. Atenolol |
| Question Number: 177 Question Id: 67809439833 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Prostonoid used in the treatment of Glaucoma is |
| Options: Epoprostone 1. |
| 2. Misoprostol |
| 3. Iloprost |
| Travoprost 4. |
| Question Number: 178 Question Id: 67809439834 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Identify the carbonic anhydrase inhibitor diuretic among the following: |
| Options: Acetazolamide 1. |
| 2. Bedroflumethazide |


| Furosemide 3. |
|---|
| 4. Mannitol |
| Question Number: 179 Question Id: 67809439835 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Anti-epileptic drug licensed for treating Lennox- Gastaut syndrome is |
| Options : Rufinamide |
| 2. Zonisamide |
| Lacosamide 3. |
| 4. Vigabatrin |
| Question Number: 180 Question Id: 67809439836 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The following drug is a muscarinic receptor antagonist used for Parkinsonism Options: |
| 1. Or <mark>phenadrine</mark> |
| 2. Ropinirole |
| Atropine 3. |
| 4. Pirenzepine |
| Question Number: 181 Question Id: 67809439837 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Optic neuritis, visual disturbances, red green colour blindness are the adverse |
| effects of |
| Options : 1. Rifampicin |
| 2. Ethambutol |
| Pyrizinamide 3. |

Question Number: 182 Question Id: 67809439838 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Anthelminthic drug that disrupts Ca2+ homeostasis by binding to voltage gated calcium channels is **Options:** Mebendazole Praziquantel Piperapine Levamisole Question Number: 183 Question Id: 67809439839 Display Question Number: Yes Single Line Question Option: No Option Anticancer drug that is most effective in the G2 phase of cell cycle and mitosis, which is used to treat germline cancer is **Options:** Doxorubicin Dactinomycin Bleomycin 4 Mitomycin Question Number: 184 Question Id: 67809439840 Display Question Number: Yes Single Line Question Option: No Option Identify the third generation cephalosporin **Options:** Cefuroxime Cefadroxil

Isoniazid


Cefradine

| 4. Cefotaxime |
|--|
| Question Number: 185 Question Id: 67809439841 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Anti-retroviral drug that diminishes HIV associated dementia, prolongs life |
| and also reduces mother – to – baby transmission of disease is |
| Options: Zidovudine |
| 2. Enfuvirtide |
| Ritonavir 3. |
| 4. Acilovir |
| Question Number: 186 Question Id: 67809439842 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Oxytocin receptor antagonist is |
| Options: Ritodrine 1. |
| 2. Atosiban |
| 3. Danozol |
| 4. Clomiphene |
| Question Number: 187 Question Id: 67809439843 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical PDE -3 inhibitor is |
| Options: Rolipram 1. |
| 2. Milrinone |
| 3. Roflumilast |
| 4. Vardenafil |



| Question Number: 191 Question Id: 67809439847 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Identify the wetting agent from the following: |
|--|
| |
| Options: |
| 1. Lecithin |
| 2. Sodium CMC |
| 3. Acacia |
| 4. Sorbitan tri-oleate |
| Question Number : 192 Question Id : 67809439848 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |
| An inventory turnover in a year is considered satisfactory |
| Options: |
| Four to six times |
| 1. |
| 2. One to two times |
| 3. Six to Eight times |
| 4. Five to Seven times |
| Question Number: 193 Question Id: 67809439849 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |
| By using which computer software pharmacokinetic parameters can be |
| Predicted? |
| |
| Options: |
| 1. TDB |
| 2. NONLIN |
| 3. MEDIPHOR |
| 4. ASHP |
| Question Number: 194 Question Id: 67809439850 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical |

The normal range of serum creatinine is



Phentolamine Isoprenaline Pyridoxine Question Number: 198 Question Id: 67809439854 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The mode of action activated (medicinal) charcoal is **Options:** Increases the absorption of various poisons Decreases the adsorption of various poisons Increases the adsorption of various poisons Decreases the absorption of various poisons Question Number: 199 Question Id: 67809439855 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Prinzmetal's variant angina means **Options:** Attacks of pain following physical excertion Attacks of pain following emotional excitement Pain at rest and has no relation with physical activity Pain at rest and has relation with physical activity Question Number: 200 Question Id: 67809439856 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Hepatitis A virus is a **Options:** Parenterally transmitted disease Associated as superinfection

- Associated with transfusion
- Faecally spread self-limiting disease