118

QUESTION PAPER SERIES CODE

В

Registration No. :			
Centre of Exam. :	 	 	
Name of Candidate :	 		

Signature of Invigilator

COMBINED ENTRANCE EXAMINATION, 2016

M.V.Sc. ANIMAL BIOTECHNOLOGY

[Field of Study Code : MVS]

Time Allowed: 3 hours

Maximum Marks: 240

INSTRUCTIONS FOR CANDIDATES

Candidates must read carefully the following instructions before attempting the Question Paper:

- (i) Write your Name and Registration Number in the space provided for the purpose on the top of this Question Paper and in the Answer Sheet.
- (ii) Please darken the appropriate Circle of Question Paper Series Code on the Answer Sheet.
- (iii) The Question Paper is divided into two Parts: Part—A and Part—B. Both Parts have multiple-choice questions. All answers are to be entered in the Answer Sheet provided with the Question Paper for the purpose.
- (iv) Part—A consists of 60 questions and all are compulsory. Answer all the questions in the Answer Sheet provided for the purpose by darkening the correct choice, i.e., (a) or (b) or (c) or (d) with BALLPOINT PEN only against each question in the corresponding circle. Each correct answer carries 1 mark. There will be negative marking and ½ mark will be deducted for each wrong answer.
- (v) Part—B consists of 100 questions. Answer any 60 questions in the Answer Sheet by darkening the correct choice, i.e., (a) or (b) or (c) or (d) with BALLPOINT PEN only against the corresponding circle. Each correct answer carries 3 marks. There will be negative marking and 1 mark will be deducted for each wrong answer.

In case any candidate answers more than the required 60 questions, the first 60 questions attempted will be evaluated.

- (vi) Answer written by the candidates inside the Question Paper will not be evaluated.
- (vii) Calculators and Log Tables may be used.
- (viii) Pages at the end have been provided for Rough Work.
- (ix) Return the Question Paper and Answer Sheet to the Invigilator at the end of the Entrance Examination. **DO NOT FOLD THE ANSWER SHEET.**

INSTRUCTIONS FOR MARKING ANSWERS

- 1. Use only Blue/Black Ballpoint Pen (do not use Pencil) to darken the appropriate Circle.
- 2. Please darken the whole Circle.
- Darken <u>ONLY ONE CIRCLE</u> for each question as shown in example below ;

Wrong	Wrong	Wrong	Wrong	Correct
● ⑤ ⑥ ●	Ø 6 0 0	Ø 6 6 Ø	⊙ © © ●	@ © © ●

- 4. Once marked, no change in the answer is allowed.
- 5. Please do not make any stray marks on the Answer Sheet.
- 6. Please do not do any rough work on the Answer Sheet.
- 7. Mark your answer only in the appropriate space against the number corresponding to the question.
- 8. Ensure that you have darkened the appropriate Circle of Question Paper Series Code on the Answer Sheet.

/118-**B**

2

PART-A

Answer all questions

- 1. If $\cos \theta + \sec \theta = 2$, then the value of $\cos^n \theta + \sec^n \theta$ is
 - (a) 3
 - (b) 4
 - (c) 2
 - (d) 5
- 2. The cube roots of 'a' where a is a non-zero negative real number, are
 - (a) $-(-a)^{1/3}$, $-\omega(-a)^{1/3}$, $-\omega^2(-a)^{1/3}$
 - (b) $-a^{1/3}$, $\omega a^{1/3}$, $\omega^2 a^{1/3}$
 - (c) $a^{2/3}$, $\omega a^{1/3}$, $-\omega^2(-a)^{2/3}$
 - (d) $a^{3/2}$, $\omega a^{2/3}$, $-\omega^3(-a)^{2/3}$

where 1, ω , ω^2 are cube roots of unity.

- 3. Let x be a rational number and y be an irrational number. Then
 - (a) $x + y + \sqrt{3}$ is an irrational number
 - (b) x+y+2 is a rational number
 - (c) xy+2 is a rational number, if $x \neq 0$
 - (d) x-y is a rational number
- **4.** The function f given by f(x) = |x-2|, $x \in \mathbb{R}$ is
 - (a) differentiable at x = 2
 - (b) not differentiable at x = 2
 - (c) everywhere differentiable
 - (d) nowhere differentiable
- 5. For what value of a the function f defined by

$$f(x) = \begin{cases} 5 & \text{, if } x \le 2\\ 15ax & \text{, if } 2 < x < 10\\ 21x^4 & \text{, if } x \ge 10 \end{cases}$$

is continuous at x = 2?

- (a) 0
- (b) 1
- (c) 3
- (d) 1/6

- 6. For what value of x, the expression $\frac{1+x+x^2}{1-x+x^2}$ has minimum value?
 - (a) 0
 - (b) -1
 - (c) 3
 - (d) 1/3
- 7. The slope of the tangent to the curve $y = x^3 x$ at x = 2 is
 - (a) 12
 - (b) 13
 - (c) 11
 - (d) 10
- 8. The equation of line having slope 2 and being tangent to the curve $y+x^2=0$ is
 - (a) y-2x=1
 - (b) y+2x+1=0
 - (c) y+2x+2=0.
 - (d) 2x y + 2 = 0
- 9. The slope of the tangent to the curve $x = t^2 + 3t 8$, $y = 2t^2 2t 5$ at the point (1, -1) is
 - (a) 22/7
 - (b) 6/7
 - (c) 7/6
 - (d) 10/13
- 10. The normal at the point (-1, 1) on the curve $2y + x^2 = 3$ is
 - (a) x + y = 0
 - (b) xy = 0
 - (c) x + y + 1 = 0
 - (d) xy = 1


- 11. The greatest integer function defined by f(x) = [x], 0 < x < 3 is
 - (a) not differentiable at x = 1 and x = 2
 - (b) nowhere differentiable
 - (c) differentiable at x = 1 but not at x = 2
 - (d) differentiable at x = 2 but not at x = 1
- 12. The function $f(x) = \cos x$ is
 - (a) odd
 - (b) even
 - (c) even and odd
 - (d) Neither odd nor even
- 13. The interval for which the expression |x+7| < 10 is satisfied, is
 - (a) (-17, 3)
 - (b) (-17/2, 1/2)
 - (c) (17/2, 3/2)
 - (d) (-17/3, 3/2)
- 14. A die is thrown twice. The probability that the sum of points obtained is 7, is
 - (a) 7/36
 - (b) 4/36
 - (c) 1/6
 - (d) 11/36
- **15.** Let $A = \begin{bmatrix} 2 & 3 \\ 4 & 6 \end{bmatrix}$ and $B = \begin{bmatrix} -1 & -2 \\ 4 & 6 \end{bmatrix}$. Then A B is
 - (a) $\begin{bmatrix} 3 & 5 \\ 0 & 0 \end{bmatrix}$
 - (b) $\begin{bmatrix} 1 & 1 \\ 8 & 8 \end{bmatrix}$
 - (c) $\begin{bmatrix} 1 & 9 \\ 8 & 4 \end{bmatrix}$
 - (d) $\begin{bmatrix} 10 & 1 \\ 8 & 4 \end{bmatrix}$

16.	The field	work done in moving a charge q around a full circle of radius r in electrostatic is		
	(a)	$2\pi rq$		
	(b)	zero		
	(c)	$4\pi rq$		
	(d)	$\pi r q$		
17.		For the photoreceptor cells in human eye, viz., rods and cones, which one is not correct?		
	(a)	Rod cells are responsible for twilight vision and cone cells for daylight vision		
	(b)	Rod cells are usually located at the periphery of the retina		
	(c)	Cone cells are of three types, blue, green and red		
	(d)	Cone cells are much more in numbers than the rod cells		
18.	In a	n atom bomb, the reaction which occurs is		
	(a)	thermonuclear		
	(b)	uncontrolled fission		
	(c)	controlled fission		
	(d)	fusion		
19.	The	lens used to rectify long sight is		
17.	(a)	convex lens		
		concave lens		
		planoconcave lens		
	(c)	•		
	(d)	tinted plane glass		
20.		culate the work done by a 2.0 N force (directed at a 30° angle to the vertical) to move ox a horizontal distance of 400 cm across a rough floor.		
	(a)	4 J		
	(b)	4000 J		
	(c)	0·4 J		
	(d)	i J		

21. The temperature readings of Celsius and Fahrenheit scales are equal at

- (a) -40
- (b) 40
- (c) 16
- (d) -16

22. Consider the electric field lines shown in the diagram below:



From the diagram, it is apparent that object A is --- and object B is ---.

- (a) +, +
- (b) -, -
- (c) +, -
- (d) -, +

23. If $x_1 = a \sin\left(\omega t + \frac{\pi}{6}\right)$ and $x_2 = a \cos\omega t$, then what is the phase difference between the

two waves?

- (a) $\frac{\pi}{3}$
- (b) $\frac{\pi}{6}$
- (c) $\frac{\pi}{2}$
- (d) n

24. Two waves having the intensities in the ratio of 9:1 produce interference. The ratio of maximum to minimum intensity is equal to

- (a) 10:8
- (b) 9:1
- (c) 4:1
- (d) 2:1

25. If a hole is bored along the diameter of the earth and a stone is dropped into the hole, then

- (a) the stone reaches the centre of the earth and stops there
- (b) the stone reaches the other side of the earth and stops there
- (c) the stone executes simple harmonic motion about the centre of the earth
- (d) the stone reaches the other side of the earth and escapes into space

26.	pho	ording to Einstein's photoelectric equation, the graph of maximum kinetic energy of toelectrons emitted versus the frequency of the incident radiation gives a straight graph, whose slope
	(a)	is same for all metals and independent of the intensity of the incident radiation
	(b)	depends on the nature of the metal
	(c)	depends on the intensity of the incident radiation
	(d)	depends on the nature of the metal and also on the intensity of incident radiation
27.	In v	which process the internal energy of the system remains constant?
	(a)	Adiabatic
	(b)	Isochoric
	(c)	Isobaric
	(d)	Isothermal
28.		al mass of a radioactive substance is 400 mg. Its half-life is 100 hours. How much he substance will be left after 300 hours?
	(a)	20·7 mg
	(b)	33·3 mg
	(c)	50 mg
	(d)	95·7 mg
29.	Con	tinuous spectra of X-rays is produced
	(a)	when electrons of the target move from outer to inner orbits
	(b)	when electrons are accelerated towards the target
	(c)	when electrons of the target move from inner to outer orbits
	(d)	when the nucleus of the target is excited
30.	In a	a standing wave, the separation between two consecutive nodes is
	(a)	λ
	(b)	λ/2

(c)

(d)

λ/3

λ/4

31.	L. Necrosis is a symptom which is recognized by					
	(a)	pattern coloration of leaves				
	(b)	little leaves				
	(c)	outgrowth				
	(d)	death of tissues				
32.		The phenomenon of maturation of gynoecium earlier than the anthers of same flower is known as				
	(a)	protandry				
	(b)	protogyny				
	(c)	herkogamy				
	(d)	dichogamy				
33.	A bi	oreactor is				
	(a)	culture for synthesis of new chemicals				
	(b)	hybridoma				
	(c)	culture-containing radioactive isotopes				
	(d)	fermentation tank				
34.	Red	Data Book deals with				
	(a)	endangered organisms				
	(b)	animals on verge of extinction				
	(c)	plants showing photoperiodism				
	(d)	plants that are extinct				
35.	Blas	topore is the opening of				
	(a)	gastrocoel				
	(b)	archenteron				
	(c)	coelenteron				
	(d)	blastocoele				

36.	Sub	strate for photoréspiration is/are		
	(a)	malic acid		
	(b)	glycolic acid		
	(c)	PGA and malic acid		
	(d)	malic acid and glycolic acid		
37.	over	garden pea, yellow seed colour is dominant over green and round seed is dominant r wrinkled seed. A cross between pure dominant plant for these two characters and e recessive plant for the same yields yellow and round seeds in F1 progeny. When F1 plants are shelfed, F2 generation will show which of the following ratios?		
	(a)	15 yellow and round seeds: 1 green and wrinkled seed		
	(b)	9 yellow and round seeds: 3 yellow wrinkled seeds: 3 green and round seeds: 1 green and wrinkled seed		
	(c)	9 yellow and round seeds: 7 green and wrinkled seeds		
	(d)	None of the above		
38.	Whi	ch plant stores food in its leaves?		
	(a)	Potato		
	(b)	Onion		
	(c)	Banyan		
	(d)	Maize		
39.	Whe	en parasympathetic nerve supply to heart is cut off		
	(a)	heart beats will stop		
	(b)	heart beats will slow down		
	(c)	heart beats will increase		
	(d)	there will be no immediate change on heart beat rate		
40.	Cilia	ary muscles are found in which of the following organs?		
	(a)	Mammalian stomach		
	(b)	Mammalian diaphragm		
	(c)	Ciliary epithelium		
	(d)	Vertebrate eye		

41.	If th	nere is deficiency of ADH (antidiuretic hormone), its effect would be
	(a)	the volume of urine will increase
	(b)	the volume of urine will decrease
	(c)	the pH of urine will change from 4.8 to 8.0
	(d)	secretion of urochrome will take place
42.	Sele	ct the correct sequence for coagulation of blood.
	(a)	Fibrin—thrombin—thromboplastin—clot
	(b)	Prothrombin—thromboplastin—clot
	(c)	Thromboplastin—prothrombin—thrombin—fibrin—clot
	(d)	Fibrinogen—fibrin—prothrombin—thrombin—clot
43.		usband and wife have normal vision but father of both of them were colour-blind. probability of their first daughter to be colour-blind is
	(a)	25%
	(p)	50%
	(c)	75%
	(d)	0%
44.	The	process of engulfing other cells is called as
	(a)	phagocytosis
	(b)	endocytosis
	(c)	pinocytosis
	(d)	exocytosis
45.	The	part of cell that is involved in lipid synthesis is
	(a)	mitochondria
	(b)	Golgi complex
	(c)	nucleus
	(d)	vacuole

46.	The structure of PCl ₅ is of which of the following shapes?		
	(a)	Pentagonal planar	
	(b)	Octahedral	
	(c)	Tetrahedral	
	(d)	Trigonal bipyramidal	
47.	The	most abundant cations in seawater are those of	
	(a)	sodium and copper	
	(b)	potassium and lead	
	(c)	sodium and magnesium	
	(d)	sodium and lithium	
48.	Whi	ch has the highest ionization potential?	
	(a)	Carbon	
	(b)	Nitrogen	
	(c)	Boron	
	(d)	Oxygen	
49.	Wha	at is the oxidation number of manganese in KMnO ₄ ?	
	(a)	5	
	(b)	6	
	(c)	7	
	(d)	1	
50.	Whi pola	ich of the four bonds B—C, C—N, B—Si and B—F would you expect to be least ar?	
	(a)	B-C	
	(b)	C-N	
	(c)	B—Si	
	(d)	BF	

51.	Whic	Which of the following elements can form the greater number of covalent bonds?	
	(a)	Carbon	
	(b)	Nitrogen	
	(c)	Oxygen	
	(d)	Sulphur	
52.	2. Using the molecular orbital theory, the bond order and unpaired electrons in ${\rm O}_2$ respectively		
	(a)	2 and 2	
	(b)	2 and 1	
	(c)	1.5 and 1	
	(d)	2·5 and 1	
7 0	m1	1 1	
53.		e should be hydrogen bonding in	
	(a)	ethyl alcohol	
	(b)	dimethyl ether	
	(c)	acetone	
	(d)	diethyl ether	
54.	Treat	tment of ores of gold with sodium cyanide solution gives	
	(a)	AuCN	
	(b)	Na[Au(CN) ₂]	
	(c)	Na[Au(CN) ₃]	
	(d)	Na ₂ [Au(CN) ₂]	
55.	Whit	e phosphorous is readily soluble in	
	(a)	water	
	(p)	methanol	
	(c)	carbon tetrachloride	
	(d)	ethanol	

	(a)	3
	(b)	2
	(c)	5
	(d)	4
5 7 .	3-m	nethyl-3-pentanol is
	(a)	primary alcohol
	(p)	secondary alcohol
	(c)	tertiary alcohol
	(d)	aldehyde
58.	Ald	ehydes are isomeric with
	(a)	ketones
	(p)	ethers
	(c)	alcohols
	(d)	fatty acids
59.		ich one is the strongest acid?
		сн ₃ соон
	(b)	CH ₂ FCOOH
	(c)	CHF ₂ COOH
	(d)	CF ₃ COOH
60.	The	Zn/II) commounds are more live
ю.		Zn(II) compounds are generally
	(a)	green
		red
		white
	(d)	yellow

The number of oxygen per silicon in silicates is

56.

PART—B

Answer any sixty questions

61.	Whic	ich of the following is synthetic non-absorbable suture?		
	(a)	Silk		
	(b)	Nylon		
	(c)	Catgut		
	(d)	Linen		
62.	The	healing of surgically sutured wound occurs by		
	(a)	first intention healing		
	(b)	secondary union		
	(c)	granulation		
	(d)	second intention healing		
63.	An i	deal complete fetotomy involves which of the following numbers of cut?		
	(a)	12		
	(b)	6		
	(c)	9		
	(d)	8		
64.	Duri	ing caesarean section in a cow, the incision is made on		
	(a)	body of uterus		
	(b)	lesser curvature of uterus		
	(c)	greater curvature of uterus		
	(d)	cervix		
65.	Fert	ile life of spermatozoa in cattle is		
	(a)	30-48 hours		
	(p)	12 hours		
	(c)	71–120 hours		
	(d)	15 hours		

66.	Which of the following is the site of fertilization of ovum in cattle?		
	(a)	Infundibulum	
	(b)	Utero-tubal junction	
	(c)	Ampullary-isthmus junction	
	(d)	Uterine horn	
67.	Whi	ch cells of the ovary synthesize estrogen?	
	(a)	Theca cells	
	(b)	Granulosa cells	
	(c)	Luteal cells	
	(d)	Interstitial cells	
	_		
68.		-service pyometra in cows is caused by	
	(a)	Campylobacter fetus	
	(b)	Brucella abortus	
	(c)	E. coli	
	(d)	Trichomonas fetus	
69.	Тио н	sformation of secondary spermatocytes to spermatids is known as	
09.			
	(a)	spermatocytogenesis	
	(b)	spermateliosis	
	(c)	spermiogenesis	
	(d)	spermiation	
70.	Dura	ation of heat in cow is	
	(a)	54 hours	
	(b)	18 hours	
	(c)	36 hours	
	(d)	5 hours	

71.	Cold	shock in semen can be prevented by addition of			
	(a)	ethanol			
	(b)	methanol			
	(c)	glyceraldehyde			
	(d)	glycerol			
72.	Anto	Anton's test is used in the diagnosis of			
	(a)	leptospirosis			
	(b)	listeriosis			
	(c)	leishmaniasis			
	(d)	histoplasmosis			
73.	Fasc	cioliasis if detected in bovine carcass at postmortem, requires condemnation of			
	(a)	only liver			
	(b)	whole carcass			
	(c)	only lungs			
	(d)	only spleen			
74.	Whic	ch test is used for diagnosis of Q fever?			
	(a)	Casoni test			
	(b)	Luoto capillary agglutination test			
	(c)	Sabin-Feldman dye test			
	(d)	Rothera's test			
75.	Whic	ch of the following vectors is responsible for transmission of Lyme disease?			
	(a)	kodes spp.			
	(b)	Tabanus fly			
	(c)	Aedes aegypti			
	(d)	Culex spp.			

76.	Which of the following food-borne pathogens can survive at refrigeration temperature	
	(a)	Staphylococcus aureus
	(b)	Listeria monocytogenes
	(c)	Salmonella typhimurium
	(d)	E. coli
77.	Whic	th one of the following parasites is not transmitted through meat in humans?
	(a)	Taenia solium
	(b)	Taenia saginata
	(c)	Echinococcus granulosus
	(d)	Trichinella spiralis
78. Which among the following is the binding site of organophosphate		th among the following is the binding site of organophosphate insecticides?
	(a)	Na ⁺ -ions channel
	(b)	Cl ⁻ -ions channel
	(c)	Esteratic site of AChE
	(d)	Anionic site of AChE
79. Which of the following antibiotics inhibits nucleic acid synthesis?		ch of the following antibiotics inhibits nucleic acid synthesis?
	(a)	Actinomycin
	(b)	Chloramphenicol
	(c)	Erythromycin
	(d)	Tetracycline
80.	In c	yanide poisoning, the colour of venous blood becomes
	(a)	bright cherry red
	(b)	brown
	(c)	chocolate
	(d)	green

81.	Dru	Drug efficacy' refers to	
	(a)	effectiveness of drug in life-threatening conditions	
	(b)	the maximal effect or response produced by the drug	
	(c)	the dose of the drug needed to produce half-maximal effect	
	(d)	the minimum dose of the drug needed to produce toxic effect	
82.	Whi	ch of the following anti-hypertensive drugs is a mixed adrenergic antagonist?	
	(a)	Labetalol	
	(b)	Methyldopa	
	(c)	Guanadrel	
	(d)	Atenolol	
00	3771. :	.tf. th. full-union is a constantly pasting anti-particle duncation duncation.	
83.		ch of the following is a centrally acting anti-emetic drug?	
	(a)	Benzocaine	
	(b)	Betazole	
	(c)	Neostigmine	
	(d)	Ondansetron	
84.	Which one of the following is a systemic antacid?		
	(a)	Sodium acetate	
	(b)	Aluminium hydroxide	
	(c)	Magnesium oxide	
	(d)	Calcium carbonate	
	- .		
85.		eme type of outbreeding is observed between	
	(a)	breeds	
	(b)	strains	
	(c)	species	
	(d)	lines	

86.	If th	e environmental variance is low, the heritability would be
	(a)	low
	(b)	high
	(c)	z его
	(d)	Not change
87.	frequency of a recessive allele is 0.40 in a large random mating population. What is frequency of a heterozygote?	
	(a)	0.42
	(b)	0.48
	(c)	0.60
	(d)	0.24
88.	Dur	ing which stage of meiosis there is formation of the bivalent dyads?
	(a)	Leptotene
	(b)	Zygotene
	(c)	Diplotene
	(d)	Pachytene
89.	Chr	omosome number of river and swamp buffalo is
	(a)	50 and 48 respectively
	(b)	40 and 38 respectively
	(c)	60 and 58 respectively
	(d)	48 and 50 respectively
90.		n animal consumes 5 kg DM and excretes 5 kg faeces with 50% moisture, the estibility coefficient will be
	(a)	40%
	(b)	50%
	(c)	60%
	(d)	10%

91.	Which of the following anti-nutritional substances does not affect utilization of protein?	
	(a)	Protease inhibitor
	(b)	Saponin
	(c)	Oxalic acid
	(d)	Tannin
92.	Whic	ch of the following vitamins is required during conversion of tryptophan into niacin?
	(a)	Thiamine
	(p)	Riboflavin
	(c)	Pyridoxine
	(d)	Biotin
93.	Whi	ch of the following feed ingredients is not a protein supplement?
	(a)	Groundnut cake
	(b)	Mustard cake
	(c)	Soyabean meal
	(d)	Maize grain
94.	4. Restricted level of molasses used in ruminants is	
	(a)	10% to 15%
	(b)	5% to 10%
	(c)	3% to 5%
	(d)	1% to 2%
95.	Tim	ne required to remove 90% of the organisms from food commodities is known as
70.	(a)	D-value
	(b)	Z-value
	(c)	F-value
	(d)	thermal death time
	(4)	

96.	Cas	Casein protein is exclusive to milk and exists in	
	(a)	colloidal state	
	(b)	emulsion state	
	(c)	particle state	
	(d)	solution state	
.=	3.7		
97.		ison is a meat of	
	(a)	cattle	
	(b)	monkey	
	(c)	horse	
	(d)	deer	
98.	The	process of tanning sheep skin with fish oil is popularly known as	
	(a)	shammoying	
	(b)	dying	
	(c)	bating	
	(d)	desliming	
99.	NISA		
77.	Nitrite is added in meat to inhibit growth of which of the following organisms?		
	(a)	Clostridium perfringens	
	(b)	Escherichia coli	
	(c)	Salmonella gallinarum	
	(d)	Clostridium botulinum	
100.	The	bright pink colour characteristic of cured meat is due to	
	(a)	oxymyoglobin	
	(b)	deoxymyoglobin	
	(c)	nitrosyl haemochromogen	
	(d)	myoglobin	

101.	Reco	overy of fat from the dead carcasses is called
	(a)	rendering
	(b)	simmering
	(c)	braising
	(d)	pasteurization
102.	Max	imum milk producing country in the world is
	(a)	USA
	(b)	Russia
	(c)	Canada
	(d)	India
103.	Реа	k yield' in cattle is attained after
	(a)	1-2 weeks after parturition
	(b)	3-4 weeks after parturition
	(c)	6-7 weeks after parturition
	(d)	9-10 weeks after parturition
104.	Ges	tation period of 'ewe' is about
	(a)	140 days
	(p)	150 days
	(c)	160 days
	(d)	170 days
105.	 For optimization of species specific 'inter-calving period' one of the most efficience management traits is to be manipulated is 	
	(a)	service period
	(b)	gestation period
	(c)	lactation period
	(d)	dry period

106.	The	long (10-25 cm) lustrous goat fibre with small ringlets is called
	(a)	hair
	(b)	wool
	(c)	mohair
	(d)	pashmina
107.	Soc	ialization is a process involving
	(a)	setting up the social norms
	(p)	training to adopt to society
	(c)	gradual changing of organism
	(d)	declaring everything to society
108.	Which of the following is a second tier of Panchayati Raj institution	
	(a)	Village Panchayat
	(b)	Block Samiti (Block Panchayat)
	(c)	Zila Panchayat
	(d)	Vidhan Sabha
109.	Whi	ch of the following is a non-projected visual aid?
	(a)	Overhead projector
	(p)	Epidiascope
	(c)	Banner
	(d)	Slide projector
110.	N (
110.		s media participation is generally more in which type of society?
	(a)	Urban
	(b)	Rural
	(c)	Semi-rural
	(d)	Cooperative

		and the second s
111.		ch of the following glands has both an endocrine and an exocrine function?
•	(a)	Mammary
	(b)	Pancreas
	(c)	Pituitary
	(d)	Adrenal
112.		eversion of galactose to glucose occurs to the greatest extent in which one of the owing?
	(a)	Small intestine
	(b)	Liver
	(c)	Skeletal muscle
	(d)	Brain
113.	The	most abundant protein in the mammalian organism is
	(a)	myosin
	(p)	albumin
	(c)	actin
	(d)	collagen
114.	Peptide bonds in proteins join the	
	(a)	R group of one amino acid with the α -carboxyl group of another
	(b)	α -carboxyl group of one amino acid with the α -amino group of another
	(c)	sulfide group of one amino acid with the amide group of another
	(d)	side chains of two adjacent amino acids
115.	Which one of the following is the best known adhesion protein of the extracellula matrix?	
	(a)	Integrin
	(b)	Elastin
	(c)	Fibronectin
	(d)	Myoglobin

116.	. Mitochondrial DNA is	
	(a)	circular double-stranded .
	(b)	circular single-stranded
	(c)	linear double-helix
	(d)	linear single-stranded
117.	Whi	ch of the following will be the best choice to study the plasma membrane?
117.		RBC
	(a)	·
	(b)	Fat cell
	(c)	Neurons
	(d)	Nephrons
118.	Bloo	d grouping is an example of
	(a)	incomplete dominance
	(b)	codominance
	(c)	recessive character
	(d)	overdominance
119.	Colc	hicine is added in cell cultures because it
	(a)	stops the growth of bacteria
	(b)	maintains the temperature of RNA ligase
	(c)	acts as spindle poison
	(d)	helps in nutrition
120.	Whic	ch of the following proteins cannot be digested?
	(a)	Elastin
	(b)	Globulin
	(c)	Rennin
	(d)	Histone

	(a)	thyroid
,	(b)	parathyroid
	(c)	thymus
	(d)	pancreas
122.	The	largest cranial nerve is
	(a)	vagus
	(p)	trigeminal
	(c)	trochlear
	(d)	facial
123.	The	ovulation fossa is present in the ovary of
	(a)	cow
	(b)	ewe .
	(c)	mare
•	(d)	sow
124.	The	serous fold that attaches intestine to dorsal wall of abdomen is known as
	(a)	fascia
	(b)	omentum
	(c)	ligament
	(d)	mesentery
125.	Hea	rt is extended in the abdomen and lies between lobes of liver in
	(a)	horse
	(b)	ox
	(c)	pig
	(d)	fowl

121. Hassall's corpuscles are present in

126.	The	parafollicular cells of thyroid follicle produce		
	(a)	monoiodotyrosine (MIT)		
	(b)	diiodotyrosine (DIT)		
	(c)	calcitonin		
	(d)	thyroxine		
127.	Which of the following is not a GIT hormone?			
	(a)	Gastrin		
	(b)	Vasoactive intestinal polypeptide (VIP)		
	(c)	Gastric inhibitory polypeptide (GIP)		
	(d)	Rennin		
128.	90%	of the blood enters into ventricles from auricles during		
	(a)	atrial systole		
	(b)	atrial diastole		
	(c)	ventricular systole		
	(d)	ventricular diastole		
129.	Endo	ocrine cells secreting the gastrin hormone are located in which region of stomach?		
	(a)	Cardiac		
	(b)	Fundus		
	(c)	Corpus		
	(d)	Pyloric		
130.	Hoir	cells are the sensory cells located in		
130.		skin		
	(a) (b)	tongue		
	(c)	ears		
	(d)	eyes		
	(4)	cyco		

131. Which of the following segments of the nephron is virtua		ch of the following segments of the nephron is virtually impermeable to water?
	(a)	Proximal convoluted tubule
	(b)	Thick segment of ascending loop
	(c)	Thin segment of descending loop
	(d)	Distal convoluted tubule
132.	2. Which of the following is the best test to detect rabies virus in the bra	
	(a)	Agglutination
	(b)	Hemagglutination inhibition
	(c)	Virus neutralization
	(d)	Direct immunofluorescence
133.	Corl	screw motility is shown by
100.		
	(a)	Corynebacterium spp.
	(b)	Campylobacter spp.
	(c)	Clostridium spp.
	(d)	Mycoplasma spp.
134.	34. Most potent aflatoxin is	
	(a)	B1
	(b)	B2
	(c)	G1 .
	(d)	G2
135.	Whic	ch of the following is an asexual spore?
	(a)	Basidiospore
	(a) (b)	Zygospore
	(c)	Arthospore
		Ascospore
	(d)	nacoapore

136.	36. Mink encephalopathy is a	
	(a)	metabolic disease
	(b)	prion disease
	(c)	bacterial disease
	(d)	viral disease
137. Which cell most effectively eliminates transplanted cells?		ch cell most effectively eliminates transplanted cells?
	(a)	Macrophage
	(b)	Neutrophil
	(c)	T lymphocyte
	(d)	Plasma cell
138.	Misr	natched blood transfusion leads to which of the following types of hypersensitivity?
	(a)	Type I
	(b)	Type II
	(c)	Type III
	(d)	Type IV
139.	Muc	osal immunity is preferentially stimulated if the immunogen is administered
	(a)	intravenously
	(p)	intramuscularly
	(c)	intradermally
	(d)	orally
140.		use rapidly spreading suppurative inflammation of subcutaneous tissues is wn as
	(a)	abscess
	(b)	carbuncle
	(c)	furuncle
	(d)	phlegmon

141.	Failure of tissue to receive an adequate supply of oxygen, occurring due to failure of tissue oxidation system is called as			
	(a)	anoxic anoxia		
	(b)	histotoxic anoxia		
	(c)	anemic anoxia		
	(d)	stagnant anoxia		
142.	Нур	oxic injury of cells in all tissues produces coagulative necrosis, except in		
	(a)	liver		
	(b)	pancreas		
	(c)	brain		
	(d)	lungs		
143.	Sago spleen is synonym for			
	(a)	splenic infarct		
	(b)	focal splenitis		
	(c)	amyloidosis of spleen		
	(d)	hemosiderosis of spleen		
144.	Prus	Prussian blue reaction is used to demonstrate		
	(a)	melanin		
	(b)	lead		
	(c)	hemosiderin		
	(d)	iron		
145.	Whi	Which of the following uroliths is most commonly seen in dogs?		
	(a)	Magnesium ammonium phosphate		
	(b)	Calcium oxalate		
	(c)	Urate		
	(d)	Silica		

146.	Cool	ked rice grain-type of segments in the faeces of sheep indicate the infection of
	(a)	Avitellina centripunctata
	(b)	Moniezia expansa
	(c)	Stilesia globipunctata
	(d)	Thysaniezia giardia
147.	Pota	ssium dichromate is used for
	(a)	preservation of helminths
	(b)	sporulation of coccidian oocyst
	(c)	fixation of the tissues
	(d)	sedimentation of eggs
148.	The	most pathogenic tapeworm of poultry is
	(a)	Davainea proglottina
	(b)	Raillietina cesticillus
	(c)	Cotugnia cuneata
	(d)	Amoebotaenia sphenoides
149. Triangular dorsal spines are the cha		ngular dorsal spines are the characteristic of
	(a)	Sarcoptes
	(b)	Psoroptes
	(c)	Demodex
	(d)	Cnemidocoptes
150.	Cvst	of Entamoeba coli is
	(a)	binucleated
	(b)	quadrinucleated
	(c)	hexanucleated
	(d)	octanucleated
	\ - /	

151.		ich of the following domestic animals frequently suffers from hepatic and renal eases?
	(a)	Cattle and horse
	(b)	Horse, sheep and goat
	(c)	Dog and cat
	(d)	Dog and horse
152.	The	fluid of choice in acute gastritis in dogs is
	(a)	1.1% potassium chloride solution
	(b)	dextrose normal saline
	(c)	1.3% sodium bicarbonate solution
	(d)	Ringer's lactated solution
153.	53. The normal pH of rumen liquor is	
	(a)	6·5 to 8·5
	(b)	4·5 to 5·0
	(c)	6·0 to 7·0
	(d)	2·0 to 3·0
154.	Lym	e disease is due to
	(a)	Borrelia burgdorferi
	(b)	Bacillus piliformis
	(c)	Citrobacter freundii
	(d)	Borrelia anserine
155.	Blee	ding from nose is called
	(a)	haemoptysis
	(b)	epistaxis
	(c)	haematemesis

(d) apoplexy

156.	Cas	Casoni's test is done for		
	(a)	fascioliasis		
	(b)	echinococcosis		
	(c)	ascariasis		
	(d)	babesiosis		
157.	A dog has been diagnosed as a case of glaucoma. It indicates that the dog has			
	(a)	increased intracranial pressure		
	(b)	increased intra-abdominal pressure		
	(c)	increased intraocular pressure		
	(d)	increased intra-synovial pressure		
158.	Intramedullary pinning is the technique of choice for fixation of transverse fracture of			
	(a)	femur		
	(b)	fibula		
	(c)	tibiotarsal bone		
	(d)	radiocarpal bone		
159.	Nerv	Nerve block used to desensitize horn is		
	(a)	Peterson block		
	(b)	auriculopalpebral block		
	(c)	cornual block		
	(d)	frontal block		
160.	Fracture in which the fracture site communicates with the exterior is called			
	(a)	simple fracture		
	(b)	compound fracture		
	(c)	complex fracture		
	(d)	composite fracture		

SPACE FOR ROUGH WORK

/118-**B**

35

SPACE FOR ROUGH WORK

/118-**B** 36 E16—120×2