# **Question Paper Preview**

**Question Paper Name:** Civil Engineering 14th Sep 2020 S1

**Subject Name :** Civil Engineering

**Duration:** 180

Total Marks: 200

**Display Marks:** No

**Share Answer Key With Delivery Engine:** Yes

Actual Answer Key: Yes

**Is this Group for Examiner?:** No

## **Mathematics**

Section Number:

Mandatory or Optional: Mandatory

Number of Questions: 50

Number of Questions to be attempted: 50

Section Marks: 50

**Display Number Panel:** Yes

Group All Questions: Yes

Mark As Answered Required?: Yes

Question Number: 1 Question Id: 61097513429 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If 
$$\begin{vmatrix} 15 - x & 11 & 10 \\ 11 - 3x & 17 & 16 \\ 7 - x & 14 & 13 \end{vmatrix} = 0$$
 then the value of x is

Options:

- 1. 6
- 2. 5
- 3
- **-**6

Question Number : 2 Question Id : 61097513430 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

The co-factors of the elements 2,-5 in the matrix  $\begin{pmatrix} -1 & 0 & 5 \\ 1 & 2 & -2 \\ -4 & -5 & 3 \end{pmatrix}$  is

- 1. 16,3
- 2. 17,-3
- 3. 17,3
- 4. -17,-3

 ${\bf Question\ Number: 3\ Question\ Id: 61097513431\ Question\ Type: MCQ\ Display\ Question}$ 

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation : Vertical

The solution of the following simultaneous linear equations by using Cramer's rule 3x+4y+5z=18;

2x-y+8z=13; 5x-2y+7z=20 is

**Options:** 

-3,-1,1

2. 3,1,1

3. 3,0,1

4. 3,1,-1

Question Number : 4 Question Id : 61097513432 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

If  $A = \begin{pmatrix} 0 & 4 & -2 \\ -4 & 0 & 8 \\ 2 & -8 & x \end{pmatrix}$  is a skew symmetric matrix then the value of x is

Options:

1.

2. -8

3 -4

Question Number : 5 Question Id : 61097513433 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

The adjoint of the matrix  $A = \begin{pmatrix} 1 & 3 & 3 \\ 1 & 4 & 3 \\ 1 & 3 & 4 \end{pmatrix}$  is

#### **Options:**

$$\begin{pmatrix} 0 & 4 & -2 \\ 4 & -2 & 8 \\ 2 & -8 & 0 \end{pmatrix}$$

$$\begin{pmatrix} 7 & -3 & -3 \\ -1 & 1 & 0 \\ -1 & 0 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 7 & 3 & 3 \\ 1 & 1 & 0 \\ 1 & 0 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 5 & 4 & 2 \\ 4 & 2 & 8 \\ 2 & -8 & 0 \end{pmatrix}$$

Question Number : 6 Question Id : 61097513434 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Resolve the rational function  $\frac{5x+1}{(x+2)(x-1)}$  into partial fractions

$$\int_{1.}^{3} \frac{3}{x+2} + \frac{2}{x-1}$$

$$\frac{3}{x+2} - \frac{2}{x-1}$$

$$\frac{-3}{x+2} + \frac{2}{x-1}$$

$$\frac{3}{x-2} + \frac{2}{x+1}$$

Question Number : 7 Question Id : 61097513435 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

Resolve the rational function  $\frac{x^2}{(x^2+1)^2}$  into partial fractions

Options:

$$\frac{x}{x^2+1} + \frac{x}{(x^2+1)^2}$$

$$\frac{x}{x^2 - 1} - \frac{x}{(x^2 + 1)^2}$$

$$\frac{x}{x^2+1} - \frac{x}{(x^2-1)^2}$$
3.

$$\int_{\Delta}^{x} \frac{x}{x^2 + 1} - \frac{x}{(x^2 + 1)^2}$$

Question Number: 8 Question Id: 61097513436 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

## AP ECET 2020 14th September 2020

Suppose that A, B, C are positive and  $A + B + C = 90^{\circ}$  then the value of  $\sum tanA tanB$  is

Options:

- 1. -1
- 2. -2
- 2 1
- **4** 3

Question Number: 9 Question Id: 61097513437 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $cos100^{\circ}cos40^{\circ} + sin100^{\circ}sin40^{\circ}$  is

Options:

- $\frac{1}{2}$
- $-\frac{1}{2}$
- 3.  $\frac{1}{4}$
- 4 8

Question Number: 10 Question Id: 61097513438 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If  $\frac{\cos \alpha}{a} = \frac{\sin \alpha}{b}$  then the value of  $a\cos 2\alpha + b\sin 2\alpha$  is

Options:

- 1. -a
- 2 b
- a
- 4. -a

Question Number: 11 Question Id: 61097513439 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If  $x + \frac{1}{x} = 2\cos\theta$  then the value of  $x^3 + \frac{1}{x^3}$  is

Options:

- 1.  $2\cos 3\theta$
- 2.  $2\cos 2\theta$
- 3.  $3\cos 3\theta$
- 4.  $2sin3\theta$

Question Number: 12 Question Id: 61097513440 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If  $sinx + siny = \frac{1}{4}$  and  $cosx + cosy = \frac{1}{3}$  then the value of  $tan\left(\frac{x+y}{2}\right)$  is

Options:

1. 
$$-\frac{3}{4}$$

2. 
$$\frac{5}{4}$$

4. 
$$\frac{3}{4}$$

Question Number: 13 Question Id: 61097513441 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

The general solution for  $\sqrt{3}\cos\theta = \sin\theta$  is

1. 
$$-n\pi + \frac{\pi}{3}$$

2. 
$$n\pi + \frac{\pi}{3}$$

$$n\pi - \frac{\pi}{3}$$

$$n\pi + \frac{2\pi}{3}$$

Question Number: 14 Question Id: 61097513442 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

The common solution for  $cos\theta = -\frac{1}{\sqrt{2}}$ ,  $tan\theta = -1$  is

**Options:** 

$$n\pi + \frac{2\pi}{3}$$

$$2n\pi + \frac{5\pi}{3}$$

$$5n\pi + \frac{\pi}{3}$$

$$2n\pi + \frac{3\pi}{4}$$

Question Number: 15 Question Id: 61097513443 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

If x is an acute angle and  $sin(x + 10^{\circ}) = cos(3x - 68^{\circ})$  then the value of x is

1. 
$$-37^{0}$$

Question Number: 16 Question Id: 61097513444 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $tan^{-1}(2) + tan^{-1}(3)$  is

Options:

$$\frac{3\pi}{4}$$

$$\frac{3\pi}{5}$$

$$\frac{5\pi}{4}$$

$$\Delta \frac{\pi}{4}$$

Question Number: 17 Question Id: 61097513445 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

The value of  $cos \left[ sin^{-1} \left( \frac{1}{2} \right) + cos^{-1} \left( -\frac{\sqrt{3}}{2} \right) \right]$  is

4.

Question Number: 18 Question Id: 61097513446 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The modulus of the complex number  $(-1 - \sqrt{3}i)$  is

**Options:** 

1. 1

2

3. 2

4.

Question Number: 19 Question Id: 61097513447 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

The value of  $\left(\frac{\sqrt{3}}{2} + \frac{i}{2}\right)^5 - \left(\frac{\sqrt{3}}{2} - \frac{i}{2}\right)^5$  is

Options:

1.

-i

4. 
$$-3i$$

Question Number: 20 Question Id: 61097513448 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The radius of the circle of the equation  $x^2 + y^2 - 4x - 8y - 41 = 0$  is

**Options:** 

$$\sqrt{31}$$

2. 
$$\sqrt{41}$$

3. 
$$\sqrt{71}$$

$$\sqrt{61}$$

Question Number: 21 Question Id: 61097513449 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

If the line 2y = 5 + k is a tangent to the parabola  $y^2 = 6x$  then the value of k is

Options:

- 3
- 3. <sup>6</sup>
- 4. 5

Question Number: 22 Question Id: 61097513450 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The length of latus rectum of the ellipse  $9x^2 + 16y^2 = 144$  is

**Options:** 

- 1.  $\frac{7}{2}$
- 2 2
- 3.
- 5

Question Number: 23 Question Id: 61097513451 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

The centre of the hyperbola  $4x^2 - 5y^2 - 16x + 10y + 31 = 0$  is

- 1. (2,1)
- 2. (3,1)
- (-2,1)
- 4. (2, -1)

 ${\bf Question\ Number: 24\ Question\ Id: 61097513452\ Question\ Type: MCQ\ Display\ Question}$ 

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The angle between two tangents drawn from the point (1,4) to the parabola  $y^2 = 12x$  is

Options:

$$tan^{-1}(2)$$

- 2.  $tan^{-1}(3)$
- 3.  $tan^{-1}(5)$
- 4.  $tan^{-1}\left(\frac{1}{2}\right)$

Question Number: 25 Question Id: 61097513453 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

The length of the tangent from (1,3) to the circle  $x^2 + y^2 - 2x + 4y - 11 = 0$  is

## Options:

- 1 -3
- 2. 3
- 3. 5
- 4.

Question Number : 26 Question Id : 61097513454 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of 
$$\lim_{x\to 0} \left(\frac{\sqrt{1+x}-1}{x}\right)$$
 is

## Options:

- 1. 3
- $-\frac{1}{3}$
- 3. 5
- 4.

Question Number : 27 Question Id : 61097513455 Question Type : MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

#### **Orientation: Vertical**

The derivative of  $f(x) = \frac{a-x}{a+x}$   $(x \neq -a)$  is

## Options:

$$\frac{-2a}{(a+x)^2}$$

$$2. \frac{2a}{(a+x)^2}$$

3. 
$$\frac{-2a}{(a-x)^2}$$

$$4. \frac{\frac{2a}{(a-x)^2}}$$

Question Number : 28 Question Id : 61097513456 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If 
$$x = a \left[\cos t + \log \left(\tan \frac{t}{2}\right)\right]$$
,  $y = a \sin t$  then  $\frac{dy}{dx}$  is

$$-\tan t$$

$$\tan t + \sin t$$

$$\sin t$$

Question Number : 29 Question Id : 61097513457 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical

If an error of 3% occurs in measuring the side of a cube then the percentage error in its volume is

#### **Options:**

- 1. -9
- 2. 7
- 3.
- 4.

Question Number: 30 Question Id: 61097513458 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The slope of the tangent to the curve  $y = 5x^2$  at the point x = -1 is

- 1. 10
- 2. 7
- <sub>3</sub> -10
- 4 -9

Question Number: 31 Question Id: 61097513459	<b>Question Type: MCQ Displa</b>	y Question
--	----------------------------------	------------

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The angle between the curves xy = 2 and  $x^2 + 4y = 0$  is

#### **Options:**

1. 
$$-tan^{-1}(3)$$

$$tan^{-1}(3)$$

3. 
$$\sin^{-1}(3)$$

4. 
$$cos^{-1}(3)$$

 ${\bf Question\ Number: 32\ Question\ Id: 61097513460\ Question\ Type: MCQ\ Display\ Question}$ 

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

For all values of a and b,  $f(x) = x^3 + 3ax^2 + 3a^2x + 3a^3 + b$  is

## Options:

1. Increasing only

- Increasing and Decreasing 3.
- 4. maximum

Question Number: 33 Question Id: 61097513461 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

The minimum value of  $f(x) = 4x^2 - 4x + 11$  for any x in R is

**Options:** 

1. 
$$-10 \text{ at } x = \frac{1}{2}$$

2. 
$$10 \text{ at } x = -\frac{1}{2}$$

8 at 
$$x = \frac{1}{2}$$

10 at 
$$x = \frac{1}{2}$$

Question Number: 34 Question Id: 61097513462 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If 
$$z = log(\tan x + \tan y)$$
 then  $(\sin 2x)\frac{\partial z}{\partial x} + (\sin 2y)\frac{\partial z}{\partial y}$  is

**Options:** 

Question Number: 35 Question Id: 61097513463 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If 
$$u = tan^{-1} \left( \frac{x^3 + y^2}{x + y} \right)$$
 then  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y}$  is

**Options:** 

$$-\frac{1}{2}\sin 2u$$

$$-\frac{1}{2}\cos 2u$$

$$\frac{1}{2}\sin 2u$$

$$4. \frac{1}{2} \tan 2u$$

Question Number : 36 Question Id : 61097513464 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $\int \sin^2 x \, dx$  on R is

$$\frac{x}{2} + \frac{\sin 2x}{4} + c$$

$$2. \frac{x^2 - \frac{\sin 3x}{4} + c}{2}$$

$$\frac{x}{2} - \frac{\cos 2x}{4} + c$$

$$\frac{x}{2} - \frac{\sin 2x}{4} + c$$

Question Number: 37 Question Id: 61097513465 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $\int x\sqrt{x} dx$  on  $(0,\infty)$  is

**Options:** 

$$\frac{2}{5}x^{5/2} + c$$

$$2. -\frac{2}{5}\chi^{5/2} + c$$

$$\frac{2}{5}x^{-5/2} + c$$

$$4. \frac{\frac{2}{3}\chi^{3}/_{2} + c}{4}$$

Question Number: 38 Question Id: 61097513466 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $\int_0^2 \sqrt{4-x^2} \ dx$  is

Options:

$$\frac{\pi}{2}$$

$$-\frac{\pi}{2}$$

$$-\pi$$

Question Number : 39 Question Id : 61097513467 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

The value of  $\int_{\pi/6}^{\pi/3} \frac{\sqrt{\sin x}}{\sqrt{\sin x} + \sqrt{\cos x}} dx$  is

Options:

$$\frac{\pi}{2}$$

$$\frac{\pi}{12}$$

$$-\frac{\pi}{12}$$

 ${\bf Question\ Number: 40\ Question\ Id: 61097513468\ Question\ Type: MCQ\ Display\ Question}$ 

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

#### **Orientation: Vertical**

The area enclosed by the curves y = 3x and  $y = 6x - x^2$  in square units is

#### **Options:**

$$\frac{5}{2}$$

$$\frac{9}{2}$$

Question Number: 41 Question Id: 61097513469 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $\int \frac{e^x(1+x)}{(2+x)^2} dx$  on  $I \in R \setminus \{-2\}$  is

$$\frac{e^x}{2+x} + c$$

$$-\frac{e^x}{2+x}+c$$

$$3. \frac{e^x}{2-x} + c$$

$$4. \frac{e^{2x}}{2+x} + c$$

Question Number: 42 Question Id: 61097513470 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of  $\int \frac{1}{1+4x^2} dx$  on R is

**Options:** 

$$-\frac{1}{2}tan^{-1}(2x) + c$$

$$\int_{2}^{\infty} \frac{1}{2} tan^{-1}(5x) + c$$

$$-\frac{1}{2}tan^{-1}(x) + c$$

$$\frac{1}{2}tan^{-1}(2x) + c$$

Question Number: 43 Question Id: 61097513471 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The value of 
$$\int \frac{2x^2-5x+1}{x^2(x^2-1)} dx$$
 is

$$\frac{1}{x} + \log \left| \frac{x^5}{(x^2 - 1)(x + 1)^3} \right| + C$$

$$\frac{1}{x} - \log \left| \frac{x^5}{(x^2 - 1)(x + 1)^3} \right| + C$$

$$\frac{1}{x} + \log \left| \frac{x^5}{(x^2+1)(x+1)^3} \right| + C$$

$$\frac{1}{x} - \log \left| \frac{x^5}{(x^2 + 1)(x + 1)^3} \right| + C$$

Question Number: 44 Question Id: 61097513472 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The solution of 
$$\frac{dy}{dx} = \frac{x-2y+1}{2x-4y}$$
 is

**Options:** 

$$(x + 2y)^2 + 2x = c$$

$$(x - 2y)^2 - 2x = c$$

$$(x - 2y)^2 + 2x = c$$

$$(x-4y)^2 + 2x = c$$

Question Number: 45 Question Id: 61097513473 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

The solution of the homogeneous differential equation  $xy^2 dy - (x^3 + y^3) dx = 0$  is

$$y^3 = -3x^3 \log(xc)$$

$$y^3 = 3x^3 \log(x/c)$$

$$y^3 = 3x^3 \log(x^2 c)$$

$$y^3 = 3x^3 \log(xc)$$

Question Number: 46 Question Id: 61097513474 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The solution of the linear differential equation  $\frac{dy}{dx} + y \cot x = \cos x$  is

**Options:** 

$$y - \sin x = -\frac{\cos 2x}{4} + c$$

$$y/\sin x = -\frac{\cos 2x}{4} + c$$

$$y\sin x = -\frac{\cos 2x}{4} + c$$

$$y\sin x = \frac{\cos 2x}{4} + c$$

Question Number: 47 Question Id: 61097513475 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The solution of Bernoulli's equation  $x^3 \frac{dy}{dx} - x^2 y = -y^4 \cos x$  is

**Options:** 

$$\frac{x^2}{y^2} = 3\sin x + c$$

$$\frac{x^2}{y^2} = -3\sin x + c$$
2.

$$\frac{x^2}{y^2} = 3\sin x^3 + c$$

$$\frac{x^4}{y^4} = 3\sin x + c$$

Question Number: 48 Question Id: 61097513476 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The particular integral for the differential equation  $(D^2 + 3D + 2)y = 12x^2$  is

1. 
$$6x^2 + 18x - 21$$

$$6x^2 - 18x + 21$$

$$3. -6x^2 + 18x - 21$$

$$46x^2 + 18x + 21$$

Question Number: 49 Question Id: 61097513477 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The particular integral for the differential equation  $6\frac{d^2y}{dx^2} + 17\frac{dy}{dx} + 12y = e^{-x}$  is

#### **Options:**

1. 
$$-e^{-x}$$

$$e^{-2x}$$

4. 
$$e^{-x}$$

Question Number : 50 Question Id : 61097513478 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

The particular integral for the differential equation  $(D^2 - 4D + 13)y = \cos 2x$  is

$$\int_{1.}^{1} \frac{1}{145} (9\cos 2x - 8\sin 2x)$$

$$\frac{1}{145}(9\cos 2x + 8\sin 2x)$$

$$\frac{1}{145}(-9\cos 2x - 8\sin 2x)$$

$$\frac{1}{135}(9\cos 2x - 8\sin 2x)$$

## **Physics**

Section Number: 2

Mandatory or Optional: Mandatory

Number of Questions: 25

Number of Questions to be attempted: 25

Section Marks: 25

**Display Number Panel:** Yes

**Group All Questions:** Yes

Mark As Answered Required?: Yes

Question Number: 51 Question Id: 61097513479 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Young's modulus of steel is 2 x 10<sup>11</sup> N/m<sup>2</sup>. Its value in dyne/cm<sup>2</sup> is

## Options:

$$2 \times 10^{12}$$

$$2 \times 10^{10}$$

$$2 \times 10^{8}$$

Question Number: 52 Question Id: 61097513480 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Dimension of velocity gradient is

#### **Options:**

1. 
$$[M^0L^0T^{-1}]$$

Question Number: 53 Question Id: 61097513481 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Unit vector parallel to the resultant of vectors  $A = 4\hat{i} - 3\hat{j}$  and  $B = 8\hat{i} + 8\hat{j}$  will be

#### Options:

1. 
$$\frac{24\hat{\imath}+5\hat{\jmath}}{13}$$

$$\frac{6\hat{i}+5\hat{j}}{13}$$

$$\frac{12\hat{\imath}-5\hat{\jmath}}{13}$$

4.

Question Number : 54 Question Id : 61097513482 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The resultant of two forces 3P and 2P is R. If the first force is doubled, then the resultant is also doubled. The angle between the two forces is

**Options:** 

2.

Question Number: 55 Question Id: 61097513483 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A particle is projected vertically upward with a speed of 40 m/s, then the velocity of the particle 2 seconds before it reaches the maximum height is  $(Take g = 10 \text{ m/s}^2)$ 

**Options:** 

 $20 \text{ m/s}^2$ 

$$4.2 \text{ m/s}^2$$

$$9.8 \text{ m/s}^2$$

3.

4. 
$$10 \text{ m/s}^2$$

 ${\bf Question\ Number: 56\ Question\ Id: 61097513484\ Question\ Type: MCQ\ Display\ Question}$ 

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

A car moving with constant acceleration covered the distance between two points 60 m apart in 6 s. Its speed as it passes the second point was 15 m/s. The acceleration is

**Options:** 

$$\frac{1}{3}$$
 ms<sup>-2</sup>

$$\frac{2}{3} \text{ ms}^{-2}$$

$$\frac{3}{5}$$
 ms<sup>-2</sup>

$$\frac{5}{3}$$
 ms<sup>-2</sup>

Question Number: 57 Question Id: 61097513485 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A stone is thrown vertically upwards. When stone is at half of its maximum height, its speed is $10 \text{ ms}^{-1}$ ; then the maximum height attained by the stone is $(g=10\text{m/s}^2)$
Options:
1. <sup>25m</sup>
10m 2.
15m
3.
20m 4.
Question Number : 58 Question Id : 61097513486 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Identify the correct statement.
Options:
Static friction depends on the area of contact.  1.
Kinetic friction depends on the area of contact. 2.
Coefficient of static friction does not depend on the area of the surface in contact.  3.
4. Coefficient of kinetic friction is less than the coefficient of static friction.

Question Number: 59 Question Id: 61097513487 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The coefficient of friction between the tyres and the road is 0.25. The maximum speed with which a car can be driven round a curve of radius 40 m without skidding is (assume  $g=10m/s^2$ )

## Options:

1. 40 ms<sup>-1</sup>

2. 20 ms<sup>-1</sup>

15 ms<sup>-1</sup>

10 ms<sup>-1</sup>

Question Number: 60 Question Id: 61097513488 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

During a projectile motion, if the maximum height is equal to the horizontal range, then the angle of projection with the horizontal is

## Options:

tan<sup>-1</sup>(1)

tan<sup>-1</sup>(2)

3. tan<sup>-1</sup>(4)

Question Number: 61 Question Id: 61097513489 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The potential energy of a certain spring when stretched through a distance S is 10 joule. The amount of work (in joule) that must be done on this spring to stretch it through additional distance S will be

#### **Options:**

30 1.

2. 40

10

4. 20

Question Number : 62 Question Id : 61097513490 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A machine gun fires six bullets per second into a target. The mass of each bullet is 3 g and the speed is 500 m/s. The power delivered to the bullets is

#### **Options:**

1.5 kW

2. 2.25 kW

3. 0.75 kW
4. <sup>375</sup> kW
Question Number : 63 Question Id : 61097513491 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Which of the following is the cheapest renewable energy?
Options:
1. Solar energy
2. Wind energy
3. Hydel energy
Nuclear energy 4.
Question Number : 64 Question Id : 61097513492 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The maximum velocity of particle executing simple harmonic motion with an amplitude of 7 mm is 4.4 m/s. The time period of oscillation is
Options:
100 s

2. <sup>10 s</sup>

```
3. 0.1 s
  0.01 \, s
Question Number: 65 Question Id: 61097513493 Question Type: MCQ Display Question
Number: Yes Is Question Mandatory: No Single Line Question Option: No Option
Orientation: Vertical
 Two waves of lengths 50 cm and 51 cm produced 12 beats per second. The velocity of sound is
Options:
  340 m/s
1.
331 m/s
306 m/s
4. 360 m/s
Question Number: 66 Question Id: 61097513494 Question Type: MCQ Display Question
Number: Yes Is Question Mandatory: No Single Line Question Option: No Option
Orientation: Vertical
The apparent frequency of the whistle of an engine changes in the ratio 9:8 as the
```

40 m/s

**Options:** 

velocity of the engine is

engine passes a stationary observer. If the velocity of the sound is 340 ms<sup>-1</sup>, then the

20 m/s 2.
340 m/s 3.
180 m/s 4.
Question Number: 67 Question Id: 61097513495 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Quality of sound is decided by
Options:  loudness 1.
2. intensity
number of overtones 3.
4. frequency
Question Number : 68 Question Id : 61097513496 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Inaudibility limit is
Options:
1. one hundredth of initial intensity

one tenth of initial intensity 2.
3. one thousandth of initial intensity
4. one millionth of initial intensity
Question Number : 69 Question Id : 61097513497 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A Carnot's engine operates with source at 127°C and sink at 27°C. If the source supplies 40 kJ of heat energy, the work done by the engine is
Options:
1. <sup>30</sup> kJ
2. 10 kJ
3. <sup>4 kJ</sup>
1 kJ 4.
Question Number : 70 Question Id : 61097513498 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A monoatomic gas initially at 17°C is suddenly compressed to one eighth of its original volume. The temperature after compression is

1.	1160K
2.	36.25K
3.	2320K
4.	887K
	uestion Number : 71 Question Id : 61097513499 Question Type : MCQ Display Question
N	umber : Yes Is Question Mandatory : No Single Line Question Option : No Option
0	rientation : Vertical
T	wo cylinders of volumes 20 cc and 30 cc have gases at pressures 40 cm and 50 cm
0	f Hg under the same temperature. If they are connected by a very narrow pipe the
p	ressure in cm of Hg will be
O	ptions :
1.	45
2.	50
3.	46
4.	15

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

Question Number: 72 Question Id: 61097513500 Question Type: MCQ Display Question

In an adiabatic expansion, a gas does 25J of work while in an adiabatic compression 100J of work is done on a gas. The change of internal energy in the two processes repectively are



- 25J and -100J
- 2. 25J and 100J
- 3. -25J and -100J
- 4 25J and 100J

Question Number: 73 Question Id: 61097513501 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The volume of one mole of an ideal gas changes from V to 2V at temperature of 300 K. If R is universal gas constant, then work done in this process is


#### **Options:**

- 300Rln2
- 2. 600Rln2
- 3. 300ln2
- 4. 600ln2

Question Number: 74 Question Id: 61097513502 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 





- intensity of incident radiation
- potential of the collector electrode 2.
- frequency of incident radiation
- 4. angle of incident of radiation of the surface

Question Number: 75 Question Id: 61097513503 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

In an optical fibre, relation between refractive index of core (n1) and refractive index of cladding (n2) is

#### **Options:**

- $n_1 > n_2$
- $n_1 < n_2$  2.
- $n_1 = n_2$  3.
- $n_1 \ll n_2$

# Chemistry

Section Number :	3		
Mandatory or Optional :	Mandatory		
Number of Questions :	25		
Number of Questions to be attempted :	25		
Section Marks :	25		
Display Number Panel :	Yes		
Group All Questions :	Yes		
Mark As Answered Required?:	Yes		
Question Number : 76 Question Id : 61097513504 Q			
Number : Yes Is Question Mandatory : No Single Li Orientation : Vertical	ne Question Option . No Option		
The nucleus consists of			
Options:			
1. Proton and electron			
2. Proton and Neutron			
3. Proton and Duterium			
Proton and photan 4.			
Question Number : 77 Question Id : 61097513505 Q	uestion Type : MCQ Display Question		
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option			
Orientation : Vertical			
The shape of P-Orbital is			
Options:			
Spherical 1.			

2. Dumbbell
3. Double Dumbbell
4. Oval
Question Number : 78 Question Id : 61097513506 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The maximum number of electrons that a f-orbital can accommodate is
Options:
1. 2
2. 6
3. <sup>10</sup>
4. 14
Question Number : 79 Question Id : 61097513507 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
In NaCl formation Sodium is donating electrons
Options:
1. 0

2. 2
3. 1
4. 3
Question Number : 80 Question Id : 61097513508 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
O2 molecule contains
Options:
1. Covalent bond
2. Ionic bond
3. Hydrogen bond
4. Metalic bond
Question Number : 81 Question Id : 61097513509 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Avagadro Number is
Options:
1. 6.023X 10 <sup>-23</sup>
2. $6.023 \times 10^{23}$

3. 60.23X 10 <sup>23</sup>
4. 6.023X 10 <sup>25</sup>
Question Number : 82 Question Id : 61097513510 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The normality of the solution obtained by dissolving 8 gm of NaOH in 1 Litre is
Options:
1. <sup>2N</sup>
2. <sup>0.2N</sup>
3. <sup>0.25N</sup>
4. <sup>0.02N</sup>
Question Number: 83 Question Id: 61097513511 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Molecular weight of MgSO <sub>4</sub> is
Options:
1. 120
2. <sup>121</sup>

3. 119
122 4.
Question Number : 84 Question Id : 61097513512 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A Lewis base is a substance which
Options:  1. Accept protons
2. Accept a lone pair of electrons
3. Donate protons
4. Donate a lone pair of electrons
Question Number : 85 Question Id : 61097513513 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
P <sup>H</sup> of a solution is 4.5, the solution is
Options:  1. Basic  2. Acidic
2. Acture

3. Neutral
Amphoteric 4.
Question Number : 86 Question Id : 61097513514 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
One Faraday is equal to
Options:
1. 96485 C
2. <sup>98485</sup> C
3. <sup>96465</sup> C
96585 C 4.
Question Number : 87 Question Id : 61097513515 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Common electrolyte used in the salt bridge is
Options:
1. NaOH
2. NaCl

3. KCl
4. KOH
Question Number : 88 Question Id : 61097513516 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
SI Units of Electrical conductivity are
Options:
1. Seimens per meter
2. Seimens per centimeter
3. Seimens per millimeter
4. Seimens per kilometer
Question Number : 89 Question Id : 61097513517 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Calculate the standard e.m.f of the Zn-Cu cell, if the cell is represented as Zn, $Zn^{+2}$ ; $Cu^+$ , $Cu$ ( $E^0Zn^{+2}$ , $Zn$ ) =0.86 and ( $E^0Cu^{+2}$ , $Cu$ ) = 0.34.
Options:
1. <sup>1.20V</sup>
2. <sup>0.52V</sup>

	-1.20V
_	1.20
2	
э.	

	-0.	1	1	77
4	<b>-</b> U.	1	1	V

Question Number: 90 Question Id: 61097513518 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Permanent Hardness is caused due to

#### **Options:**

- Carbonates and Bicarbonates
- 2. Carbonates and Sulphates
- Chlorides and Sulphates
- Chlorides and Carbonates

Question Number: 91 Question Id: 61097513519 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

Permutit is chemically

- Sodium Silicate
- 2. Aluminium Silicate

3. Hydrated Sodium alumino silicate
4. Calcium silicate
Question Number : 92 Question Id : 61097513520 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The anion exchange resin possesses
Options:
1. Acidic group
2. Basic group
Amphoteric group 3.
Benzo group 4.
4.
Question Number : 93 Question Id : 61097513521 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Chemically the rust is
Options:
1. Fe <sub>2</sub> O <sub>3</sub>
Fe <sub>2</sub> O <sub>3</sub> . FeO
2.

3. Fe <sub>2</sub> O <sub>3</sub> .XH <sub>2</sub> O
4. Fe <sub>2</sub> O <sub>3</sub> . NH <sub>3</sub>
Question Number : 94 Question Id : 61097513522 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The gradual loss of a metal by chemical or electrochemical action of environment is called
Options:
1. Corrosion
2. Caustic embrittlement
Priming 3.
4. foaming
Question Number : 95 Question Id : 61097513523 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Which of the following is a thermosetting plastic?
Options:
1. Bakelite
2. Polystyrene

3. Polythene
4. Nylon
Question Number : 96 Question Id : 61097513524 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Tetra Fluoro Ethane is a monomer of
Options:
Teflon 1.
2. Nylon
3. Styrene
4. Rubber
Question Number : 97 Question Id : 61097513525 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Buna-N is a copolymer of
Options:
1. Butadiene and Styrene
2. Butadiene and Acrylonitrile

AP ECET 2020 14th September 2020
Butadiene and Isoprene 3.
4. Formaldehyde and Styrene
Question Number : 98 Question Id : 61097513526 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Main constituent of Producer gas is
Options:
1. CO+N <sub>2</sub>
2. CO+H <sub>2</sub>
3. CO+CO <sub>2</sub>
4. CO <sub>2</sub> + H <sub>2</sub>
Question Number : 99 Question Id : 61097513527 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Ozone layer is present at
Options:  1. Staratosphere

2. Inosphere

Thermosphere	Th	ermo	spl	nere
--------------	----	------	-----	------

4. Atmosphere

Question Number: 100 Question Id: 61097513528 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Acid Rain is caused due to

#### **Options:**

1. Chloro Fluoro Carbons

Methane

3. Oxides of Sulphur and Nitrogen

4. Carbon monaxide

# **Civil Engineering**

Section Number: 4

Mandatory or Optional: Mandatory

Number of Questions: 100

Number of Questions to be attempted: 100

Section Marks: 100

**Display Number Panel:** Yes

Group All Questions: Yes

Question Number: 101 Question Id: 61097513529 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Strain hardening of a material occurs when

#### **Options:**

- ductility increases under repeated loading
- 2. hardness increases under repeated loading
- 3. hardness increases with the increase of strain
- a stress increases with the strain beyond yield stress

Question Number: 102 Question Id: 61097513530 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

A steel bar of 50 mm × 50 mm square cross section and length 2.5 m is subjected to an axial tensile force of 250 kN. If the modulus of elasticity of the material is 200 GPa, the elongation of the bar will be

- 1 1 mm
- 2. 1.25 mm
- 3. 1.5 mm

4. 2.50 mm

Question Number: 103 Question Id: 61097513531 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If the Bulk modulus of elasticity of a material is twice its Modulus of rigidity, then the

Poisson's ratio of the material is

**Options:** 

 $\frac{1}{7}$ 

 $\frac{2}{7}$ 

 $\frac{3}{7}$ 

3.

 $\frac{4}{7}$ 

Question Number : 104 Question Id : 61097513532 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A bar of square cross section 40 mm × 40 mm and length 250 mm is subjected to an axial

pull of 120 kN in the longitudinal direction. The decrease in each lateral dimension is

0.005 mm. The lateral strain is

Options:

Question Number: 105 Question Id: 61097513533 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

A bar of weight W having cross sectional area A, Length L, and modulus of elasticity E is hung at one end and subjected to a tensile load W at the other end. The elongation of the bar is

$$\frac{WL}{2AE}$$

$$\frac{WL}{AE}$$

$$\frac{3WL}{2AE}$$

AP ECET 2020 14th September 2020
Question Number : 106 Question Id : 61097513534 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The bending moment in a beam does not depends on
Options:
1. Type of beam
2. Span of beam
3. Position of load
4. Cross section of beam
Question Number : 107 Question Id : 61097513535 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A simply supported beam of span 8 m is subjected to a uniformly distributed load of 24
kN/m over the whole span and a concentrated load of 48 kN acting at midspan. The
maximum bending moment is
Options:
1. OC leNing

- 1. 96 kNm
- 2. 192 kNm
- 3. 288 kNm
- 4. 384 kNm

Question Number: 108 Question Id: 61097513536 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A cantilever beam AB of span L is fixed at A and free at B is subjected to a total uniformly distributed load of W over the whole span and a concentrated load of W at the free end. The maximum bending moment induced in the beam is

#### **Options:**

- 1. 2*WL*
- 1.5WL
- 3. *WL*
- 0.5WL

Question Number: 109 Question Id: 61097513537 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

If a beam is subjected to a uniformly distributed load, then the bending moment diagram shows

- Rectangle or constant value
- Linear variation
- 3. Trapezoidal variation
- Parabolic variation

Question Number: 110 Question Id: 61097513538 Question Type: MCQ Display Questio	n
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option	
Orientation : Vertical	
A simply supported beam of span L is subjected to a uniformly distributed load of	
w/m throughout the span. The shear force diagram consists of	
Options:	
1. one right angled triangle	
2. two right angled triangles	
3. two equilateral triangles	
two rectangles 4.	
Question Number : 111 Question Id : 61097513539 Question Type : MCQ Display Questio Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical	n
When a beam is subjected to transverse loading, zero bending stress at a given cross section occurs at	
Options:  1. Top fibre	
2. Bottom fibre	
3. Centroid of the section	
4. any point depending on the shape of beam.	

Question Number: 112 Question Id: 61097513540 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The section modulus for a beam of unsymmetrical section is the ratio of its
Options:  Moment of Inertia and Bending moment  1.
2. Moment of Inertia and half of the depth of beam
3. Moment of Inertia and Least radius of gyration
4. Moment of Inertia and extreme fibre distance from the neutral axis.
Question Number : 113 Question Id : 61097513541 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
orientation. Vertical
A steel plate 100 mm wide and 20 mm thick is to be bent into a circular arc of radius 10
A steel plate 100 mm wide and 20 mm thick is to be bent into a circular arc of radius 10 m. If the modulus of elasticity of the plate is 200 GPa, then the maximum bending stress induced will be
A steel plate 100 mm wide and 20 mm thick is to be bent into a circular arc of radius 10
A steel plate 100 mm wide and 20 mm thick is to be bent into a circular arc of radius 10 m. If the modulus of elasticity of the plate is 200 GPa, then the maximum bending stress induced will be Options:
A steel plate 100 mm wide and 20 mm thick is to be bent into a circular arc of radius 10 m. If the modulus of elasticity of the plate is 200 GPa, then the maximum bending stress induced will be  Options:  1. 100 N/mm²

Question Number: 114 Question Id: 61097513542 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

A rectangular cantilever beam of cross section is 0.5 m wide and 1 m deep. If the beam cross section changed to 1 m wide and 0.5 m deep, then the beam would

#### **Options:**

have the same strength

be weakened by 0.25 times

be weakened by 0.5 times

be strengthened by 0.5 times

Question Number: 115 Question Id: 61097513543 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A steel beam of rectangular section of width 50 mm and depth 100 mm induces the maximum shear stress of 15 N/mm<sup>2</sup>. The shear force acting at the beam cross section is

#### **Options:**

5 kN

33.3 kN

3.

	4
5/1	1 - N
-21/	KIN

75 kN 4.

Question Number: 116 Question Id: 61097513544 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A symmetrical I section has 120 mm wide and 10 mm thick flanges, 20 mm thick and 380 mm depth of web. Under a given shear force, the increase in shear stress at the junction of flange and web would be \_\_\_\_\_\_ times of shear stress at the bottom of flange.

#### **Options:**

6 times

2. 12 times

60 times

120 times

Question Number: 117 Question Id: 61097513545 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

When a beam of circular cross section subjected to transverse loading, the maximum shear stress developed in the beam is greater than the average shear stress by

#### **Options:**

1. 25%

2. 33%
3.
4. 133%
Question Number: 118 Question Id: 61097513546 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The maximum shear stress induced in a solid circular shaft of diameter $d$ subjected to a torque $T$ , is
Options:
1. proportional to $d^2$
2. inversely proportional to $d^2$
3. proportional to $d^3$
inversely proportional to $d^3$
Question Number : 119 Question Id : 61097513547 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation: Vertical
When a circular shaft is subjected to pure torsion, the element on the surface of cross section is subjected to
Options:

Normal stress

2.	pure shear stress
3.	Bending stress
4. <sup>I</sup>	Bending stress and shear stress
Que	estion Number : 120 Question Id : 61097513548 Question Type : MCQ Display Question
Nu	mber : Yes Is Question Mandatory : No Single Line Question Option : No Option
Ori	entation : Vertical
To	rsional rigidity is defined as
Opt	tions :
1. <sup>]</sup>	Product of modulus of elasticity and moment of inertia
2. <sup>I</sup>	Product of modulus of rigidity and moment of inertia
3.	product of modulus of elasticity and polar moment of inertia
4.	the torque induced due to unit twist per unit length.
Que	estion Number : 121 Question Id : 61097513549 Question Type : MCQ Display Question
	mber : Yes Is Question Mandatory : No Single Line Question Option : No Option
Ori	entation : Vertical
A	cantilever beam of span $2L$ and flexural rigidity $EI$ is subjected to a concentrated
loa	ad of $W$ at the free end. The deflection at the free end is

# Options:

$$\frac{WL^3}{3EI}$$

$$\frac{2}{3} \cdot \frac{WL^3}{EI}$$

$$\frac{4}{3} \cdot \frac{WZ^3}{EI}$$

$$4. \frac{8}{3}.\frac{WL^3}{EI}$$

Question Number : 122 Question Id : 61097513550 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

A simply supported beam AB of span 6 m is subjected to a concentrated load of 80 kN at mid-span. If the flexural rigidity of the beam is 20,000 kNm<sup>2</sup>, the deflection under the concentrated load is

# **Options:**

4.

Question Number: 123 Question Id: 61097513551 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

A simply supported beam of span 2L and flexural rigidity EI is subjected to a

uniformly distributed load of w/m over the whole span. The deflection at mid-span is

#### **Options:**

$$\frac{5}{384} \cdot \frac{wL^4}{EI}$$

1.

$$\frac{5}{48} \cdot \frac{wL^4}{EI}$$

$$\frac{5}{24} \cdot \frac{wL^4}{EI}$$

$$\frac{wL^4}{48EI}$$

Question Number: 124 Question Id: 61097513552 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

Mohr's theorems are used for directly computing

## Options:

slope and deflection

2.	slope and shear force
3.	deflection and bending moment
4.	shear force and bending moment
Question Number : 125 Question Id : 61097513553 Question Type : MCQ Display Question	
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option	
	rientation : Vertical
A	propped cantilever AB of span L is fixed at A and supported by a prop at B. It is
SI	ibjected to a uniformly distributed load of $w/m$ over the entire span. The ratio of
th	ne reaction of the prop at B to that of fixed end A is
Options:	
1.	3/8
	5/8
2.	
3.	3/5
4.	5/3

Question Number : 126 Question Id : 61097513554 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

A propped cantilever AB of span L is fixed at A and supported by a prop at B. It is subjected to a concentrated load of W at mid-span. The bending moment at support A is

## Options:

- 1. WL/4(Sagging)
- WL/4 (Hogging)
- WL/8 (Hogging)
- 4. 3WL/8 (Sagging)

Question Number : 127 Question Id : 61097513555 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

A fixed beam AB of span L subjected to a uniformly distributed load of w/m over the whole span. The bending moment of mid-span of beam is

- 1. wL<sup>2</sup>/8 (Sagging)
- 2. wL<sup>2</sup>/8 (Hogging)
- 3.  $wL^2/24$  (Hogging)
- 4. wL<sup>2</sup>/24 (Sagging)

Question Number: 128 Question Id: 61097513556 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

A fixed beam of span L and flexural rigidity EI is subjected to a concentrated load

of 2W at the mid-span. The deflection under the concentrated load is

## Options:

$$\frac{1}{384} \cdot \frac{WL^3}{EI}$$

$$\frac{1}{2.} \frac{WL^3}{48}$$

$$\frac{1}{96} \cdot \frac{WZ^3}{EI}$$

$$4. \frac{1}{192} \cdot \frac{WL^3}{EI}$$

Question Number: 129 Question Id: 61097513557 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation : Vertical

For a simply supported beam subjected to transverse loading, the maximum

defection occurs at the point where

# Options:

slope is equal to zero

1.

bending moment is equal to zero

2.

- bending moment is maximum
- shear force is equal to zero

Question Number: 130 Question Id: 61097513558 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Assume that the joint of a pin jointed plane truss consists of only three members and no loads. If the two members out of three are collinear, then the force in the third member is

#### **Options:**

- 1. zero
- 2. maximum
- sum of the forces in other two members
- difference of the forces in other two members.

Question Number: 131 Question Id: 61097513559 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If m, r and j are the number of members, number of reaction components and number of

joints in a plane truss respectively. Which of the following condition is true for stable

determinate plane truss?

$$m+r=3j$$

$$2. \quad m+r=2j$$

$$m+j=2r$$

$$m+j=3r$$

Question Number: 132 Question Id: 61097513560 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Failure due to Buckling of compression members always occur about an axis having

#### **Options:**

Maximum Moment of Inertia

Maximum Radius of Gyration
2.

Maximum Slenderness ratio 3.

4 Least Radius of Gyration

Question Number: 133 Question Id: 61097513561 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The ratio of Euler's buckling load for a column with both ends fixed to that of with

both ends hinged with same length is

1. <sup>1</sup>
2.  $\sqrt{2}$ 3. 4
4.

Question Number: 134 Question Id: 61097513562 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The equivalent length of column of length L with one end fixed and the other end free is

#### **Options:**

1. 0.5*L* 

0.707 L

1.414*L* 3.

 $_{\Delta}^{2L}$ 

Question Number: 135 Question Id: 61097513563 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

The Euler buckling load for a long column of diameter D is P. If the diameter of the section is increased to 2D, the buckling load carrying capacity of the column is

## **Options:**

- 16*P*
- 2. 8*P*
- $\frac{P}{8}$
- $\frac{P}{16}$

1

Question Number : 136 Question Id : 61097513564 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation : Vertical

If the Euler load for a steel column is 600 kN and crushing load is 1200 kN, the

Rankine's load is equal to

- 1. 1800 kN
- 2. 1200 kN
- 3. 600 kN
- 4. 400 kN

Question Number : 137 Question Id : 61097513565 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The toe and heel in a dam respectively are located at
Options:
1. upstream top and upstream bottom
2. downstream bottom and upstream top
3. downstream bottom and upstream bottom
4. upstream bottom and downstream bottom
Question Number : 138 Question Id : 61097513566 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A retaining wall of height 5 m retains horizontal backfill with soil upto the top. The
unit weight and angle of repose of soil are 18 kN/m³ and 30° respectively. The total
active earth thrust on the wall is
Options:
1. 150 kN 1.
2. <sup>75</sup> kN

30 kN

3.

4.

25 kN

Question Number: 139 Question Id: 61097513567 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

For no tension to occur at the base of the gravity dam, the resultant of all forces should always lie

**Options:** 

at the centre of the base

between the centre of base and toe

between the centre of base and heel 3.

within the middle third portion of the base

Question Number : 140 Question Id : 61097513568 Question Type : MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

A triangular masonry dam is constructed with the material of specific gravity ho , the

ratio between the height and base width of the dam for structural safety is equal to

**Options:** 

$$\sqrt{2\rho}$$

1.

$$\sqrt{\rho}$$

2.

4. 
$$\frac{1}{\sqrt{\rho}}$$

Question Number: 141 Question Id: 61097513569 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

The maximum probability of characteristic load exceeding on a structure is

## **Options:**

1. 5%

2. 95%

3. 10%

4. 90%

Question Number: 142 Question Id: 61097513570 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option


**Orientation : Vertical** 


If the characteristic compressive strength of concrete at 28 days is 25 N/mm<sup>2</sup> and the

standard deviation is 4.0 N/mm<sup>2</sup>, the target strength at 28 days for concrete mix is

# Options:

25.0 MPa





Question Number: 146 Question Id: 61097513574 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The monolithic reinforced concrete roof consists of T beams at a spacing of 3.5 m over the span 6 m with 100 mm thick flange and 300 mm wide web. The effective width of flange as per IS code is

## Options:

- 1. 1400 mm
- 2. 1600 mm
- 3. 1900 mm
- 4. 2900 mm

Question Number: 147 Question Id: 61097513575 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

As per IS:456-2000 the contribution of bent up bars towards shear resistance shall not be more than

#### **Options:**

- 40% of total tension reinforcement
- 50% of total tension reinforcement 2.
- 3. 40% of total shear reinforcement
- 50% of total shear reinforcement

Question Number: 148 Question Id: 61097513576 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
For a reinforced concrete beam of effective depth $d$ , the maximum spacing of
vertical stirrups measured along the axis shall not exceed.
Options:
1. 0.12 <i>d</i>
0.15 <i>d</i> 2.
3. 0.60 <i>d</i>
4. 0.75 <i>d</i>
Question Number : 149 Question Id : 61097513577 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The maximum spacing of 10 mm diameter bars in a reinforced concrete slab of 120 mm effective depth is
Options:
1. <sup>120 mm</sup>
2. <sup>240 mm</sup>
3. <sup>300</sup> mm
360 mm 4.

AT EGET 2020 THAT Coptombot 2020
Question Number : 150 Question Id : 61097513578 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The ratio of thickness of slab to that of maximum diameter of steel reinforcement
shall not be less than
Options:
1. 8
2. 12
3. <sup>16</sup>
24 4.
Question Number : 151 Question Id : 61097513579 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A square column of size 400 mm × 400 mm is reinforced with 4 bars of 25 mm
diameter and 4 bars of 16 mm diameter bars. The transverse reinforcement shall be
Options:
6 mm φ bars at 250 mm 1.
2. 6 mm φ bars at 300 mm

4.

8 mm  $\phi$  bars at 250 mm

8 mm  $\phi$  bars at 300 mm

O	uestion Nur	nber : 152 (	<b>Duestion Id</b>	: 61097513580	Ouestion T	vpe: MCO	Display	/ Ouestio	n
7			<b>7</b> 3. 3. 3. 3		~	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, ~	-

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

In limit state method of design, the maximum compressive strain in axial compression as per IS:456 is taken as

## **Options:**

- 1. 0.02
- 2. 0.002
- 0.035
- 0.0035

Question Number : 153 Question Id : 61097513581 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The minimum diameter of longitudinal bar in a RCC column shall not be less than

- 1. 10 mm
- 12 mm

3. <sup>16 mm</sup>
20 mm 4.
Question Number : 154 Question Id : 61097513582 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
As per IS:456-2000, the minimum clear cover for footings is
Options:
25 mm 1.
2. <sup>40 mm</sup>
50 mm 3.
4. 60 mm
Question Number: 155 Question Id: 61097513583 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
For reinforced concrete isolated footing of effective depth $d$ , the critical section for bending moment is at
Options:
the face of column 1.
a distance of $d$ from the face of column 2.

a distance of $d/2$ from the face of column
a distance of $2d$ from the face of column.
Question Number : 156 Question Id : 61097513584 Question Type : MCQ Display Question
lumber : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The shape of stress block in working stress method of design is assumed to be
Options :
rectangle
triangle
parabolic
parabolic and rectangle
Question Number : 157 Question Id : 61097513585 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
When the total width of space available for staircase equal to twice the width of
steps, the type of staircase preferable is
Options :
Spiral
Open Newel

3. Dog-legged
4. Geometrical
Question Number: 158 Question Id: 61097513586 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
In a reinforced concrete beam, if the stress in steel reinforcement attains its yield
stress before the concrete fails due to crushing, the beam is said to be
Options:
1. balanced
2. under reinforced
3. over reinforced
4. non-homogeneous
Question Number: 159 Question Id: 61097513587 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
In the analysis of RC beams using working stress method, the modular ratio for M
20 grade of concrete is
Options:
1. 18.6

2. 13.3

3.
4. 6.5
Question Number : 160 Question Id : 61097513588 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
For design of RC members using working stress method, the factor of safety
considered for concrete and steel respectively are
Options:
1. 1.5 and 1.15
2. 3.0 and 1.5
3. 3.0 and 1.8
4. 1.5 and 1.8
Question Number: 161 Question Id: 61097513589 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Which of the following is an obstacle to chaining but not to ranging?
Options:
1. River

2. Hill
Building 3.
4. Dense Forest
Question Number : 162 Question Id : 61097513590 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The length of a line measured with 20 m chain was found to be 400 m. It was observed that
the chain is 10 cm too long. The true length of line is
Options:
1. <sup>398 m</sup>
2. <sup>399</sup> m
3. 400 m
402 m 4.
Question Number : 163 Question Id : 61097513591 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
If the reduced bearing and departure of a line are N 30°E and 100 m respectively,
then the length of the line is
Options:
50 m

100 m 2.
3. <sup>200 m</sup>
4. <sup>300 m</sup>
Question Number: 164 Question Id: 61097513592 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical  If the bearings of lines PQ and PR are 24°20' and 320°30' respectively, then the included angle QPR is
Options :
1. <sup>344°50</sup>
2. <sup>296°10</sup> ′
3. <sup>140°30</sup> '
4. 63°50°
Question Number: 165 Question Id: 61097513593 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical
The line joining the points of equal dip are known as
Options:
options.

1. Agonic lines

2. Isogonics lines
Aclinic lines 3.
4. isoclinic lines
Question Number: 166 Question Id: 61097513594 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
In a closed traverse survey, the closing error in plotting is due to error in
Options:
adjustment of the instrument  1.
linear measurements only 2.
3. Angular measurements only
4. Both linear and angular measurements
Question Number : 167 Question Id : 61097513595 Question Type : MCQ Display Question
Number: Yes Is Question Mandatory: No Single Line Question Option: No Option
Orientation: Vertical
Reduced level of a point is the elevation with reference to
Options: Ground surface 1.

- 2. Level surface
- Datum surface
- Flat Surface

Question Number: 168 Question Id: 61097513596 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The observations from reciprocal leveling are as given in table below.

Instrument	Staff reading at		
at	Station A	Station B	
A	1.425	1.575	
В	0.700	1.050	

It is concluded that

- 1. station A is lower than B
- 2. Station A is higher than B
- 3. Stations A and B are at the same level
- Insufficient data to know the levels of A and B. 4.

Question Number: 169 Question Id: 61097513597 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The process of forming clear image of the object in the plane of cross hairs is known as
Options :
1. Focusing
2. Ranging
Transferring 3.
4. Elimination of parallax
Question Number : 170 Question Id : 61097513598 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
For a tachometer, the fixed interval between stadia hairs is 4 mm, the focal length of the
objective is 24 mm and the distance of vertical axis of the instrument from the optical
centre of the objective is 15 cm. The multiplying constant of the tachometer is
Options :
1. 100
2. <sup>60</sup>
3. 50
a 39

Question Number : 171 Question Id : 61097513599 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical

Using the tachometer fitted with anallactic lens, if the intercept on a vertical staff is observed as 0.65, then the distance between the tachometer and staff station is

## **Options:**

6.5 m

2. 13.0 m

3. 32.5 m

4. 65 m

Question Number: 172 Question Id: 61097513600 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The minimum number of GPS stations required for getting a position are

# Options:

1. 3

2.

3. 5

4.	7

Question Number: 173 Question Id: 61097513601 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The line in polygon method in GIS is characteristic of

#### **Options:**

- vector overlay
- Raster overlay
- Buffer operation
- 4. Intersecting operation

Question Number: 174 Question Id: 61097513602 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

In a contour map, the vertical distance between any two consecutive contours is known as

- contour distance
- contour scale
- 3. contour interval

4. contour equivalent.

Question Number: 175 Question Id: 61097513603 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The Reduced Level of floor at a building is 100.0 m, staff reading on the floor is 1.525 and

staff reading when it is held inverted with bottom touching the ceiling of a hall is

2.650, then the height of the ceiling above the floor is

#### **Options:**

2.088 m

2.850 m

3. 4.175 m

5.700 m

Question Number: 176 Question Id: 61097513604 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation : Vertical

The dynamic viscosity ( $\mu$ ), kinematic viscosity ( $\nu$ ) and mass density ( $\rho$ ) are related as

$$\mu = 1.5 v. \rho$$

2. 
$$\rho = \mu v$$

3. 
$$v = \mu . \rho$$

4. 
$$\mu = \nu . \rho$$

Question Number: 177 Question Id: 61097513605 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

If a piece of material weighing 2 kg in air was found to be 1.5 kg when submerged

in water, then the specific gravity of the material is

#### **Options:**

1.

2.

\_

4

 ${\bf Question\ Number: 178\ Question\ Id: 61097513606\ Question\ Type: MCQ\ Display\ Question}$ 

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The pressure at a depth of 1m below the free surface of a body of water is equal to

# Options:

1. Pa

98.1 Pa

981 Pa 3.
4. 9810 Pa
Question Number : 179 Question Id : 61097513607 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Piezometer is used for measuring
Options:
Absolute pressure
2. Gauge pressure
3. Vaccum pressure
Atmospheric pressure 4.
4.
Question Number : 180 Question Id : 61097513608 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The continuity equation in fluid mechanics is based on the principle of
Options:
1. Conservation of mass
Conservation of energy

2.

C	· C
Conservation	of momentum

Conservation of velocity

Question Number: 181 Question Id: 61097513609 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

The length of convergent cone of a venturimeter

#### **Options:**

- 1. is equal to the length of divergent cone
- 2. is more than the length of divergent cone
- 3 is less than the length of divergent cone
- has no relation with the length of divergent cone

Question Number: 182 Question Id: 61097513610 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

An orifice of 20 mm diameter discharging from a pipe has 16 mm diameter at the

minimum section of flow. The coefficient of contraction is

#### **Options:**

1. 0.62

2. 0.64 3. 0.80 4. 0.98

Question Number : 183 Question Id : 61097513611 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

If H is the head over the triangular notch, then the discharge is proportional to

#### **Options:**

1.  $H^{0.5}$ 

 $H^{1.5}$ 

*H*<sup>2.5</sup> 3.

 $H^{5.0}$ 

Question Number: 184 Question Id: 61097513612 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

In a steady flow through pipe at a particular section, the pressure head, potential head and velocity head are 1.5m, 2.5m and 3.5m respectively. The height of

hydraulic gradient line at the section is

Options:
1.5m 1.
4.0m
2.
3. <sup>5.0</sup> m
7.5m
4.
Question Number: 185 Question Id: 61097513613 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
When the series of pipes with different diameters attached end to end, then
Options:
1. frictional losses are reduced.
2. head loss is same in all pipes
3. discharge is same in all the pipes
4. velocity of flow is same in all pipes
<b>4.</b> / ことの中心になっている。
Question Number: 186 Question Id: 61097513614 Question Type: MCQ Display Question
Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation : Vertical

Reynolds number is the ratio of

	AP ECET 2020 14th September 2020
<b>O</b>	gravity force to inertia force
2.	inertia force to gravity force
3.	viscous force to inertia force
4.	inertia force to viscous force
Q	uestion Number : 187 Question Id : 61097513615 Question Type : MCQ Display Question
N	umber : Yes Is Question Mandatory : No Single Line Question Option : No Option
0	rientation : Vertical
A	A turbine is a device which converts
0	ptions :
1.	Hydraulic energy into Mechanical energy
2.	Hydraulic energy into Electrical energy
3.	Mechanical energy into Electrical energy

Question Number: 188 Question Id: 61097513616 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

**Orientation: Vertical** 

Centrifugal pumps are adopted for

1.	low head and large discharge
2.	low head and low discharge
3.	large head and low discharge
4.	large head and large discharge
_	estion Number : 189 Question Id : 61097513617 Question Type : MCQ Display Question mber : Yes Is Question Mandatory : No Single Line Question Option : No Option
	ientation : Vertical
Th	e discharge through a trapezoidal channel is maximum when
1. 2. 3.	top width is equal to sloping side  top width is equal to 1.5 times sloping side  half the top width is equal to sloping side  half the top width is equal to 1.5 times sloping side
Nu Ori	estion Number: 190 Question Id: 61097513618 Question Type: MCQ Display Question Imber: Yes Is Question Mandatory: No Single Line Question Option: No Option ientation: Vertical ne discharge through a rectangular channel section will be maximum when

1. depth is equal to the width
2. depth is equal to twice the width
3. width is equal to twice the depth
4. width is equal to 1.5 times the depth
Question Number : 191 Question Id : 61097513619 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A graph drawn with intensity of rainfall and time is known as
Options:
1. Hyetograph
2. Hydrograph
3. Mass curve
4. Inflow curve
Question Number : 192 Question Id : 61097513620 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
An accurate method for computing the average rainfall in a catchment area is
Options :

1. Isohyetal method
2. Arithmetic average method
3. Theissen polygon method
4. Normal ratio method
Question Number : 193 Question Id : 61097513621 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The mean velocity at any vertical section of a stream is
Options :
1. equal to the surface velocity
less than the surface velocity.
3. more than the surface velocity
4. twice the surface velocity
Question Number: 194 Question Id: 61097513622 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The maximum flood discharge $(Q)$ of a river basin area $(A)$ using Dicken's formula
is of the form $Q = C.A^n$ , where C is a constant. The value of n is
Options:

AP ECET 2020 14th September 2020

1. <sup>0.50</sup>
2. 0.66
3. 0.75
4. <sup>0.85</sup>
Question Number : 195 Question Id : 61097513623 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
If the delta for a crop having base period of 120 days is 86.4 cm, then the duty of
crop in hectares/cumec is
Options :
1. 12000
1200 2.
120 3.
12 4.

Question Number : 196 Question Id : 61097513624 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

**Orientation: Vertical** 

The ideal irrigation method for growing paddy is

Options:
1. contour irrigation
2. furrow method
3. check basin irrigation
4. border strip irrigation
Question Number: 197 Question Id: 61097513625 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option
Orientation : Vertical
A coffer dam is a
Options :
1. type of gravity dam
2. small height of earth dam to protect important areas
3. structure like embankment built along a river to regulate the water
4. a temporary structure constructed to reduce water from the work area during construction
Question Number: 198 Question Id: 61097513626 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
A rock toe filter in an earthen dam is provided at

AP ECET 2020 14th September 2020

1. upstream end of the bund
2. downstream end of the bund
3. the base of the bund
4. the centre of base along the bund
Question Number: 199 Question Id: 61097513627 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The most suitable location for canal headwork is
Options:
1. Free flow of river
2. Rocky stage of river
3. Trough stage of river
4. Silting stage of river
Question Number : 200 Question Id : 61097513628 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
If a drain is over the canal, the structure to be provided is
Options:
Aqueduct

- 2. canal siphon
- 3. super passage
- 4. siphon aqueduct