- **85.** Which one of the followings has maximum number of atoms?
 - (1) $1 \text{ g of } O_2(g) \text{ [Atomic mass of } O = 16]$
 - (2) 1 g of Li(s) [Atomic mass of Li = 7]
 - (3) 1 g of Ag(s) [Atomic mass of Ag = 108]
 - (4) 1 g of Mg(s) [Atomic mass of Mg = 24]
- 86. For the reaction, $2Cl(g) \rightarrow Cl_2(g)$, the **correct** option is :
 - (1) $\Delta_r H < 0$ and $\Delta_r S > 0$
 - (2) $\Delta_r H < 0$ and $\Delta_r S < 0$
 - (3) $\Delta_r H > 0$ and $\Delta_r S > 0$
 - (4) $\Delta_r H > 0$ and $\Delta_r S < 0$
- 87. Identify the **correct** statements from the following:
 - (a) ${\rm CO}_2({\rm g})$ is used as refrigerant for ice-cream and frozen food.
 - (b) The structure of ${\rm C}_{60}$ contains twelve six carbon rings and twenty five carbon rings.
 - (c) ZSM-5, a type of zeolite, is used to convert alcohols into gasoline.
 - (d) CO is colorless and odourless gas.
 - (1) (b) and (c) only
 - (2) (c) and (d) only
 - (3) (a), (b) and (c) only
 - (4) (a) and (c) only
- **88.** Measuring Zeta potential is useful in determining which property of colloidal solution?
 - (1) Stability of the colloidal particles
 - (2) Size of the colloidal particles
 - (3) Viscosity
 - (4) Solubility
- **89.** What is the change in oxidation number of carbon in the following reaction?

$$\operatorname{CH}_4(\mathsf{g}) + 4\operatorname{Cl}_2(\mathsf{g}) \longrightarrow \operatorname{CCl}_4(\mathsf{l}) + 4\operatorname{HCl}(\mathsf{g})$$

- (1) -4 to +4
- (2) 0 to -4
- (3) + 4 to + 4
- (4) 0 to + 4

- 90. The following metal ion activates many enzymes, participates in the oxidation of glucose to produce ATP and with Na, is responsible for the transmission of nerve signals.
 - (1) Calcium
 - (2) Potassium
 - (3) Iron

(4)

(4)

(iii)

(ii)

(i)

(i)

(iv)

12

- (4) Copper
- **91.** Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?
 - (1) Ketonuria and Glycosuria
 - (2) Renal calculi and Hyperglycaemia
 - (3) Uremia and Ketonuria
 - (4) Uremia and Renal Calculi
- **92.** Match the following columns and select the **correct** option.

	Colu	ımn -	I		Column - II				
(a)	Place	enta		(i)	Androgens				
(b)	Zona	pelluc	ida	(ii)	Human Chorionic				
					Gonadotropin				
					(hCG)				
(c)	Bulb	o-uretl	hral	(iii)	Layer of the ovum				
	gland	ds							
(d)	Leyd	lig cells	3	(iv)	Lubrication of the				
					Penis				
	(a)	(b)	(c)	(d)					
(1)	(iii)	(ii)	(iv)	(i)					
(2)	(ii)	(iii)	(iv)	(i)					
(3)	(iv)	(iii)	(i)	(ii)					

93. Match the following columns and select the **correct** option.

(ii)

(iii)

Column - I Column - II Bt cotton Gene therapy (i) (a) Cellular defence (b) Adenosine (ii) deaminase deficiency RNAi (iii) Detection of HIV (c) infection (d) **PCR** (iv) **Bacillus** thuringiensis (b) (d) (a) **(c)** (1) (ii) (iii) (iv) (i) (2)(i) (iii) (iv) (ii) (3)(iii) (iv) (i) (ii)

(iv)

- **94.** The sequence that controls the copy number of the linked DNA in the vector, is termed :
 - (1) Palindromic sequence
 - (2) Recognition site
 - (3) Selectable marker
 - (4) Ori site
- **95.** Match the following columns and select the **correct** option.

Column - I Column - II 6 - 15 pairs of (a) (i) Trygon gill slits Heterocercal Cyclostomes (b) (ii) caudal fin Air Bladder (c) (iii) Chondrichthyes Poison sting Osteichthyes (d) (iv) (a) (b) **(c)** (d) (1) (iv) (ii) (iii) (i) (2)(i) (iv) (iii) (ii) (3)(ii) (i) (iii) (iv) (4) (iii) (iv) (i)

- **96.** In which of the following techniques, the embryos are transferred to assist those females who cannot conceive?
 - (1) ICSI and ZIFT
 - (2) GIFT and ICSI
 - (3) ZIFT and IUT
 - (4) GIFT and ZIFT
- **97.** Select the **correct** events that occur during inspiration.
 - (a) Contraction of diaphragm
 - (b) Contraction of external inter-costal muscles
 - (c) Pulmonary volume decreases
 - (d) Intra pulmonary pressure increases
 - (1) (a), (b) and (d)
 - (2) only (d)
 - (3) (a) and (b)
 - (4) (c) and (d)
- **98.** The QRS complex in a standard ECG represents:
 - (1) Depolarisation of ventricles
 - (2) Repolarisation of ventricles
 - (3) Repolarisation of auricles
 - (4) Depolarisation of auricles

- **99.** The enzyme enterokinase helps in conversion of :
 - (1) caseinogen into casein

13

- (2) pepsinogen into pepsin
- (3) protein into polypeptides
- (4) trypsinogen into trypsin
- **100.** Identify the **correct** statement with reference to human digestive system.
 - (1) Ileum is a highly coiled part.
 - (2) Vermiform appendix arises from duodenum.
 - (3) Ileum opens into small intestine.
 - (4) Serosa is the innermost layer of the alimentary canal.
- **101.** Ray florets have:
 - (1) Hypogynous ovary
 - (2) Half inferior ovary
 - (3) Inferior ovary
 - (4) Superior ovary
- **102.** Which of the following is put into Anaerobic sludge digester for further sewage treatment?
 - (1) Effluents of primary treatment
 - (2) Activated sludge
 - (3) Primary sludge
 - (4) Floating debris
- **103.** The number of substrate level phosphorylations in one turn of citric acid cycle is :
 - (1) Two
 - (2) Three
 - (3) Zero
 - (4) One
- 104. Identify the **correct** statement with regard to G_1 phase (Gap 1) of interphase.
 - (1) Cell is metabolically active, grows but does not replicate its DNA.
 - (2) Nuclear Division takes place.
 - (3) DNA synthesis or replication takes place.
 - (4) Reorganisation of all cell components takes place.

- **105.** Which of the following pairs is of unicellular algae?
 - (1) Anabaena and Volvox
 - (2) Chlorella and Spirulina
 - (3) Laminaria and Sargassum
 - (4) Gelidium and Gracilaria
- **106.** Identify the **wrong** statement with reference to immunity.
 - (1) Active immunity is quick and gives full response.
 - (2) Foetus receives some antibodies from mother, it is an example for passive immunity.
 - (3) When exposed to antigen (living or dead) antibodies are produced in the host's body. It is called "Active immunity".
 - (4) When ready-made antibodies are directly given, it is called "Passive immunity".
- **107.** Match the following columns and select the **correct** option.

	Colu	ımn -	I		Column - II				
(a)	Float	ting Ri	bs	(i)	Located between second and seventh ribs				
(b)	Acro	mion		(ii)	Head of the Humerus				
(c)	Scap	ula		(iii)	Clavicle				
(d)	Glen	oid cav	vity	(iv)	Do not connect with the sternum				
	(a)	(b)	(c)	(d)					
(1)	(iii)	(ii)	(iv)	(i)					
(2)	(iv)	(iii)	(i)	(ii)					
(3)	(ii)	(iv)	(i)	(iii)					
(4)	(i)	(iii)	(ii)	(iv)					

- 108. Identify the basic amino acid from the following.
 - (1) Lysine
 - (2) Valine
 - (3) Tyrosine
 - (4) Glutamic Acid

- **109.** The plant parts which consist of two generations one within the other:
 - (a) Pollen grains inside the anther
 - (b) Germinated pollen grain with two male gametes
 - (c) Seed inside the fruit
 - (d) Embryo sac inside the ovule
 - (1) (c) and (d)
 - (2) (a) and (d)
 - (3) (a) only
 - (4) (a), (b) and (c)
- **110.** Identify the **wrong** statement with reference to transport of oxygen.
 - (1) Higher H^+ conc. in alveoli favours the formation of oxyhaemoglobin.
 - (2) Low pCO_2 in alveoli favours the formation of oxyhaemoglobin.
 - (3) Binding of oxygen with haemoglobin is mainly related to partial pressure of O_2 .
 - (4) Partial pressure of CO_2 can interfere with O_2 binding with haemoglobin.
- **111.** Match the following columns and select the **correct** option.

	Colu	ımn -	I		Column - II				
(a)	Orga	n of C	orti	(i)	Connects middle				
					ear and pharynx				
(b)	Coch	lea		(ii)	Coiled part of the				
					labyrinth				
(c)	Eust	achiar	tube	(iii)	Attached to the				
					oval window				
(d)	Stap	es		(iv)	Located on the				
					basilar				
					membrane				
	(a)	(b)	(c)	(d)					
(1)	(iv)	(ii)	(i)	(iii)					
(2)	(i)	(ii)	(iv)	(iii)					
(3)	(ii)	(iii)	(i)	(iv)					
(4)	(iii)	(i)	(iv)	(ii)					

- 112. Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop.
 - (1) Ethylene
 - (2) Abscisic acid
 - (3) Cytokinin
 - (4) Gibberellin

- The roots that originate from the base of the stem are: Prop roots (1) (2)Lateral roots (3)Fibrous roots Primary roots (4)
- If the head of cockroach is removed, it may live for few days because:
 - the head holds a small proportion of a nervous (1) system while the rest is situated along the ventral part of its body.
 - the head holds a 1/3rd of a nervous system (2)while the rest is situated along the dorsal part of its body.
 - the supra-oesophageal ganglia of the (3)cockroach are situated in ventral part of abdomen.
 - the cockroach does not have nervous system. (4)
- 115. Strobili or cones are found in:
 - (1) Marchantia
 - (2)Equisetum
 - (3)Salvinia
 - (4) Pteris
- 116. Dissolution of the synaptonemal complex occurs during:
 - (1) Diplotene
 - (2)Leptotene
 - (3)Pachytene
 - (4)Zygotene
- 117. Match the following diseases with the causative organism and select the correct option.

	Colu	ımn -	Column - II						
(a)	Typh	oid		(i)	Wuchereria				
(b)	Pneu	ımonia	ι	(ii)	Plasmodium				
(c)	Filar	iasis		(iii)	Salmonella				
(d)	Mala	ıria		(iv)	${\it Hae mophilus}$				
	(a)	(b)	(c)	(d)					
(1)	(ii)	(i)	(iii)	(iv)					
(2)	(iv)	(i)	(ii)	(iii)					
(3)	(i)	(iii)	(ii)	(iv)					
(4)	(iii)	(iv)	(i)	(ii)					

118. The first phase of translation is:

15

- (1) Aminoacylation of tRNA
- (2)Recognition of an anti-codon
- (3)Binding of mRNA to ribosome
- (4) Recognition of DNA molecule
- 119. Match the following columns and select the correct option.

	Colu	ımn -	I		Column - II				
(a)	0,000	tridiur licum	n	(i)	Cyclosporin-A				
(b)		hodern sporun		(ii)	Butyric Acid				
(c)		ascus oureus		(iii)	Citric Acid				
(d)	Aspe	ergillus	sniger	(iv)	Blood cholesterol lowering agent				
	(a)	(b)	(c)	(d)					
(1)	(i)	(ii)	(iv)	(iii)					
(2)	(iv)	(iii)	(ii)	(i)					
(3)	(iii)	(iv)	(ii)	(i)					
(4)	(ii)	(i)	(iv)	(iii)					

- **120.** The oxygenation activity of RuBisCo enzyme in photorespiration leads to the formation of:
 - $1\,molecule\,of\,6\text{-}C\,compound$ (1)
 - 1 molecule of 4-C compound and 1 molecule (2)of 2-C compound
 - (3)2 molecules of 3-C compound
 - 1 molecule of 3-C compound (4)
- 121. Match the following concerning essential elements and their functions in plants:
 - (a) Iron (i) Photolysis of water (b) Zinc (ii) Pollen germination (c) Boron (iii) Required for chlorophyll biosynthesis (d) Manganese (iv) IAA biosynthesis
 - Select the **correct** option: (h)

	(a)	(a)	(C)	(a)
(1)	(iii)	(iv)	(ii)	(i)
(2)	(iv)	(i)	(ii)	(iii)
(3)	(ii)	(i)	(iv)	(iii)
(4)	(iv)	(iii)	(ii)	(i)

F3 16

- **122.** Name the enzyme that facilitates opening of DNA helix during transcription.
 - (1) DNA polymerase
 - (2) RNA polymerase
 - (3) DNA ligase
 - (4) DNA helicase
- **123.** From his experiments, S.L. Miller produced amino acids by mixing the following in a closed flask:
 - (1) CH₄, H₂, NH₃ and water vapor at 600°C
 - (2) CH₃, H₂, NH₃ and water vapor at 600°C
 - (3) CH_4 , H_2 , NH_3 and water vapor at $800^{\circ}C$
 - (4) CH_3 , H_2 , NH_4 and water vapor at $800^{\circ}C$
- **124.** Goblet cells of alimentary canal are modified from:
 - (1) Chondrocytes
 - (2) Compound epithelial cells
 - (3) Squamous epithelial cells
 - (4) Columnar epithelial cells
- **125.** Cuboidal epithelium with brush border of microvilli is found in :
 - (1) proximal convoluted tubule of nephron
 - (2) eustachian tube
 - (3) lining of intestine
 - (4) ducts of salivary glands
- **126.** In light reaction, plastoquinone facilitates the transfer of electrons from :
 - (1) PS-I to NADP+
 - (2) PS-I to ATP synthase
 - (3) PS-II to Cytb₆f complex
 - (4) Cytb₆f complex to PS-I
- 127. If the distance between two consecutive base pairs is 0.34 nm and the total number of base pairs of a DNA double helix in a typical mammalian cell is 6.6×10^9 bp, then the length of the DNA is approximately:
 - (1) 2.2 meters
 - (2) 2.7 meters
 - (3) 2.0 meters
 - (4) 2.5 meters

- **128.** Which is the important site of formation of glycoproteins and glycolipids in eukaryotic cells?
 - (1) Golgi bodies
 - (2) Polysomes
 - (3) Endoplasmic reticulum
 - (4) Peroxisomes
- 129. Which of the following statements is **not** correct?
 - (1) The functional insulin has A and B chains linked together by hydrogen bonds.
 - (2) Genetically engineered insulin is produced in *E-Coli*.
 - (3) In man insulin is synthesised as a proinsulin.
 - (4) The proinsulin has an extra peptide called C-peptide.
- 130. Identify the incorrect statement.
 - (1) Sapwood is the innermost secondary xylem and is lighter in colour.
 - (2) Due to deposition of tannins, resins, oils etc., heart wood is dark in colour.
 - (3) Heart wood does not conduct water but gives mechanical support.
 - (4) Sapwood is involved in conduction of water and minerals from root to leaf.
- **131.** Floridean starch has structure similar to:
 - (1) Mannitol and algin
 - (2) Laminarin and cellulose
 - (3) Starch and cellulose
 - (4) Amylopectin and glycogen
- **132.** Match the following with respect to meiosis:
 - (a) Zygotene (i) Terminalization
 - (b) Pachytene (ii) Chiasmata
 - (c) Diplotene (iii) Crossing over
 - (d) Diakinesis (iv) Synapsis

Select the **correct** option from the following:

(ii)

(i)

(b) (a) **(c)** (d) (ii) (iv) (iii) (i) (ii) (iv) (iii) (i) (iii) (iv) (i) (ii)

(iii)

(iv)

(1)

(2)

(3)

(4)

17 133. Match the following columns and select the 137. Which of the following would help in prevention of correct option. diuresis? Column - I Column - II (1) Atrial natriuretic factor vasoconstriction (a) Eosinophils (i) Immune response (2)Decrease in secretion of renin by JG cells (b) Basophils Phagocytosis (ii)Neutrophils Release (c) (iii) More water reabsorption due to (3)undersecretion of ADH histaminase, destructive Reabsorption of Na⁺ and water from renal (4) enzymes tubules due to aldosterone (d) Lymphocytes (iv) Release granules containing 138. Which of the following is **correct** about viroids? histamine (1) They have DNA with protein coat. (a) (b) (c) (d) (2)They have free DNA without protein coat. (1) (i) (ii)(iv) (iii) (2)(ii) (iii) (i) (iv) (3)They have RNA with protein coat. (3)(iii) (iv) (i) (ii) (4) They have free RNA without protein coat. (4) (iv) (i) (ii) (iii) 134. The process of growth is maximum during: 139. The infectious stage of *Plasmodium* that enters the human body is: Senescence (1) (2)Dormancy Female gametocytes (1) (3)Log phase (2)Male gametocytes (4) Lag phase (3)Trophozoites 135. Match the following: Sporozoites (4) (a) Inhibitor of catalytic (i) Ricin activity **140.** Which of the following statements is **correct**? (b) Possess peptide bonds (ii) Malonate Cell wall material in (iii) Chitin (c) Adenine pairs with thymine through three (1) fungi H-bonds. (d) Secondary metabolite (iv) Collagen (2)Adenine does not pair with thymine. Choose the **correct** option from the following: Adenine pairs with thymine through two (3)(a) (b) (c) (d) H-bonds. (1) (iii) (iv) (i) (ii) Adenine pairs with thymine through one (2)(4) (ii) (iii) (i) (iv) H-bond. (3)(ii) (iv) (iii) (i) (4)(iii) (i) (iv) (ii) 141. Flippers of Penguins and Dolphins are examples Some dividing cells exit the cell cycle and enter vegetative inactive stage. This is called quiescent stage (G_0) . This process occurs at the end of: (1) Industrial melanism (1) Sphase Natural selection (2)(2)G₂ phase (3)Adaptive radiation (3)M phase

(4)

Convergent evolution

G₁ phase

(4)

- **142.** Montreal protocol was signed in 1987 for control of :
 - (1) Release of Green House gases
 - (2) Disposal of e-wastes
 - (3) Transport of Genetically modified organisms from one country to another
 - (4) Emission of ozone depleting substances
- **143.** Identify the **wrong** statement with regard to Restriction Enzymes.
 - (1) They are useful in genetic engineering.
 - (2) Sticky ends can be joined by using DNA ligases.
 - (3) Each restriction enzyme functions by inspecting the length of a DNA sequence.
 - (4) They cut the strand of DNA at palindromic sites.
- **144.** By which method was a new breed 'Hisardale' of sheep formed by using Bikaneri ewes and Marino rams?
 - (1) Cross breeding
 - (2) Inbreeding
 - (3) Out crossing
 - (4) Mutational breeding
- 145. Which of the following refer to **correct** example(s) of organisms which have evolved due to changes in environment brought about by anthropogenic action?
 - (a) Darwin's Finches of Galapagos islands.
 - (b) Herbicide resistant weeds.
 - (c) Drug resistant eukaryotes.
 - $\begin{tabular}{ll} \begin{tabular}{ll} \beg$
 - (1) (b), (c) and (d)
 - (2) only (d)
 - (3) only (a)
 - (4) (a) and (c)
- **146.** Meiotic division of the secondary oocyte is completed:
 - (1) After zygote formation
 - (2) At the time of fusion of a sperm with an ovum
 - (3) Prior to ovulation
 - (4) At the time of copulation

- **147.** In relation to Gross primary productivity and Net primary productivity of an ecosystem, which one of the following statements is **correct**?
 - (1) Gross primary productivity and Net primary productivity are one and same.
 - (2) There is no relationship between Gross primary productivity and Net primary productivity.
 - (3) Gross primary productivity is always less than net primary productivity.
 - (4) Gross primary productivity is always more than net primary productivity.
- **148.** Identify the **wrong** statement with reference to the gene 'I' that controls ABO blood groups.
 - (1) When I^A and I^B are present together, they express same type of sugar.
 - (2) Allele 'i' does not produce any sugar.
 - (3) The gene (I) has three alleles.
 - (4) A person will have only two of the three alleles.
- **149.** Match the following columns and select the **correct** option.

Column - I Column - II Pituitary gland (i) Grave's disease (a) (b) Thyroid gland (ii) Diabetes mellitus Adrenal gland Diabetes insipidus (c) (iii) Addison's disease (d) Pancreas (iv) **(c)** (d) (a) (b) (1) (iii) (i) (iv) (ii)(2)(ii) (i) (iv) (iii) (3)(iv) (iii) (i) (ii) (4) (iii) (ii) (iv)

- **150.** According to Robert May, the global species diversity is about:
 - (1) 50 million
 - (2) 7 million
 - (3) 1.5 million
 - (4) 20 million

							1	9							F 3
151.	The body of the ovule is fused within the funicle at:							155.		Which of the following is not an inhibito substance governing seed dormancy?					
	(1)	Nuce	ellus						(1)	(1) Phenolic acid					
	(2)	Chal	aza						(2)	Para	-ascor	bic aci	d		
	(3)	Hilu							(3)	Gibb	erellic	acid			
	(4)	Micr	opyle						(4)						
152.	Match the following columns and select the correct option.							156.							
		Colu	ımn -	I		Co	lumn - II		bodi	es is i n	corre	ect?			
	(a)	Greg	garious	s, polyp	hagou	s (i)	Asterias		(1)	They	lie fre	e in th	ie cytoj	plasm	
	(b)			radial		(ii)	Scorpion		(2)	 These represent reserve material in cytoplasm. 					
		symmetry and larva with bilateral symmetry							(3)	They	are n	ot bou	nd by a	ny me	embrane.
	(c)			_	nmetry	(iii)	Ctenoplana		(4) These are involved in ing				inges	gestion of food	
	(d)	Book lungs Bioluminescence				(iv)				parti	cles.				
		(a)	(b)	(c)	(d)	(=-)		157.	The	ovary	is half	inferio	or in :		
	(1)	(iii)	(ii)	(i)	(iv)				(1)	Sunf	lower				
	(2)	(ii)	(i)	(iii)	(iv)				(2)	Plun	1				
	(3) (4)	(i) (iv)	(iii) (i)	(ii) (ii)	(iv) (iii)				(3)	Brin	jal				
	(4)	(IV)	(1)	(11)	(111)				(4)	Must					
153.				supp	ort fo	r evo	lution was		()						
	(1)	sapproved by :) Charles Darwin						158.	1						
	(2)	Oparin							examples in grassland ecosystem						
	(3)	Karl Ernst von Baer							(a)	Four	th trop	phic le	vel	(i)	Crow
	(4)	Alfred Wallace							(b)	Second trophic level (ii) Vultur			Vulture		
154.	Mate	ch the	organi	sm wit	h its us	se in b	iotechnology.		(c)	First trophic level (iii) Rabbit			Rabbit		
	(a)	Baci	llus		(i)	Clon	ing vector		(d) Third trophic level (iv) G						Grass
		thuring iens is	**					Sele	ct the c	correc	t optic	n:			
	(b)	Ther	rmus		(ii)	Cons	struction of			(a)	(b)	(c)	(d)		
		aque	aticus				rDNA		(1)	(iv)	(iii)	(ii)	(i)		
						mole	cule		(2)	(i)	(ii)	(iii)	(iv)		
	(c)	_	bacter		(iii)	DNA	polymerase		(3)	(ii)	(iii)	(iv)	(i)		
		tume	efacien	s					(4)	(iii)	(ii)	(i)	(iv)		
	(d)		nonello imurii		(iv)	Cry	proteins	159.						itating	g loss of water
	Sele	ct the c	corre	c t optic	on fron	the fo	ollowing:		in lic	uid for	rm froi	n the t	ip of gr		ades at night
		(a)	(b)	(c)	(d)					in earl	-	ning is	:		
	(1)	(iii)	(ii)	(iv)	(i)				(1)		bition				
	(2)	(iii)	(iv)	(i)	(ii)				(2)		molysi				
	(3)	(ii)	(iv)	(iii)	(i)				(3)	Tran	spirat	ion			
	(4)	(iv)	(iii)	(i)	(ii)				(4)	Root	pressu	ire			

- **160.** Choose the **correct** pair from the following:
 - $\begin{array}{ccc} \hbox{(1)} & \hbox{Nucleases} & \hbox{-} & \hbox{Separate the two strands} \\ & \hbox{of DNA} \end{array}$
 - (2) Exonucleases Make cuts at specific positions within DNA
 - (3) Ligases Join the two DNA molecules
 - (4) Polymerases Break the DNA into fragments
- **161.** The transverse section of a plant shows following anatomical features :
 - (a) Large number of scattered vascular bundles surrounded by bundle sheath.
 - (b) Large conspicuous parenchymatous ground tissue.
 - (c) Vascular bundles conjoint and closed.
 - (d) Phloem parenchyma absent.

Identify the category of plant and its part:

- (1) Dicotyledonous stem
- (2) Dicotyledonous root
- (3) Monocotyledonous stem
- (4) Monocotyledonous root
- **162.** Experimental verification of the chromosomal theory of inheritance was done by :
 - (1) Boveri
 - (2) Morgan
 - (3) Mendel
 - (4) Sutton
- **163.** Bt cotton variety that was developed by the introduction of toxin gene of *Bacillus thuringiensis* (Bt) is resistant to:
 - (1) Plant nematodes
 - (2) Insect predators
 - (3) Insect pests
 - (4) Fungal diseases
- 164. Select the correct statement.
 - (1) Insulin acts on pancreatic cells and adipocytes.
 - (2) Insulin is associated with hyperglycemia.
 - (3) Glucocorticoids stimulate gluconeogenesis.
 - (4) Glucagon is associated with hypoglycemia.

- **165.** The specific palindromic sequence which is recognized by EcoRI is:
 - (1) 5' CTTAAG 3'
 - 3' GAATTC 5'
 - (2) 5' GGATCC 3'

(3)

(4)

- 3' CCTAGG 5'
- 5' GAATTC 3'
 - 3' CTTAAG 5'
- 5' GGAACC 3'
 - 3' CCTTGG 5'
- **166.** Identify the substances having glycosidic bond and peptide bond, respectively in their structure :
 - (1) Cellulose, lecithin
 - (2) Inulin, insulin
 - (3) Chitin, cholesterol
 - (4) Glycerol, trypsin
- **167.** The product(s) of reaction catalyzed by nitrogenase in root nodules of leguminous plants is/are:
 - (1) Ammonia and oxygen
 - (2) Ammonia and hydrogen
 - (3) Ammonia alone
 - (4) Nitrate alone
- **168.** Which of the following hormone levels will cause release of ovum (ovulation) from the graffian follicle?
 - (1) Low concentration of LH
 - (2) Low concentration of FSH
 - (3) High concentration of Estrogen
 - (4) High concentration of Progesterone
- **169.** Which of the following statements are **true** for the phylum-Chordata?
 - (a) In Urochordata notochord extends from head to tail and it is present throughout their life.
 - (b) In Vertebrata notochord is present during the embryonic period only.
 - (c) Central nervous system is dorsal and hollow.
 - (d) Chordata is divided into 3 subphyla: Hemichordata, Tunicata and Cephalochordata.
 - (1) (a) and (b)
 - (2) (b) and (c)
 - (3) (d) and (c)
 - (4) (c) and (a)

F3

- **170.** Bilaterally symmetrical and acoelomate animals are exemplified by:
 - (1) Aschelminthes
 - (2) Annelida
 - (3) Ctenophora
 - (4) Platyhelminthes
- **171.** Which of the following regions of the globe exhibits highest species diversity?
 - (1) Himalayas
 - (2) Amazon forests
 - (3) Western Ghats of India
 - (4) Madagascar
- 172. Select the correct match.
 - (1) Sickle cell anaemia Autosomal

recessive trait, chromosome-11

- (2) Thalassemia X linked
- (3) Haemophilia Ylinked
- (4) Phenylketonuria Autosomal dominant trait
- **173.** Which one of the following is the most abundant protein in the animals?
 - (1) Lectin
 - (2) Insulin
 - (3) Haemoglobin
 - (4) Collagen
- **174.** Select the option including all sexually transmitted diseases.
 - (1) AIDS, Malaria, Filaria
 - (2) Cancer, AIDS, Syphilis
 - (3) Gonorrhoea, Syphilis, Genital herpes
 - (4) Gonorrhoea, Malaria, Genital herpes
- **175.** In water hyacinth and water lily, pollination takes place by :
 - (1) wind and water
 - (2) insects and water
 - (3) insects or wind
 - (4) water currents only

- **176.** In gel electrophoresis, separated DNA fragments can be visualized with the help of :
 - (1) Acetocarmine in UV radiation
 - (2) Ethidium bromide in infrared radiation
 - (3) Acetocarmine in bright blue light
 - (4) Ethidium bromide in UV radiation
- **177.** Secondary metabolites such as nicotine, strychnine and caffeine are produced by plants for their:
 - (1) Defence action
 - (2) Effect on reproduction
 - (3) Nutritive value
 - (4) Growth response
- 178. How many true breeding pea plant varieties did Mendel select as pairs, which were similar except in one character with contrasting traits?
 - (1) 14

21

- (2) 8
- (3) 4
- (4) 2
- **179.** Which of the following is **not** an attribute of a population?
 - (1) Mortality
 - (2) Species interaction
 - (3) Sex ratio
 - (4) Natality
- **180.** Snow-blindness in Antarctic region is due to:
 - (1) High reflection of light from snow
 - (2) Damage to retina caused by infra-red rays
 - (3) Freezing of fluids in the eye by low temperature
 - (4) Inflammation of cornea due to high dose of UV-B radiation