F2						ก				
1.			enzyme ng trans		acilitates opening of DNA	2 7. 		ch the		win
	(1)	DNA	A polym	erase				Colu	ımn -	I
	(2)	RNA	\ polym	erase			(a)	Eogir	nophils	2
	(3)	DNA	A ligase						_	,
	(4)	DNA	A helica	se			(b)	Baso	_	
2.		ch of th	ne follow	ving w	ould help in prevention of		(c)	Neut	rophil	s
	(1)	Atri vaso	al n constri		retic factor causes					
	(2)	Decr	ease in	secre	tion of renin by JG cells		(d)	Lym	phocyt	es
	(3)	Mor unde	e wa ersecret		reabsorption due to ADH					
	(4)		-		Na ⁺ and water from renal osterone		(1)	(a) (i)	(b) (ii)	(c (iv
3.		otic d		of t	he secondary oocyte is		(2) (3)	(ii) (iii)	(i) (iv)	(ii (ii
	(1)	_	r zygote	form	ation		(4)	(iv)	(i)	(ii
	(2)		he time		usion of a sperm with an	8.		ch the	.,	•
	(3)		r to ovu	lation	1			ect op		
	(4)				ulation				ımn -	Ι
4.	Mat	ch the i	followin	ig cond	cerning essential elements		(a)	Place		
			unction				(b)	Zona	pelluc	cida
	(a)	Iron		(i)	Photolysis of water					
	(b)	Zinc		(ii)	Pollen germination					
	(c)	Boro	n	(iii)	Required for chlorophyll biosynthesis		(c)	Bulb gland	o-uretl	hral
	(d)		ganese		IAA biosynthesis		(3)	_		
	Sele		correc	_			(d)	Leyd	ig cells	s
		(a)	(b)	(c)	(d)					
	(1)	(iii)	(iv)	(ii)	(i)			(a)	(b)	(c
	(2)	(iv)	(i)	(ii)	(iii)		(1)	(iii)	(ii)	(iv
	(3)	(ii)	(i)	(iv)	(iii)	1	(2)	(ii)	(iii)	(ix

5. Which of the following pairs is of unicellular algae?

(i)

(ii)

(1) Anabaena and Volvox

(iii)

(iv)

(4)

- (2)Chlorella and Spirulina
- (3) Laminaria and Sargassum
- (4) Gelidium and Gracilaria
- 6. The oxygenation activity of RuBisCo enzyme in photorespiration leads to the formation of:
 - (1) 1 molecule of 6-C compound
 - $1\,\mathrm{molecule}$ of 4-C compound and $1\,\mathrm{molecule}$ (2) of 2-C compound
 - (3)2 molecules of 3-C compound
 - 1 molecule of 3-C compound (4)

g columns and select the

corr	ect op	tion.			
	Colu	ımn -	I		Column - II
(a)	Eosii	nophils	3	(i)	Immune respons
(b)	Baso	phils		(ii)	Phagocytosis
(c)	Neut	rophil	s	(iii)	Release
					histaminase,
					destructive
					enzymes
(d)	Lym	phocyt	es	(iv)	Release granule
					containing
					histamine
	(a)	(b)	(c)	(d)	
(1)	(i)	(ii)	(iv)	(iii)	
(2)	(ii)	(i)	(iii)	(iv)	
(3)	(iii)	(iv)	(ii)	(i)	
(4)	(iv) ch the	(i) follo	(ii) wing ((iii) colum	ns and select th
(4) Mate	ch the	follo	wing		ns and select th Column-II
(4) Mate	ch the	follotion.	wing		
(4) Mate	ch the ect op Colu	follotion. umn -	wing o	colum	Column - II Androgens
(4) Mate	ch the ect op Colu	follotion.	wing o	colum	Column - II Androgens Human Chorion
(4) Mate	ch the ect op Colu	follotion. umn -	wing o	colum	Column - II Androgens
(4) Mate	ch the ect op Colu Place Zona	follotion. umn -	wing o	colum	Column - II Androgens Human Chorion Gonadotropin (hCG)
(4) Matecorr (a) (b)	ch the ect op Colu Place Zona	e follotion. umn - enta pelluc	wing o	colum (i) (ii)	Column - II Androgens Human Chorion Gonadotropin (hCG)
(4) Matecorr (a) (b)	ch the rect op Colu Place Zona Bulb	e follotion. umn - enta pelluc	wing o	colum (i) (ii)	Column - II Androgens Human Chorion Gonadotropin (hCG) Layer of the ovur
(4) Matecorr (a) (b)	ch the rect op Colu Place Zona Bulb	e follo tion. imn - enta pelluo o-uretl	wing o	(i) (ii) (iii)	Column - II Androgens Human Chorion Gonadotropin (hCG) Layer of the ovur
(4) Mate corr (a) (b) (c) (d)	Columbia Place Zona Bulb glane Leyd (a)	e follorition. Imn - enta pelluc o-uret ds lig cells (b)	wing of I ida hral s (c)	(i) (ii) (iii) (iv) (d)	Column - II Androgens Human Chorion Gonadotropin (hCG) Layer of the ovur Lubrication of the
(4) Matecorr (a) (b)	ch the rect op Colu Place Zona Bulb glane Leyd	e follo tion. imn - enta pelluc o-ureth ds lig cells	wing o	(i) (ii) (iii) (iv)	Column - II Androgens Human Chorion Gonadotropin (hCG) Layer of the ovur Lubrication of the
(4) Mate corr (a) (b) (c) (d) (1) (2)	Columber Place Zona Bulb glane Leyd (a) (iii) (ii)	e follor tion. imn - denta pellucion o-uretla ds (b) (ii) (iii)	wing of I ida hral (c) (iv) (iv)	(i) (ii) (iii) (iv) (d) (i) (i)	Column - II Androgens Human Chorion Gonadotropin (hCG) Layer of the ovur Lubrication of the
(4) Mate corr (a) (b) (c) (d)	Columber Place Zona Bulb glane Leyd (a) (iii)	e follor tion. umn - enta pelluc o-ureth ds lig cells (b) (ii)	wing of I ida hral (c) (iv)	(i) (ii) (iv) (d) (i)	Column - II Androgens Human Chorion Gonadotropin (hCG) Layer of the ovur Lubrication of the

- - (a) Pollen grains inside the anther
 - Germinated pollen grain with two male (b) gametes
 - Seed inside the fruit (c)
 - (d) Embryo sac inside the ovule
 - (c) and (d) (1)
 - (2)(a) and (d)
 - (3) (a) only
 - (4) (a), (b) and (c)

 $\mathbf{F2}$

- **10.** Which of the following statements about inclusion bodies is **incorrect**?
 - (1) They lie free in the cytoplasm.
 - (2) These represent reserve material in cytoplasm.
 - (3) They are not bound by any membrane.
 - (4) These are involved in ingestion of food particles.
- 11. Strobili or cones are found in:
 - (1) Marchantia
 - (2) Equisetum
 - (3) Salvinia
 - (4) Pteris
- **12.** Montreal protocol was signed in 1987 for control of :
 - (1) Release of Green House gases
 - (2) Disposal of e-wastes
 - (3) Transport of Genetically modified organisms from one country to another
 - (4) Emission of ozone depleting substances
- **13.** Which of the following statements is **correct**?
 - (1) Adenine pairs with thymine through three H-bonds.
 - (2) Adenine does not pair with thymine.
 - (3) Adenine pairs with thymine through two H-bonds.
 - (4) Adenine pairs with thymine through one H-bond.
- **14.** The body of the ovule is fused within the funicle at:
 - (1) Nucellus
 - (2) Chalaza
 - (3) Hilum
 - (4) Micropyle
- **15.** The sequence that controls the copy number of the linked DNA in the vector, is termed:
 - (1) Palindromic sequence
 - (2) Recognition site
 - (3) Selectable marker
 - (4) Ori site

16. Identify the **wrong** statement with regard to Restriction Enzymes.

- (1) They are useful in genetic engineering.
- (2) Sticky ends can be joined by using DNA ligases.
- (3) Each restriction enzyme functions by inspecting the length of a DNA sequence.
- (4) They cut the strand of DNA at palindromic sites.
- 17. The product(s) of reaction catalyzed by nitrogenase in root nodules of leguminous plants is/are:
 - (1) Ammonia and oxygen
 - (2) Ammonia and hydrogen
 - (3) Ammonia alone
 - (4) Nitrate alone

3

- **18.** In light reaction, plastoquinone facilitates the transfer of electrons from :
 - (1) PS-I to NADP+
 - (2) PS-I to ATP synthase
 - (3) PS-II to Cytb₆f complex
 - (4) Cytb₆f complex to PS-I
- 19. Which of the following hormone levels will cause release of ovum (ovulation) from the graffian follicle?
 - (1) Low concentration of LH
 - (2) Low concentration of FSH
 - (3) High concentration of Estrogen
 - (4) High concentration of Progesterone
- **20.** The first phase of translation is:
 - (1) Aminoacylation of tRNA
 - (2) Recognition of an anti-codon
 - (3) Binding of mRNA to ribosome
 - (4) Recognition of DNA molecule
- **21.** The roots that originate from the base of the stem are :
 - (1) Prop roots
 - (2) Lateral roots
 - (3) Fibrous roots
 - (4) Primary roots

- transport of oxygen.
 - Higher H⁺ conc. in alveoli favours the formation of oxyhaemoglobin.
 - (2) $\operatorname{Low}\operatorname{pCO}_2$ in alveoli favours the formation of oxyhaemoglobin.
 - (3)Binding of oxygen with haemoglobin is mainly related to partial pressure of O_2 .
 - Partial pressure of CO₂ can interfere with (4) O_2 binding with haemoglobin.
- 23. In gel electrophoresis, separated DNA fragments can be visualized with the help of:
 - (1) Acetocarmine in UV radiation
 - (2)Ethidium bromide in infrared radiation
 - (3)Acetocarmine in bright blue light
 - (4) Ethidium bromide in UV radiation
- 24. The enzyme enterokinase helps in conversion of:
 - caseinogen into casein (1)
 - (2)pepsinogen into pepsin
 - (3)protein into polypeptides
 - (4) trypsinogen into trypsin
- 25. Experimental verification of the chromosomal theory of inheritance was done by:
 - (1) Boveri
 - (2)Morgan
 - (3)Mendel
 - (4) Sutton
- 26. According to Robert May, the global species diversity is about:
 - 50 million (1)
 - 7 million (2)
 - 1.5 million (3)
 - (4)20 million

- 27. Match the organism with its use in biotechnology.
 - Bacillus (a) thuringiensis
- Cloning vector (i)
- (b) Thermusaquaticus
- Construction of (ii)first rDNA molecule
- *Agrobacterium* (c) tumefaciens
- DNA polymerase (iii)
- Salmonella(d) typhimurium
- (iv) Cry proteins

Select the **correct** option from the following:

- (a) (b) **(c)** (d)
- (iii) (1) (ii) (iv) (i)
- (2)(iii) (iv) (i) (ii)
- (3)(ii) (iii) (i) (iv)
- (4) (iv) (iii) (i) (ii)
- Identify the correct statement with regard to 28. G₁ phase (Gap 1) of interphase.
 - Cell is metabolically active, grows but does not replicate its DNA.
 - (2)Nuclear Division takes place.
 - DNA synthesis or replication takes place. (3)
 - Reorganisation of all cell components takes (4) place.
- 29. Which of the following is **correct** about viroids?
 - They have DNA with protein coat. (1)
 - (2)They have free DNA without protein coat.
 - They have RNA with protein coat. (3)
 - They have free RNA without protein coat.
- **30.** The transverse section of a plant shows following anatomical features:
 - Large number of scattered vascular bundles (a) surrounded by bundle sheath.
 - Large conspicuous parenchymatous ground tissue.
 - Vascular bundles conjoint and closed. (c)
 - Phloem parenchyma absent. (d)

Identify the category of plant and its part:

- (1) Dicotyledonous stem
- (2)Dicotyledonous root
- (3)Monocotyledonous stem
- Monocotyledonous root (4)

- **31.** From his experiments, S.L. Miller produced amino acids by mixing the following in a closed flask:
 - (1) CH_4 , H_2 , NH_3 and water vapor at $600^{\circ}C$
 - (2) CH₃, H₂, NH₃ and water vapor at 600°C
 - (3) CH_4 , H_2 , NH_3 and water vapor at $800^{\circ}C$
 - (4) CH_3 , H_2 , NH_4 and water vapor at $800^{\circ}C$
- **32.** Identify the basic amino acid from the following.
 - (1) Lysine
 - (2) Valine
 - (3) Tyrosine
 - (4) Glutamic Acid
- **33.** Snow-blindness in Antarctic region is due to:
 - (1) High reflection of light from snow
 - (2) Damage to retina caused by infra-red rays
 - (3) Freezing of fluids in the eye by low temperature
 - (4) Inflammation of cornea due to high dose of UV-B radiation
- 34. Some dividing cells exit the cell cycle and enter vegetative inactive stage. This is called quiescent stage (G_0) . This process occurs at the end of:
 - (1) Sphase
 - (2) G₂ phase
 - (3) M phase
 - (4) G_1 phase
- **35.** Which of the following regions of the globe exhibits highest species diversity?
 - (1) Himalayas
 - (2) Amazon forests
 - (3) Western Ghats of India
 - (4) Madagascar

- **36.** Identify the **incorrect** statement.
 - (1) Sapwood is the innermost secondary xylem and is lighter in colour.
 - (2) Due to deposition of tannins, resins, oils etc., heart wood is dark in colour.
 - (3) Heart wood does not conduct water but gives mechanical support.
 - (4) Sapwood is involved in conduction of water and minerals from root to leaf.
- **37.** Floridean starch has structure similar to:
 - (1) Mannitol and algin
 - (2) Laminarin and cellulose
 - (3) Starch and cellulose
 - (4) Amylopectin and glycogen
- **38.** Which of the following is **not** an attribute of a population?
 - (1) Mortality
 - (2) Species interaction
 - (3) Sex ratio
 - (4) Natality
- **39.** The number of substrate level phosphorylations in one turn of citric acid cycle is :
 - (1) Two
 - (2) Three
 - (3) Zero
 - (4) One
- **40.** Identify the **correct** statement with reference to human digestive system.
 - (1) Ileum is a highly coiled part.
 - (2) Vermiform appendix arises from duodenum.
 - (3) Ileum opens into small intestine.
 - (4) Serosa is the innermost layer of the alimentary canal.
- **41.** In which of the following techniques, the embryos are transferred to assist those females who cannot conceive?
 - (1) ICSI and ZIFT
 - (2) GIFT and ICSI
 - (3) ZIFT and IUT
 - (4) GIFT and ZIFT

F2 6

- **42.** In relation to Gross primary productivity and Net primary productivity of an ecosystem, which one of the following statements is **correct**?
 - (1) Gross primary productivity and Net primary productivity are one and same.
 - (2) There is no relationship between Gross primary productivity and Net primary productivity.
 - (3) Gross primary productivity is always less than net primary productivity.
 - (4) Gross primary productivity is always more than net primary productivity.
- **43.** Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop.
 - (1) Ethylene
 - (2) Abscisic acid
 - (3) Cytokinin
 - (4) Gibberellin
- **44.** Secondary metabolites such as nicotine, strychnine and caffeine are produced by plants for their:
 - (1) Defence action
 - (2) Effect on reproduction
 - (3) Nutritive value
 - (4) Growth response
- 45. Select the **correct** match.
 - (1) Sickle cell anaemia Autosomal recessive trait, chromosome-11
 - (2) Thalassemia Xlinked
 - (3) Haemophilia Ylinked
 - (4) Phenylketonuria Autosomal dominant trait
- **46.** Select the **correct** statement.
 - (1) Insulin acts on pancreatic cells and adipocytes.
 - (2) Insulin is associated with hyperglycemia.
 - (3) Glucocorticoids stimulate gluconeogenesis.
 - (4) Glucagon is associated with hypoglycemia.

- **47.** Which of the following refer to **correct** example(s) of organisms which have evolved due to changes in environment brought about by anthropogenic action?
 - (a) Darwin's Finches of Galapagos islands.
 - (b) Herbicide resistant weeds.
 - (c) Drug resistant eukaryotes.
 - (d) Man-created breeds of domesticated animals like dogs.
 - (1) (b), (c) and (d)
 - (2) only (d)
 - (3) only (a)
 - (4) (a) and (c)
- 48. Choose the **correct** pair from the following:
 - (1) Nucleases Separate the two strands of DNA
 - (2) Exonucleases Make cuts at specific positions within DNA
 - (3) Ligases Join the two DNA molecules
 - $\begin{array}{ccc} \text{(4)} & \text{Polymerases -} & \text{Break the DNA into} \\ & & \text{fragments} \end{array}$
- **49.** Embryological support for evolution was disapproved by:
 - (1) Charles Darwin
 - (2) Oparin
 - (3) Karl Ernst von Baer
 - (4) Alfred Wallace
- **50.** Goblet cells of alimentary canal are modified from:
 - (1) Chondrocytes
 - (2) Compound epithelial cells
 - (3) Squamous epithelial cells
 - (4) Columnar epithelial cells
- **51.** Bt cotton variety that was developed by the introduction of toxin gene of *Bacillus thuringiensis* (Bt) is resistant to:
 - (1) Plant nematodes
 - (2) Insect predators
 - (3) Insect pests
 - (4) Fungal diseases

- **52.** Which of the following statements are **true** for the phylum-Chordata?
 - (a) In Urochordata notochord extends from head to tail and it is present throughout their life.
 - (b) In Vertebrata notochord is present during the embryonic period only.
 - (c) Central nervous system is dorsal and hollow.
 - (d) Chordata is divided into 3 subphyla: Hemichordata, Tunicata and Cephalochordata.
 - (1) (a) and (b)
 - (2) (b) and (c)
 - (3) (d) and (c)
 - (4) (c) and (a)
- **53.** Which of the following is put into Anaerobic sludge digester for further sewage treatment?
 - (1) Effluents of primary treatment
 - (2) Activated sludge
 - (3) Primary sludge
 - (4) Floating debris
- **54.** Identify the substances having glycosidic bond and peptide bond, respectively in their structure :
 - (1) Cellulose, lecithin
 - (2) Inulin, insulin
 - (3) Chitin, cholesterol
 - (4) Glycerol, trypsin
- **55.** Match the following diseases with the causative organism and select the **correct** option.

	Colu	ı mn -]	I		Column - II
(a)	Typh	oid		(i)	Wuchereria
(b)	Pneu	monia	-	(ii)	Plasmodium
(c)	Filariasis			(iii)	Salmonella
(d)	Mala	ria		(iv)	${\it Hae mophilus}$
	(a)	(b)	(c)	(d)	
(1)	(ii)	(i)	(iii)	(iv)	
(2)	(iv)	(i)	(ii)	(iii)	
(3)	(i)	(iii)	(ii)	(iv)	
(4)	(iii)	(iv)	(i)	(ii)	

56. Match the following columns and select the **correct** option.

		Colu	ımn -	I		Column - II
	(a)	Closi	tridiun	n	(i)	Cyclosporin-A
		buty	licum			
	(b)	Trick	hodern	ia	(ii)	Butyric Acid
		polys	sporun	ı		
	(c)	Mon	ascus		(iii)	Citric Acid
		purp	ureus			
	(d)	Aspe	rgillus	niger	(iv)	Blood cholesterol
						lowering agent
		(a)	(b)	(c)	(d)	
	(1)	(i)	(ii)	(iv)	(iii)	
	(2)	(iv)	(iii)	(ii)	(i)	
	(3)	(iii)	(iv)	(ii)	(i)	
	(4)	(ii)	(i)	(iv)	(iii)	
-	D	1 · 1	.1 1	ı	1	1(TT: 11; (

- **57.** By which method was a new breed 'Hisardale' of sheep formed by using Bikaneri ewes and Marino rams?
 - (1) Cross breeding
 - (2) Inbreeding
 - (3) Out crossing
 - (4) Mutational breeding
- **58.** Select the **correct** events that occur during inspiration.
 - (a) Contraction of diaphragm
 - (b) Contraction of external inter-costal muscles
 - (c) Pulmonary volume decreases
 - (d) Intra pulmonary pressure increases
 - (1) (a), (b) and (d)
 - (2) only (d)
 - (3) (a) and (b)
 - (4) (c) and (d)
- **59.** Match the following columns and select the **correct** option.

	Colu	mn - I		Col	umn - II	
(a)	Grega	arious,	polyph	agous	(i)	Asterias
	pest					
(b)	Adult	with	adial		(ii)	Scorpion
	symn	netry a	nd lar	va		
	with l	oilater	al sym	metry		
(c)	Book	lungs			(iii)	Ctenoplana
(d)	Biolu	mineso	ence		(iv)	Locusta
	(a)	(b)	(c)	(d)		
(1)	(iii)	(ii)	(i)	(iv)		
(2)	(ii)	(i)	(iii)	(iv)		
(3)	(i)	(iii)	(ii)	(iv)		
(4)	(iv)	(i)	(ii)	(iii)		

(2) Polysomes(3) Endoplasmic reticulum

(4) Peroxisomes

61. The specific palindromic sequence which is recognized by EcoRI is:

(1) 5' - CTTAAG - 3' 3' - GAATTC - 5' (2) 5' - GGATCC - 3'

3' - CCTAGG - 5'

(3) 5' - GAATTC - 3' 3' - CTTAAG - 5'

(4) 5' - GGAACC - 3' 3' - CCTTGG - 5'

62. Dissolution of the synaptonemal complex occurs during :

(1) Diplotene

(2) Leptotene

(3) Pachytene

(4) Zygotene

63. Match the trophic levels with their **correct** species examples in grassland ecosystem.

(a) Fourth trophic level

(i) Crow

(b) Second trophic level

(ii) Vulture

(c) First trophic level

(iii) Rabbit

(d) Third trophic level

(iv) Grass

Select the ${f correct}$ option :

(a) (b) **(c)** (d) (1) (iv) (iii) (ii) (i) (2)(ii) (i) (iii) (iv) (3)(ii) (iii) (iv) (i) (4) (iii) (ii)(i) (iv)

64. How many true breeding pea plant varieties did Mendel select as pairs, which were similar except in one character with contrasting traits?

(1) 14

(2) 8

(3) 4

(4) 2

65. Match the following columns and select the **correct** option.

Column - I Column - II Gene therapy (a) Bt cotton (i) Cellular defence (b) Adenosine (ii) deaminase deficiency (c) RNAi (iii) Detection of HIV infection (d) PCR (iv) **Bacillus** thuringiensis (d) (a) (b) **(c)** (i) (1) (ii) (iii) (iv) (2)(iv) (i) (ii) (iii) (3)(ii) (iii) (iv) (i) (4) (iii) (ii)(i) (iv)

66. Match the following columns and select the **correct** option.

	Colu	ımn -	I		Column - II
(a)	6 - 18	5 pairs	\mathbf{of}	(i)	Trygon
	gill s	lits			
(b)	Hete	rocerc	al	(ii)	Cyclostomes
	caud	al fin			
(c)	Air E	Bladdei	r	(iii)	Chondrichthyes
(d)	Poise	on stin	g	(iv)	Osteichthyes
	(a)	(b)	(c)	(d)	
(1)	(iv)	(ii)	(iii)	(i)	
(2)	(i)	(iv)	(iii)	(ii)	
(3)	(ii)	(iii)	(iv)	(i)	
(4)	(iii)	(iv)	(i)	(ii)	

67. The process of growth is maximum during:

(1) Senescence

(2) Dormancy

(3) Log phase

(4) Lag phase

68. Identify the **wrong** statement with reference to immunity.

(1) Active immunity is quick and gives full response.

(2) Foetus receives some antibodies from mother, it is an example for passive immunity.

(3) When exposed to antigen (living or dead) antibodies are produced in the host's body. It is called "Active immunity".

(4) When ready-made antibodies are directly given, it is called "Passive immunity".

69. Match the following columns and select the **correct** option.

	Colu	ımn -	I		Column - II
(a)	Floa	ting Ri	bs	(i)	Located between second and seventh ribs
(b)	Acro	mion		(ii)	Head of the Humerus
(c)	Scap	ula		(iii)	Clavicle
(d)	Glen	oid cav	vity	(iv)	Do not connect with the sternum
	(a)	(b)	(c)	(d)	
(1)	(iii)	(ii)	(iv)	(i)	
(2)	(iv)	(iii)	(i)	(ii)	
(3)	(ii)	(iv)	(i)	(iii)	
(4)	(i)	(iii)	(ii)	(iv)	
T.C. 1	11	1.			1

- 70. If the distance between two consecutive base pairs is 0.34 nm and the total number of base pairs of a DNA double helix in a typical mammalian cell is 6.6×10^9 bp, then the length of the DNA is approximately:
 - (1) 2.2 meters
 - (2) 2.7 meters
 - (3) 2.0 meters
 - (4) 2.5 meters
- 71. Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?
 - (1) Ketonuria and Glycosuria
 - (2) Renal calculi and Hyperglycaemia
 - (3) Uremia and Ketonuria
 - (4) Uremia and Renal Calculi
- **72.** Bilaterally symmetrical and acoelomate animals are exemplified by :
 - (1) Aschelminthes
 - (2) Annelida
 - (3) Ctenophora
 - (4) Platyhelminthes
- **73.** Ray florets have :
 - (1) Hypogynous ovary
 - (2) Half inferior ovary
 - (3) Inferior ovary
 - (4) Superior ovary

- **74.** The infectious stage of *Plasmodium* that enters the human body is:
 - (1) Female gametocytes
 - (2) Male gametocytes
 - (3) Trophozoites
 - (4) Sporozoites
- 75. Which of the following statements is **not correct**?
 - (1) The functional insulin has A and B chains linked together by hydrogen bonds.
 - (2) Genetically engineered insulin is produced in *E-Coli*.
 - (3) In man insulin is synthesised as a proinsulin.
 - (4) The proinsulin has an extra peptide called C-peptide.
- **76.** In water hyacinth and water lily, pollination takes place by :
 - (1) wind and water
 - (2) insects and water
 - (3) insects or wind
 - (4) water currents only
- 77. Cuboidal epithelium with brush border of microvilli is found in:
 - (1) proximal convoluted tubule of nephron
 - (2) eustachian tube
 - (3) lining of intestine
 - (4) ducts of salivary glands
- **78.** Match the following columns and select the **correct** option.

	Colu	ımn -	I		Column - II
(a)	Pitui	itary g	land	(i)	Grave's disease
(b)	Thyr	oid gla	ınd	(ii)	Diabetes mellitus
(c)	Adre	Adrenal gland			Diabetes insipidus
(d)	Panc	reas		(iv)	Addison's disease
	(a)	(b)	(c)	(d)	
(1)	(iii)	(i)	(iv)	(ii)	
(2)	(ii)	(i)	(iv)	(iii)	
(3)	(iv)	(iii)	(i)	(ii)	
(4)	(iii)	(ii)	(i)	(iv)	

(4)

Root pressure

F2		1	0					
79.		ch one of the following is the most abundant ein in the animals?	83.	Mato	Match the following with respect to meiosis:			
				(a)	Zygo	tene	(i)	Terminalization
	(1)	Lectin		(b)	Pach	Pachytene		Chiasmata
	(2)	Insulin		(c)	Diplo	ntono	(iii)	Crossing over
	(3)	Haemoglobin			-			-
	(4)	Collagen		(d)		inesis	(iv)	Synapsis
				Selec	ct the c	correc	t optic	on from the following:
80.		e head of cockroach is removed, it may live for			(a)	(b)	(c)	(d)
	few d	lays because :		(1)	(i)	(ii)	(iv)	(iii)
	(1) the head holds a small proportion of a ner system while the rest is situated along ventral part of its body.	the head holds a small proportion of a nervous		(2)	(ii)	(iv)	(iii)	(i)
		•		(3)	(iii)	(iv)	(i)	(ii)
	(2)	the head holds a $1/3^{\rm rd}$ of a nervous system while the rest is situated along the dorsal		(4)	(iv)	(iii)	(ii)	(i)
		part of its body.	84.	The	QRS co	mplex	in a st	$tandard\ ECG\ represents$:
	(3)	the supra-oesophageal ganglia of the cockroach are situated in ventral part of		(1)	Depo	larisat	ion of	ventricles
		abdomen.		(2)	Repo	larisat	ion of	ventricles
	(4)	the cockroach does not have nervous system.		(3)	Repo	larisat	ion of	auricles
				(4)	Depo	larisat	ion of	auricles
81.	Flipp of:	pers of Penguins and Dolphins are examples	85.	Selec	et the o	ption ir	ncludir	ng all sexually transmitted
	(1)	Industrial melanism		diseases.				
	(2)	Natural selection		(1)	AIDS, Malaria, Filaria			
	(3)	Adaptive radiation		(2)	Cano	er, AII	OS, Sy	philis
				(3)	Gono	orrhoea	a, Sypl	nilis, Genital herpes
	(4)	Convergent evolution		(4)	Gono	orrhoea	ı, Mala	aria, Genital herpes
82.	in liq	process responsible for facilitating loss of water auid form from the tip of grass blades at night in early morning is:	86.		ene T	that co	ntrols	tement with reference to s ABO blood groups.
	(1)	Imbibition		(1)				re present together, they e of sugar.
	(2)	Plasmolysis		(2)	Allel	e ʻi' doe	es not j	produce any sugar.
	(3)	Transpiration		(3)	The s	gene (I)) has t	hree alleles.

(4)

A person will have only two of the three alleles.

11

87.	Which of the following is not an inhibitory substance governing seed dormancy?											
	(1)		olic ac									
	(2)	Para	-ascor	bic aci	d							
	(3)	Gibb	Gibberellic acid									
	(4)	Absc	isic ac	id								
88.	Match the following columns and select th correct option.											
		Colu	ımn -	I		Colu	ımn - II					
	(a)	Orga	ın of C	orti	(i)	Connects middle ear and pharynx						
	(b)	Coch	lea		(ii)		ed part of the rinth					
	(c)	Eust	achiar	ı tube	(iii)		ched to the window					
	(d)	Stap	es		(iv)	Located on the basilar membrane						
		(a)	(b)	(c)	(d)							
	(1)	(iv)	(ii)	(i)	(iii)							
	(2)	(i)	(ii)	(iv)	(iii)							
	(3)	(ii)	(iii)	(i)	(iv)							
	(4)	(iii)	(i)	(iv)	(ii)							
89.	The	ovary i	is half	inferio	or in :							
	(1)	-	lower									
	(2)	Plum										
	(3)	Brin	Brinjal									
	(4)	Must	tard									
90.	Match the following:											
	(a)	Inhil activ		f cataly	(i)	Ricin						
	(b)	Poss	ess per	otide b	onds	(ii)	Malonate					
	(c)	Cell fung		ateria	lin	(iii)	Chitin					
	(d)	Seco	ndary	metab	olite	(iv)	Collagen					
	Cho	ose the	corre	ct opt	ion fro	m the	following:					
		(a)	(b)	(c)	(d)							
	(1)	(iii)	(iv)	(i)	(ii)							
	(2)	(ii)	(iii)	(i)	(iv)							
	(3)	(ii)	(iv)	(iii)	(i)							
	(4)	(iii)	(i)	(iv)	(ii)							

- **91.** Which of the following oxoacid of sulphur has -O-O- linkage?
 - $(1) \qquad H_2S_2O_8, peroxodisulphuric acid$
 - (2) $H_2S_2O_7$, pyrosulphuric acid
 - (3) H_2SO_3 , sulphurous acid
 - (4) H_2SO_4 , sulphuric acid
- **92.** An increase in the concentration of the reactants of a reaction leads to change in :
 - (1) threshold energy
 - (2) collision frequency
 - (3) activation energy
 - (4) heat of reaction
- 93. Identify the incorrect match.

	Name	IUP.	AC Official Name
(a)	Unnilunium	(i)	Mendelevium
(b)	Unniltrium	(ii)	Lawrencium
(c)	Unnilhexium	(iii)	Seaborgium
(d)	Unununnium	(iv)	Darmstadtium
(1)	(c), (iii)		
(2)	(d), (iv)		
(3)	(a), (i)		
(4)	(b), (ii)		

94. A mixture of N_2 and Ar gases in a cylinder contains 7 g of N_2 and 8 g of Ar. If the total pressure of the mixture of the gases in the cylinder is 27 bar, the partial pressure of N_2 is:

[Use atomic masses (in g mol $^{-1}$): N = 14, Ar = 40]

- (1) 15 bar
- (2) 18 bar
- (3) 9 bar
- (4) 12 bar