



Resonance[®]
Educating for better tomorrow

JEE

(Main)

PAPER-1 (B.E./B. TECH.)

2021

COMPUTER BASED TEST (CBT) Memory Based Questions & Solutions

Date: 25 July, 2021 (SHIFT-2) | TIME : (3.00 p.m. to 6.00 p.m)

Duration: 3 Hours | Max. Marks: 300






SUBJECT: CHEMISTRY

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resowatch  blog.resonance.ac.in

This solution was download from Resonance JEE (MAIN) 2021 Solution portal



Resonance®
Educating for better tomorrow

RESULT: JEE (Advanced),
JEE (Main), NEET

≡ **HIGHEST** No. of Classroom Selections ≡
in JEE (Advanced) 2020 from any Institute of Kota

5 AIRs in TOP-50 in JEE (Adv.) 2020 from Classroom



AIR-2
(GEN-EWS)

AIR-15

**DHANANJAY
KEJRIWAL**

With us Since Class 9*



Zonal Topper
IIT-Kharagpur

AIR-25

**SAMARTH
AGARWAL**

With us Since Class 11*



2nd Rank in
IIT-Kharagpur Zone

AIR-29

**SANKALP
PARASHAR**

With us Since Class 11*



AIR-30

**AARYAN K.
GUPTA**

With us Since Class 9*



AIR-41

**UTKARSH P.
SINGH**

With us Since Class 10*

Total Selections in JEE (Advanced) 2020

4505

Classroom: 3441 | Distance: 1064

Eligible for JEE (Advanced) Through JEE (Main) 2020

14755

Classroom: 11047 | Distance: 3708

NEET 2020

2646

Classroom: 1833 | Distance: 813

ADMISSION OPEN for Session 2021-22

ONLINE + OFFLINE PROGRAMS

CLASS 11, 12 & 12+

Target: JEE (Main+Adv.) | JEE (Main) | NEET

Scholarship Upto 90%*

Toll Free: 1800 258 5555 | Visit us: www.resonance.ac.in



PART : CHEMISTRY

1. 3 gm of 'X' dissolve in 100 gm of CCl₄ which increases the boiling point by 0.6. Find molar mass of 'X'.

Given K_b of CCl₄ = 5 K kg/mol.

Ans. 250

Sol. $\Delta T_b = K_b m$

$$= 5 \times \left(\frac{\text{Wt.} \times 1000}{\text{M.M} \times \text{Mass of solvent (g)}} \right)$$

$$= 5 \times \frac{3 \times 1000}{\text{M.M} \times 100}$$

$$0.6 = \frac{150}{\text{M.M}}$$

$$\text{M.M} = \frac{150}{0.6} = 250 \text{ g/mol.}$$

2. In the following ions, The spin only magnetic moment of Ti³⁺; Sc³⁺; V²⁺ respectively are

(1) 1.73, 0, 3.87 (2) 1.73, 3.87, 0 (3) 3.87, 0, 1.73 (4) 0, 1.73, 3.87

Ans. (1)

Sol. Ti³⁺ {Unpaired electron = 1}

Sc³⁺ {Unpaired electron = 0}

V²⁺ {Unpaired electron = 3}

$$\mu = \sqrt{n(n+2)} \text{ B.M.}$$

3. Heat given to a system is 150 joules and work done by the system is 200 joules. The magnitude of the change in the internal energy is :

Ans. (50)

Sol. q = 150 Joules

W = -200 Joules

$\Delta E = q + w$ (First law of thermodynamics)

$$\Delta E = 150 + (-200)$$






$$\Delta E = -50 \text{ Joule}$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resowatch  blog.resonance.ac.in

4. The covalent radii of $F^- = 1.33 \text{ \AA}$, $O^{2-} = 1.40 \text{ \AA}$ and for $N = 0.74 \text{ \AA}$. Then which of the following is correct:

- (1) Ionic radius of N^{3-} is in between F^- and O^{2-} but greater than 'N'.
- (2) Ionic radius of N^{3-} is greater than both F^- and O^{2-} and greater than 'N'.
- (3) Ionic radius of N^{3-} is less than both F^- and O^{2-} and less than 'N'.
- (4) Ionic radius of N^{3-} is less than both F^- and O^{2-} but less than 'N'.

Ans. (2)

Sol. $F^- = 1.33 \text{ \AA}$ $N = 0.74 \text{ \AA}$

$O^{2-} = 1.40 \text{ \AA}$ $N^{3-} = 1.46 \text{ \AA}$

Ionic radius of N^{3-} is greater than F^- and O^{2-}

size of Anion \propto Magnitude of -ve change

5. For the following ions correct order of their Bond order is :

O_2^- , O_2 , O_2^{2-} , O_2^+

- (1) $O_2^- > O_2 > O_2^+ > O_2^{2-}$
- (2) $O_2^+ > O_2 > O_2^- > O_2^{2-}$
- (3) $O_2^+ > O_2 > O_2^- > O_2^-$
- (4) $O_2^+ > O_2^{2-} > O_2 > O_2^-$

Ans. (2)

Sol. According to Molecular orbital theory

$$\text{B.O.} = \frac{1}{2} [N_b - N_a]$$

$$O_2 = 2.0$$

$$O_2^+ = 2.5$$

$$O_2^- = 1.5$$

$$O_2^{2-} = 1.0$$

6.

Colloid	Dispersion Medium
a) Pumice Stone	(i) Liquid in Liquid
b) Cloud	(ii) Gas in Solid
c) Cheese	(iii) Liquid in Gas
d) Hair Cream	(iv) Liquid in solid

The Correct option is

- (1) a-(iii) b-(ii) c-(i) d-(iv)
- (2) a-(i) b-(iv) c-(ii) d-(iii)
- (3) a-(ii) b-(iii) c-(iv) d-(i)
- (4) a-(iv) b-(i) c-(iii) d-(ii)






Ans. (3)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resowatch  blog.resonance.ac.in

Dispersed phase	Dispersion medium	Type of colloid	Examples
Solid	Solid	Solid sol	Some coloured glasses and gem stones
Solid	Liquid	Sol	Paints, cell fluids
Solid	Gas	Aerosol	Smoke, dust
Liquid	Solid	Gel	Cheese, butter, jellies
Liquid	Liquid	Emulsion	Milk, hair cream
Liquid	Gas	Aerosol	Fog, mist, cloud, insecticide sprays
Gas	Solid	Solid sol	Pumice stone, foam rubber
Gas	Liquid	Foam	Froth, whipped cream, soap lather

Sol.

7. In Ho^{3+} [Atomic No. = 67], number of 4f electron are :

Ans. 10

Sol. Holmium (Z = 67) : $4f^{11}, 6s^2$

Ho^{+3} : $4f^{10}$

8.

Column - I	Column - II
a) Li	(i) I- is least soluble
b) Na	(ii) Bicarbonate is used in fire extinguisher
c) K	(iii) Carbonate easily decomposed on heating
d) Cs	(iv) Has vital role in biological system

The Correct option is :

(1) a-(iv) b-(iii) c-(ii) d-(i)

(2) a-(iii) b-(ii) c-(iv) d-(i)

(3) a-(i) b-(iv) c-(ii) d-(iii)

(4) a-(iv) b-(ii) c-(iii) d-(i)

Ans. (2)

Sol. (i) $\text{Li}_2\text{CO}_3 \xrightarrow{\Delta} \text{Li}_2\text{O} + \text{CO}_2$

(ii) NaHCO_3 is used in dry fire extinguishers.

(iii) Potassium has vital role in biological systems.

(iv) CsI is least soluble due to smaller hydration enthalpy of its two ions.

9. The concentration of H_3O^+ ions in 0.005 M solution of $\text{Ba}(\text{OH})_2$ at 298 K is $[x] \times 10^{-12}$. Assume that $\text{Ba}(\text{OH})_2$ is completely ionized under given conditions.

Ans. 1

Sol.






$\text{Ba}(\text{OH})_2$	\rightleftharpoons	Ba^{+2}	+	2OH^-
0.005 M		_____		_____
_____		0.005 M		0.010 M

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resowatch  blog.resonance.ac.in

$$[\text{OH}^-] = 0.01 = 10^{-2} \text{ M}$$

Now $[\text{H}^+][\text{OH}^-] = K_w$

$$[\text{H}_3\text{O}^+] = \frac{K_w}{[\text{OH}^-]}$$

$$= \frac{10^{-14}}{10^{-2}} = 10^{-12} \text{ M}$$

10. Which form interstitial hydride easily ?

- (1) Fe (2) Cr (3) Ni (4) Co

Ans. (2)

Sol. These are formed by many d-block and f-block elements. However, the metals of group 7, 8 and 9 do not form hydride. Even from group 6, only chromium forms CrH.

11. Match List-I with List-II

Column-I

- (a) Froth Floatation
(b) Bessemer convertor
(c) Blast furnace
(d) Leaching

Column-II

- (i) Sulphide ore
(ii) Pig iron
(iii) Ag
(iv) Blister copper

(1) a-(i) b-(iii) c-(iv) d-(ii)





(2) a-(i) b-(iv) c-(ii) d-(iii)

(3) a-(iv) b-(ii) c-(iii) d-(i)


(4) a-(iii) b-(iv) c-(ii) d-(i)

Ans. (2)

12. In which of the following reaction oxidation state changes by 5.



Ans. (2)



Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222


To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | [7340010333](https://www.facebook.com/ResonanceEdu) | [facebook.com/ResonanceEdu](https://www.facebook.com/ResonanceEdu) | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

13. In which of the following compounds one π bond is present and maximum canonical structures possible.

- (1) SO_3 (2) CO_3^{2-} (3) O_2 (4) SO_2

Ans. (2)



3 canonical structures

14. An e^- moving with a velocity of 2×10^6 m/s. If the speed can be measured with an accuracy of 0.02% calculate the uncertainty in its position is 1.45×10^{-x} . The value of x :

Ans. (7)

Sol. $\Delta x \cdot \Delta p = \frac{h}{4\pi}$

$$\Delta x \cdot m \Delta v = \frac{h}{4\pi}$$

$$\Delta v = 2 \times 10^6 \times \frac{0.02}{100}$$

$$\Delta v \rightarrow 400 \text{ m/s}$$

$$\Delta x = \frac{h}{4\pi \cdot m \cdot \Delta v} = \frac{6.63 \times 10^{-34}}{4 \times 3.14 \times 9.1 \times 10^{-31} \times 400 \text{ m/s}} = 1.45 \times 10^{-7} \text{ s}$$

15. $A \longrightarrow B$

In this reaction, concentration of B changes by 0.2 in 30 minutes. The average rate of the reaction is $x \times 10^{-1}$ moles per litre hour. The value of x is :

Ans. 4

Sol. $\text{Rate} = \frac{d[B]}{dt} = \frac{0.2 \text{ mole}^{-1}}{0.5 \text{ hours}}$

$$\Rightarrow 0.4 \text{ mole/L hr.}$$

16. Which among the following compounds is most stable :

- (1) $[\text{Cr}(\text{en})_2(\text{NH}_3)_2]\text{Cl}_3$ (2) $[\text{Cr}(\text{en})_3]\text{Cl}_3$ (3) $[\text{Cr}(\text{en})(\text{NH}_3)_4]\text{Cl}_3$ (4) $[\text{Cr}(\text{NH}_3)_6]\text{Cl}_3$

Ans. (2)

Sol. Chelation due to bidentate ligand. Greater the chelation greater is the stability.

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in

17. In Kjeldahl's method, 0.8g of organic compound is used. The percentage of Nitrogen came out to be 42%. The _____ ml of 1M H₂SO₄ used to neutralize ammonia.

- (1) 17 (2) 20 (3) 30 (4) 12


Ans. (4)

Sol. $\% N = \frac{1.4 N.V}{W}$

$$42 = \frac{1.4 \times (1 \times 2) \times V}{0.8}$$


$$V = 12 \text{ ml}$$

18. Find the product 'P'.




- (1)
- (2)
- (3)
- (4)

Ans. (1)



19. Total no. of stereo isomeric products :

Ans. (2)



Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in


20. Biodegradable polyamide is formed by-

- (1) Glycine + isoprene (2) Glycine + Aminocaproic acid
(3) Alanine + chloroprene (4) Acrylonitrile + Aminocaproic acid

Ans. (2)

Sol. Nylon 2-Nylon 6 (Polyamide copolymer) is biodegradable polymer.

Its monomer units are : Glycine + Aminocaproic acid




Glycine Aminocaproic acid


21. Benzenenitrile with grignard reagent form product (P), which of the following chemical test given by product (P)

- (1) Schiff's reagent (2) Iodoform (3) Ninhydrin (4) Tollen's test

Ans. (2)



22. Correct order of acidic strength form following compounds :




- (1) $a > b > c > d$ (2) $d > c > b > a$ (3) $b > c > d > a$ (4) $c > b > a > d$

Ans. (2)

Sol. Acidic strength \propto stability of conjugate base.

23. Structure of cytosine is :



Ans. (1)

Sol. NCERT



Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resowatch  blog.resonance.ac.in



Ans. (3)



25. S₁ : CFCs are dissociated with to Cl radical by radiation of visible region.

S₂ : O₃ reacts with nitric oxide to form N₂ & O₂

(1) False, True

(2) False, False

(3) True, False

(4) True, True

Ans. (2)

Sol. CFCs + UV \longrightarrow Cl[•]

O₃ + NO \longrightarrow NO₂ + O₂

26. Increasing order of density :

(I) Benzene

(II) 1,3-Dichlorobenzene

(III) Chloro benzene

(IV) 1-Bromo-3-chlorobenzene

(1) IV > II > III > I

(2) IV > III > II > I

(3) III > II > IV > I

(4) I > II > III > IV

Ans. (1)

Sol. Higher the molecular weight higher will be density.

27. Maleic anhydride can be prepared by.


(1) Treating cis but-2-ene-1,4-dioic acid with alcohol.

(2) Heating cis but-2-ene-1,4-dioic acid

(3) Treating trans but-2-ene-1,4-dioic acid with alcohol and acid

(4) Heating trans but-2-ene-idiric acid

Ans. (2)



Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555

 7340010333

 facebook.com/ResonanceEdu

 twitter.com/ResonanceEdu

 www.youtube.com/resowatch

 blog.resonance.ac.in