

## **GATE 2022 Examination\* (Memory Based)**

Mechanical Engineering (Afternoon Paper )

Test Date: 13-2-2022 Test Time: 2:30 p.m.

Stream Name: Mechanical Engineering (Afternoon Paper)

- Q1. The velocity field in a fluid is given to be  $= T(4xy)i + 2(x^2 y^2)j$ , which of the following statement(s) is/are correct?
  - a) The velocity field is 1-0
  - b) Flow is incompressible
  - c) actual Experienced by third particle is zero at (x = 0, y = 0)
  - d) the flow is irrational.
- Q2. Which one of the following is an interm div. Proper these mody name system?
  - a) Mass

- b) Density
- c) Volume
- d) Energy
- Q3. The steady velocity field in an inviscid fluid of density 1.5 is given to be  $\vec{V} = (y^2 x^2) \hat{i} + 2xy \hat{j}$ . Neglecting Body foxce, the pressure gradient al (x = 1, y = 1).
  - a)  $-4\hat{i} 4\hat{j}$

b)  $-6\hat{i} - 6\hat{j}$ 


c) 20 î

d) 10 ĵ






Q4.



- Q5. One of the following is which Intensive properties
  - a) Entropy
- b) Volume
- ne c) Density
- d) Mass

Q6.



A uniform wooden rod (sp gravity = 0.6, dia – 4 cm and  $\ell$  = 8 m) is immersed in the water and is hanged w\o friction at point A on the waterline as shown in the fig. A solid spherical bal made of lead (sg<sub>L</sub> = 11.4) is attached to the free end of the rod to keep the assembly in static equilibrium inside the water. For simplicity assume that the radius of the ball is much smaller than the length of the rod.

(Assume  $S_w = 1000 kg/m3 \pi = 3/4$ )

Radius of ball is \_\_\_\_\_ cm.

Q7. Consider 1 kg of an ideal gas at 1 bar and 300 K in rigid and perfectly insulated container. The C<sub>v</sub> is 750 J /kg<sup>-1</sup>K<sup>-1</sup>. A stirrer performs 225 kJ of work on the gas, Assume that the container dose not participate in thermodynamics interaction. The final pressure is \_\_\_\_\_\_.





Saturated vapour at $200^{0}$ C condenses to saturated liquid at the rate of 150 kg/s on the shell side of a heat exchanger. (Enthalpy of conelnesationly = $2480$ kg/kg). A fluid with $C_P = 4$ kJ. $Kg^{-1}K^{-1}$ enteus at $100^{0}$ C an the tube side. If the effectivenusal the heat exchanger is 0.9, then the mass flow rate of the fluid in the tube side is kg/s.			
. Which Machining process involves melting of metal work piece			
a) EBM b) LBM c) ECM d) EDM			
10. Which one of the following cannot impact linear motion in CNC machine			
a) Linear motor  h) Chain and sprocket			
c) Lead screw d) Ball screw			
c) Lead screw  d) Ball screw  Thrust force = cutting force  Bake rake angle is zero degree  Shear angle = 15  Shear strength = 500 Mpa  Width = 2mm and uncut chip thickness = 0.5 mm  Find cutting force?			
Bake rake angle is zero degree			
Shear angle = 15			
Shear strength = 500 Mpa			
Width = 2mm and uncut chip thickness = 0.5 mm			
Find cutting force?			
2. A rigid tank of volume 8m <sup>3</sup> is being filled up with air from pipeline. Initially tank is evacuated. Pressure and temperature inside pipeline is 600 kPa and 306 k. the filling takes place unlit tank pressure = pipeline pressure. During filling heat loss is 1000 kJ.			
$C_p = 1.005 \text{ kJ/kgK}$			
$C_y = 0.718 \text{ kJ/kgK}$			
Find the final temperature of tank?			
Sum and product of Eigen values of a $2 \times 2$ matrix			





COIN

Q14. In refrigeration air conditioning refrigerant enters in compressor at saturated vapour. With specific enthalpy 200kj/kg refrigerant enters into conductor at 250 kj/. If the entropy of saturated liquid at evaporator pressure is 50 kj/kg COP of system is 3

Q16. Exact difference equation

$$\frac{dy}{dx} = \frac{-xy^2}{2 + x^2y}$$

- Q17. Steady state, 500 kg/s steam enters turbine with h = 3500 kJ/kg and s = 6.5 KJ/kgK, expands reversibly to condenser pressure. Heat loss occurs reversibly @ 500 k. Exit h = 2500 kJ/kg = 6.3 kJ/kgK. Find work output of turbine?
- Q18. A structural member under loading had plane stress which is usual notation is given by  $\sigma_x = 3P$ ,  $\sigma_y = 2P \tau_{xy} = \sqrt{2} P$  where P > 0 according to M.D.E.T find out  $P = ? \sigma_y = 350$ MPa a) 90 b) 70 c) 75 d) 120

Refer & Win Exciting Benefits


Share your key to Success







Q19.



Cylindrical riser is placed at top of casting and is insulated to top

Given 
$$\tau_s \propto \left(\frac{V}{A}\right)$$

Which of the following radius of riser is/are acceptable?

Q20. Z = x + iy, i = 1,  $\sqrt{-1}$  c is a circle with r = 2 center at origin. If contour is traversed anticlockwise the value of Integral

value of Integral 
$$\frac{1}{2\pi}\int\limits_{c}^{\int}\frac{1}{(z-i)(z+4i)} \ dz \ \text{is} \ \underline{\hspace{1cm}} \ \text{(one decimal)}$$

Q21. Consider a cube of unit edge length and sides parallel to coordinate axes, with its centroid at point (1, 2, 3). The surface integral  $\int_A^F$  dA of venctor Field.

 $F = 3x\hat{\imath} + 5y\hat{\jmath} + 6z\hat{\imath}$  over the entire surface A of cube is:

a) 28

b) 27

- c) 14
- d) 31



- For the past m days, the average daily production was 100 units per day. If today's production of 180 units changes the average to 110 units per day what is value of m.
  - a) 7

- b) 10
- c) 5
- d) 18
- Q23. A person was born on the 5<sup>th</sup> Monday of February Select correct option
  - 1<sup>st</sup> February is Sunday
  - b) 2<sup>nd</sup> February is Sunday
  - c) 5<sup>th</sup> February is Sunday
  - d) All Monday occur on even Date

Q24. Given 
$$\int_{1}^{2} (4x^{2} + 2x + 6) dx$$

- P(e) = exact value
- vals P(a) = By using Simpson's 1/3 rule with 10 sub intervals

Five error% 
$$\left(\frac{P(e) - P(a)}{P(a)}\right) \times 100 = ?$$

- An electric car manufacturing company underestimated the January sales of car by 20 units while the actual sales was 120 units. If the manufacture uses exponential smoothing method  $\alpha = 0.2$  then calculate the forecast for month of February.
- O26. Two machines

	Milling m/c	Polishing m/c
Α	8	6
В	3	2
C	3	4
D	4	6
Е	5	7
F	6	4
G	2	1


Find the minimum time

- a) 30
- b) 31
- c) 32
- d) 33





Q27.



$$c = 2$$

$$L = 1 \text{ m}$$

$$1 = 1280 \text{ kw/m}^3$$

Temp at 
$$x = ?$$

ca.a.e.m.y.com Q28. A tube of uniform diameter D is immersed in a steady inviscid liquid stream of velocity v as shown in figure. Volume flow rate through tube is:


$$\frac{\pi}{4} D^2 \sqrt{2g(h_1^2 + h_2^2)}$$

$$\frac{\pi}{4}\,D^2\sqrt{v^2-2gh_2^2}$$

$$\frac{\pi}{4}$$
 D<sup>2</sup>  $\sqrt{2gh}$ 



Q29.




TATY .com A linear elastic structure under plane stress condition is subjected to two sets of loading I & II. The resulting states of stress at a point corresponding to there two loading are as shown. If there two sets of loading are applied simultaneously then the net normal component of stress  $\sigma_{xx}$  is:

a) 
$$\sigma(1 + 1/\sqrt{2})$$

b) 
$$\sigma(1 - 1/\sqrt{2})$$

c) 
$$\sigma/2$$

Q30.



Given 
$$T_1 = 300 \text{ N}$$

$$T_2 = 100 \text{ N}$$

$$T_{yt} = 80 \text{ MPa}$$

$$R = 0.4 \text{ m}$$
  
 $L = 0.5 \text{ m}$ 

$$L = 0.5 \text{ m}$$

Find diameter of shaft?



Q31. In a under system  $\xi = \frac{1}{2\pi}$  In 2

Initial amplitude = 5 mm

Find next amplitude:

Q32. A metric thread with 4 mm pitch and 60° thread angle is inspected for pitch diameter using a 3 wire method. The diameters of the best size of wire is \_\_\_\_\_\_

Classroom Course

homeGATE

Correspondence Course

usbGATE

tabGATE

COURSE FEATURES













**GATE '22 Video Solutions** 



New Batch starting for GATE '23/24

