

## JEPAS(PG)-2020 Subject: M. Sc. in Critical Care Science (M. Sc CCS)-2020

Duration: 90 minutes Full Marks: 100

#### Instructions

- 1. All questions are of objective type having four answer options for each. Only one option is correct. Correct answer will carry full marks 1. In case of incorrect answer or any combination of more than one answer, ¼ mark will be deducted.
- 2. Questions must be answered on OMR sheet by darkening the appropriate bubble marked A, B, C, or D.
- 3. Use only **Black/Blue ball point pen** to mark the answer by complete filling up of the respective bubbles.
- 4. Mark the answers only in the space provided. Do not make any stray mark on the OMR.
- 5. Write your roll number carefully in the specified locations of the **OMR**. Also fill appropriate bubbles.
- 6. Write your name (in block letter), name of the examination centre and put your full signature in appropriate boxes in the OMR.
- 7. The OMR is liable to become invalid if there is any mistake in filling the correct bubbles for roll number or if there is any discrepancy in the name/ signature of the candidate, name of the examination centre. The OMR may also become invalid due to folding or putting stray marks on it or any damage to it. The consequence of such invalidation due to incorrect marking or careless handling by the candidate will be sole responsibility of candidate.
- 8. Candidates are not allowed to carry any written or printed material, calculator, docu-pen, log table, wristwatch, any communication device like mobile phones etc. inside the examination hall. Any candidate found with such items will be **reported against** & his/her candidature will be summarily cancelled.
- 9. Rough work must be done on the question paper itself. Additional blank pages are given in the question paper for rough work.
- 10. Hand over the OMR to the invigilator before leaving the Examination Hall.

M. Sc. in Critical Car	e Science (M. Sc C	CS)-2020	
	Page: 2/12		

## 1) laparoscopic cholecystectomy done in which possitin of table

- a) Supine
- b) Lithotomy
- c) Trendelenburg
- d) Reverese Trendelenburg

## 2) All of the following are displayed in multipara monitor except

- a) SpO2
- b) ECG
- c) EtCO2
- d) ventilator graphics

## 3) Maintenance dose of inj.dexmedetomidine for ICU sedation:

- a) 0.1 to 0.2µg / Kg/hr.
- b) 0.2 to 0.7 μg / Kg/hr.
- c) 0.7 to 0.9 µg / Kg/hr.
- d) 0.9 to 1.5 µg / Kg/hr.

## 4) Which of the following are not NSAID?

- a) Paracetamol
- b) Diclofenac
- c) Aceclofenac
- d) Fentanyl

### 5) Somatostatin secreted from=

- a) alpha cell.
- b) beta cell.
- c) gamma cell.
- d) delta cell.

## 6) All of the following are fat soluble vitamins except:

- a) A.
- b) D.
- c) B.
- d) E.

## 7) In Chronic renal failure patient which fluid is avoided:

- a) NS.
- b) RL.
- c) DNS.
- d) Hydroxy Ethyl Starch.

## 8) Which one is true for Inspiratory reserve capacity:

- a) Tidal volume + Inspratory reserve volume.
- b) Tidal volume + expiratory reserve volume.
- c) Tidal volume + Vital capacity.
- d) Tidal volume + Funtional reserve volume.

## 9) Which of the following are not viscoelastic coagulation test?

- a) TEG.
- b) ROTEM.
- c) Sonoclot.
- d) PT,INR.

## 10) Iron deficiency anaemia caused by:

- a) Roundworm.
- b) Hookworm.
- c) Tapewarm.
- d) Threadworm.

### 11) Sharp medical waste discarded in:

- a) Blacl bag.
- b) white box.
- c) Yellow box.
- d) Red bag.

## 12) All of the following are displayed in five channel multipara monitor except:

- a) SpO2.
- b) ECG.
- c) EtCO2.
- d) ventilator graphics.

## 13) Which of the following are not viscoelastic coagulation test?

- a) TEG
- b) ROTEM
- c) Sonoclot
- d) PT,INR

## 14) Which of the following are antiarrythmic drug?

- a) cocain.
- b) bupivacain.
- c) Lignocain.
- d) Ropivacain.

### 15) fluid of choice in head injury patients

- a) RL
- b) NS
- c) DNS
- d) HES

## 16) Energy used in ACLS protocol in DC shock(biphasic):

- a) 150 J.
- b) 200 J.
- c) 250 J.
- d) 300 J.

## 17) Which of the following are not feature of 2nd generation Supraglottic Airwaw Device:

- a) Integral bite block.
- b) Side channel for gastric suction.
- c) Airway only tube.
- d) Higher cuff seal pressure.

### 18) Drug of choice in anaphylactic shock:

- a) Dopamine.
- b) Dobutamine.
- c) Adrenalin.
- d) Noradrenalin.

### 19) Which of the following are not NSAID?

- a) Paracetamol.
- b) Diclofenac.
- c) Aceclofenac.
- d) Fentanyl.

# 20) Each gram of haemoglobin can transport how much oxygen/100 ml of blood?

- a) 1.39ml.
- b) 1.49ml.
- c) 2.39ml.
- d) 2.49ml.

### 21) Feature of cuff of silicon ET tube:

- a) High pressure, low volume.
- b) Low pressure High Volume.
- c) Low Pressure, LOW volume.
- d) High Pressure High Volume.

### 22) life span of RBC=

- a) 110 days.
- b) 130 days.
- c) 120 days.
- d) 140 days.

## 23) Which of the following is causative organism of Hydatid cyst:

- a) Diplococcus.
- b) Meningococcus.
- c) Echinococcus.
- d) Streptococcus.

## 24) Saturday night palsy causes due to injury in:

- a) Radial Nerve.
- b) Ulner nerve.
- c) Axillary Nerve.
- d) Radial Nerve.

#### 25) Sympathetic stimulation in eye causes=

- a) Constriction of pupil.
- b) Dilatation of pupil.
- c) Both of the above.
- d) None.

## 26) Energy used in ACLS protocol in DC shock(biphasic)

- a) 150 J
- b) 200 J
- c) 250 J
- d) 300 J

#### 27) % of CO2 in Air

- a) 3%
- b) 0.3%
- c) 0.03%
- d) 0.2%

### 28) Normal pH of Blood:

- a) 7.25-7.35.
- b) 7.35-7.45.
- c) 7.45-7.55.
- d) 7.15-7.25.

### 29) Insulin release from which type of cells:

- a) Alkalosis.
- b) Hyperthermia.
- c) Acidosis.
- d) Decreased 2,3,DPG.

## 30) All of the following are IV induction agent except:

- a) Propofol.
- b) Ketamine.
- c) Dexmedetomidine.
- d) Etomidate.

31) Co	ovid 19 virus is avirus:	36) boyales apparatus invented in the year of
a)	DNA.	a) 1917
,	RNA.	b) 1918
c)	Both.	c) 1919
	None.	d) 1920
32) Wi	hich one of the following is pure	37) All of the following are trace element
motor nerve:		except:
a)	Optic.	a) Calcium.
b)	Facial.	b) Zinc.
c)	Olfactory.	c) Selenium.
d)	Oculomotor.	d) Molybdenum.
33) Coconut water is contraindicated in:		38) modified johns criteria used to diagnose which disease?
a)	Chronic renal failure.	a) pulomonary hypertension
b)	Chronic heart failure.	b) Ischaemic heart disease
c)	Chronic obstructive pulmonary disease.	c) Rhumatic herat disease
d)	none.	d) Pulmonary embolism
34) which of the following are antiarrythmic drug?		39) laparoscopic cholecystectomy done in which possition of table:
a)	cocain	a) Supine.
b)	bupivacain	b) Lithotomy.
c)	Lignocain	c) Trendelenburg.
d)	Ropivacain	d) Reverese Trendelenburg.
35) Ether day celebrated every year:		40) % of CO2 in Air:
a)	16 Jul.	a) 3%.
b)	16 Sep.	b) 0.30%
c)	16 Oct.	c) 0.03%
d)	16 Nov.	d) 0.20%

41) Automated NIBP measurement uses which principle? a) palpatory b) Auscultatory c) Oscillatory	<ul> <li>46) Full nitrous oxide cylinder having pressure:</li> <li>a) 770psig.</li> <li>b) 790psig.</li> <li>c) 750psig.</li> </ul>
d) none	d) 710psig.
42) Drug of choice in anaphylactic shock	47) Maleria transmits by which of the following vector:
a) Dopamine	a) Aedes.
b) Dobutamine	b) Culex.
c) Adrenalin	c) Anopheles.
d) Noradrenalin	d) Sandfly.
43) All of the following are anti TB drug except:	48) Fasting for adults(Solid food) for elective surgery:
a) Rifampicin.	a) 4hr.
b) Isoniazid.	b) 6hr.
c) Streptomycin.	c) 8hr.
d) Gentamycin.	d) 10hr.
44) Which of the following drug is not used in Advance cardiac life support (ACLS):	49) All of he following are anti TB drug except  a) Rifampicin
a) Amiodaron.	b) Isoniazid
b) Milrinone.	c) Streptomycin
c) Adenosine.	d) Gentamycin
d) Adrenaline.	•

- a) 0.3.
- b) 0.24.
- c) 0.4.
- d) 0.5.

- b) 2,5.
- c) 1,5.
- d) 4,5.

### 51) potassium present in Ringers lactate

- a) 2meq/L
- b) 3meg/L
- c) 4meq/L
- d) 5Meq/L

### 52) All of he following are bacillus except:

- a) Clostridium tetani.
- b) Mycobacterium tuberculosis.
- c) Niscerria ghonorrhea.
- d) H.pylori.

## 53) Boyales apparatus invented in theyear of:

- a) 1917.
- b) 1918.
- c) 1919.
- d) 1920.

## 54) During 2nd worldwar which is used as potassium supplement?

- a) coconut water.
- b) mixed fruit juice.
- c) orange juice.
- d) sea water.

### 55) Red rubber ET tube cuff is:

- a) High pressure, low volume.
- b) Low pressure, high volume.
- c) Low Pressure, LOW volume.
- d) High Pressure High Volume.

### 56) Proseal LMA is which type of SGA?

- a) 1st generation.
- b) 2nd generation.
- c) 3rd generation.
- d) 4th generation.

## 57) Pipeline(central) oxygen pressure=

- a) 40-45 psig.
- b) 50-55 psig
- c) 60-65 psig.
- d) 70-75 psig.

## 58) Fluid of choice in head injury patients:

- a) RL.
- b) NS.
- c) DNS.
- d) HES.

### 59) luid of choice in Diabetic ketoacidosis

- a) NS
- b) RL
- c) ALBUMIN
- d) HES

### 60) Potassium present in Ringers lactate:

- a) 2meq/L.
- b) 3meq/L.
- c) 4meq/L.
- d) 5meq/L.

## 61) Functional Residual Capacity(FRC)=

- a) IRV+ERV+RV.
- b) ERV+IRV.
- c) RV+IRV.
- d) RV+ERV.

### 62) Colour coding of nitrous oxide cylinder:

- a) Black.
- b) Blue.
- c) White.
- d) Orange.

## 63) Loading dose of Dexmedetomidine IV infusion:

- a) 2µg/kg over 20 min.
- b) 3µg/kg over 20 min.
- c) 1µg/kg over 10 min.
- d) 3µg/kg over 10 min.

## 64) Tachycardia i adult patients defined as heart rate=

- a) >100bpm.
- b) >150bpm.
- c) >110bpm.
- d) >200bpm.

## 65) Median nerve is which brance of brachial plexus:

- a) Lateral cord.
- b) Medial cord.
- c) Posterior cord.
- d) Both Lateral and medial cord.

## 66) Which of the following are not end product of oxidation of fatty acid:

- a) Acetone.
- b) Acetyl-CoA.
- c) Acetoacetic Acid.
- d) Beta Hydroxybutyric Acid.

## 67) All of the following are nondepolarising musle Relaxants except:

- a) Vecuronium.
- b) Atracurium.
- c) Suxamethonium.
- d) Pancuronium.

68)	covid	19	virus	is	а	virus

- a) DNA
- b) RNA
- c) both
- d) none

#### 69) Proseal LMA is which type of SGA?

- a) 1st generation
- b) 2nd Generation
- c) 3rd Generation
- d) 4th Generation

## 70) Audible range of sound:

- a) 20-200 Hz.
- b) 20-2000 Hz.
- c) 20-20000 Hz.
- d) None.

#### 71) HME filtre is:

- a) Active Humidifier.
- b) Passive Humidifier.
- c) Active on Passive Humidifier.
- d) None.

### 72) Which of the following are bile salts:

- a) Na taurocolate.
- b) Na glycocolate.
- c) Both of the above.
- d) none.

## 73) all of the following are fat soluble vitamins except

- a) A
- b) D
- c) B
- d) E

### 74) All of the following are opioids except:

- a) Fentanyl.
- b) Morphine.
- c) Pentazocin.
- d) Diclofenac.

### 75) Life span of platelets:

- a) 6 days.
- b) 7 days.
- c) 8 days.
- d) 10 days.

### 76) Igel is which type of SAD:

- a) 1st generation.
- b) 2nd generation.
- c) 3rd generation.
- d) 4th generation.

## 77) Which of the following are newer mode of ventilator:

- a) A/CMV.
- b) CMV.
- c) PSV.
- d) NAMV.

### 78) Fluid of choice in Diabetic ketoacidosis:

- a) NS.
- b) RL.
- c) ALBUMIN.
- d) HES.

## 79) Waveform of ETCO2 is known as:

- a) Capnograph.
- b) Capnogram.
- c) Capnometry.
- d) All of the above.

## 80) Glucagon release from:

- a) a cells.
- b) β cells.
- c) µ -cells.
- d) Delta cells.

## 81) Automated NIBP measurement uses which principle?

- a) Palpatory
- b) Auscultatory.
- c) Oscillatory.
- d) none.

## 82) Insulin release from which type of cells:

- a) Liver.
- b) a cells.
- c) B cells.
- d) µ -cells.

## 83) Modified johns criteria used to diagnose which disease?

- a) pulomonary hypertension.
- b) Ischaemic heart disease.
- c) Rhumatic herat disease.
- d) Pulmonary embolism.

#### 84) Which one is true for LMA:

- a) This is a supraglottic airway.
- b) This is a subglottic airway.
- c) This is a infraglottic airway.
- d) Endotracheal.

## 85) All of he following are bacillus except

- a) Clostridium tetani
- b) Mycobacterium tuberculosis
- c) Niscerria ghonorrhea
- d) H.pylori

## 86) Which one of the following are not preferred site of arterial cannulation:

- a) Femoral Artery.
- b) Radial artery.
- c) Anterial dorsalis pedis artery.
- d) Arcuate artery.

## 87) Root value of thoracodorsal nerve=

- a) C6, C7, C8.
- b) C5, C6, C7.
- c) C8,T1,T2.
- d) C4,C5,C6.

### 88) Colour coding of nitrous oxide cylinder

- a) black
- b) blue
- c) white
- d) orange

### 89) pipeline(central) oxygen pressure=

- a) 40-45 psig
- b) 50-55 psig
- c) 60-65psig
- d) 70-75psig

## 90) Which ofthe following crenial nerves having parasympathetic activity?

- a) glossopharyngeal.
- b) facial.
- c) hypoglossal.
- d) vagus.

### 91) Correct steps of BLS sequence:

- a) Call for Help, CHECK response, Check pulse.
- b) Check response, Call for help, Check pulse.
- c) Check Pulse, Call forhelp, Check response.
- d) none.

## 92) Ether day celebrated every year

- a) 16-07-2021
- b) 16-09-2021
- c) 16-10-2021
- d) 16-11-2021

### 93) All are water born disease except:

- a) Cholera.
- b) Hepatitis A.
- c) Hepatitis B.
- d) Amaebiesis.

### 94) Axillary nerve is the branch of=

- a) lateral chord of brachial plexus.
- b) Medial chord of brachial plexus.
- c) Posterior chord of brachial plexus.
- d) None.

## 95) Sharp medical waste discarded in

- a) Blacl bag
- b) white box
- c) Yellow box
- d) Red bag

## 96) Daily Requirement of protein:

- a) 0.6gm/kg.
- b) 0.7gm/kg.
- c) 0.8gm/kg.
- d) 0.9gm/kg.

## 97) Root value of suprascapular nerve:

- a) C3.
- b) C3,C4.
- c) C5,C6.
- d) C7.

## 98) Which one is not a preferred site of central venous cannulation:

- a) Subclevian vein.
- b) Internal jugular vein.
- c) Great saphenous vein.
- d) Femoral vein.

## 99) Fasting for adults(Solid food) for elective surgery

- a) 4hr
- b) 6hr
- c) 8hr
- d) 10hr

### 100) Pin index system of oxygen=

- a)3,5
- b)2,5
- c) 1,5
- d)4,5