

## Graduate Aptitude Test in Engineering (GATE 2021)

## Answer Keys and Marks for Subject/Paper: Physics (PH)

Q. No.	Session	Question Type MCQ/MSQ/NAT	Section Name	Answer Key/Range	Marks	Negative Marks
1	2	MCQ	GA	B	1	1/3
2	2	MCQ	GA	B	1	1/3
3	2	MCQ	GA	D	1	1/3
4	2	MCQ	GA	D	1	1/3
5	2	MCQ	GA	C	1	1/3
6	2	MCQ	GA	C	2	2/3
7	2	MCQ	GA	A	2	2/3
8	2	MCQ	GA	B	2	2/3
9	2	MCQ	GA	C	2	2/3
10	2	MCQ	GA	D	2	2/3
1	2	MCQ	PH	A	1	1/3
2	2	MCQ	PH	A	1	1/3
3	2	MCQ	PH	B	1	1/3
4	2	MCQ	PH	A	1	1/3
5	2	MCQ	PH	C	1	1/3
6	2	MCQ	PH	C	1	1/3
7	2	MCQ	PH	A	1	1/3
8	2	MCQ	PH	D	1	1/3
9	2	MCQ	PH	B	1	1/3
10	2	MSQ	PH	B; C; D	1	0

**GATE 2021 Answer Key for Physics (PH)**

<b>Q. No.</b>	<b>Session</b>	<b>Question Type MCQ/MSQ/NAT</b>	<b>Section Name</b>	<b>Answer Key/Range</b>	<b>Marks</b>	<b>Negative Marks</b>
11	2	MSQ	PH	<b>B</b>	1	0
12	2	MSQ	PH	<b>B; D</b>	1	0
13	2	MSQ	PH	<b>A; D</b>	1	0
14	2	MSQ	PH	<b>C; D</b>	1	0
15	2	MSQ	PH	<b>A; B</b>	1	0
16	2	MSQ	PH	<b>B; C</b>	1	0
17	2	NAT	PH	<b>115 to 116</b>	1	0
18	2	NAT	PH	<b>2 to 2</b>	1	0
19	2	NAT	PH	<b>5000 to 5000</b>	1	0
20	2	NAT	PH	<b>2 to 2</b>	1	0
21	2	NAT	PH	<b>6 to 6</b>	1	0
22	2	NAT	PH	<b>17367 to 17371</b>	1	0
23	2	NAT	PH	<b>6 to 6</b>	1	0
24	2	NAT	PH	<b>2 to 2</b>	1	0
25	2	NAT	PH	<b>-1 to -1</b>	1	0
26	2	MCQ	PH	<b>B</b>	2	2/3
27	2	MCQ	PH	<b>D</b>	2	2/3
28	2	MCQ	PH	<b>D</b>	2	2/3
29	2	MCQ	PH	<b>A</b>	2	2/3
30	2	MCQ	PH	<b>D</b>	2	2/3
31	2	MCQ	PH	<b>A</b>	2	2/3
32	2	MCQ	PH	<b>D</b>	2	2/3
33	2	MCQ	PH	<b>A</b>	2	2/3

**GATE 2021 Answer Key for Physics (PH)**

<b>Q. No.</b>	<b>Session</b>	<b>Question Type MCQ/MSQ/NAT</b>	<b>Section Name</b>	<b>Answer Key/Range</b>	<b>Marks</b>	<b>Negative Marks</b>
34	2	MCQ	PH	<b>C</b>	2	2/3
35	2	MCQ	PH	<b>A</b>	2	2/3
36	2	MCQ	PH	<b>B</b>	2	2/3
37	2	MCQ	PH	<b>C</b>	2	2/3
38	2	MCQ	PH	<b>B</b>	2	2/3
39	2	MCQ	PH	<b>A</b>	2	2/3
40	2	MCQ	PH	<b>A</b>	2	2/3
41	2	MCQ	PH	<b>A</b>	2	2/3
42	2	MSQ	PH	<b>B; D</b>	2	0
43	2	MSQ	PH	<b>A; D</b>	2	0
44	2	MSQ	PH	<b>A; C</b>	2	0
45	2	MSQ	PH	<b>B; C</b>	2	0
46	2	MSQ	PH	<b>A; B</b>	2	0
47	2	NAT	PH	<b>14.0 to 15.0</b>	2	0
48	2	NAT	PH	<b>8 to 8</b>	2	0
49	2	NAT	PH	<b>-3 to -3</b>	2	0
50	2	NAT	PH	<b>5 to 5</b>	2	0
51	2	NAT	PH	<b>4 to 4</b>	2	0
52	2	NAT	PH	<b>5.40 to 5.50</b>	2	0
53	2	NAT	PH	<b>0.24 to 0.26</b>	2	0
54	2	NAT	PH	<b>92 to 93</b>	2	0
55	2	NAT	PH	<b>3 to 5</b>	2	0