

JEE MAIN 2023

APRIL ATTEMPT

PAPER-1 (B.Tech / B.E.)



QUESTIONS & SOLUTIONS

Reproduced from Memory Retention

15 APRIL, 2023

© 9:00 AM to 12:00 Noon

Duration: 3 Hours Maximum Marks: 300

SUBJECT - CHEMISTRY

LEAGUE OF TOPPERS (Since 2020)

TOP 100 AIRS IN JEE ADVANCED

AIR
5
MAYANK
MOTWANI
Roll No.: 20771637
JEE Adv, 2022



AIR 15 DHANANJAY KEJRIWAL Roll No.: 19821428 JEE Adv. 2020













Admission Announcement for JEE Advanced (For Session 2023-24)

VIKAAS
For Class X to XI
Moving Students
TARGET 2025

VISHWAAS
For Class XI to XII
Moving Students

TARGET 2024

VISHESH For Class XII Passed Students

TARGET 2024

Starting From: 12 & 19 APRIL'23

Avail Scholarship up to 90% through R-NET on EVERY SUNDAY

Reliable Institute : A-10, Road No.1, IPIA, Kota-324005 (Rajasthan), India Tel. : 0744-3535544, 2665544 I Website : www.reliablekota.com I E-mail : info@reliablekota.com



CHEMISTRY

1. Total number of P-O-P bonds in H₄P₂O₇, P₄O₁₀ and (HPO₃)₃:

Ans. 10

P-O-P bond Sol.

> $H_4P_2O_7$ 1

> $P_4O_{10}\\$ 6

 $(HPO_3)_3$

10

Calculate ratio of radii of 2nd and 3rd bohr orbit of hydrogen: 2.

- $(1) \frac{9}{4}$
- (2) $\frac{4}{9}$
- $(3) \frac{3}{2}$

Ans.

 $r = 0.529 \frac{n^2}{7}$ Sol.

 $\frac{r_{2^{\text{nd}}}}{r_{3^{\text{rd}}}} = \frac{(2)^2}{(3)^2} = \frac{4}{9}$

Find the total change in oxidation number of Mn and iodine when KMnO₄ react with I⁻ in acidic **3.** Unleash medium.

Ans.

 $MnO_4^- + I^- \longrightarrow Mn^{2+} + I_2$ Sol.

+2 0

Change in oxidation number of Mn = 5

Change in oxidation number of $I^-=1$



4. 20 ml, 0.01M [Co(H₂O)₅Cl]Cl₂ react with 0.1M AgNO₃ solution find volume of AgNO₃ used for complete reaction.

Ans. 4 ml

Sol. $[Co(H_2O)_5Cl]Cl_2 + 2AgNO_3 \longrightarrow [Co(H_2O)_5Cl]^{2+} + 2AgCl$

0.2 mmole 0.4 mmole

$$V_{(AgNO_3)} = \frac{0.4}{0.1}$$
$$= 4 \text{ ml}$$

5. Ratio of SiO₂ & Al₂O₃ in cement is:

- (1) 1.5
- (2) 2.5
- (3) 3
- (4)9

Ans. (3)

Sol. The ratio of silica (SiO_2) to alumina (Al_2O_3) should be between 2.5 and 4.

6. Which of the following complex has maximum splitting energy?

- (1) $[Fe(H_2O)_6]^{2+}$
- (2) $[Mn(H_2O)_6]^{2+}$
- (3) $[Co(H_2O)_6]^2$
- $(4) [Ni(H_2O)_6]^{2+}$

Ans. (4)

Sol. According to Irving Williams series $[Ni(H_2O)_6]^{2+}$ has maximum splitting energy.

7. Vapour pressure of 30% $\frac{w}{w}$ glucose solution is _____ (V.P. of pure water = 24 torr)

Ans. 23 torr

Sol.
$$\frac{P^{\circ} - P_{s}}{P_{c}} = \frac{n}{N}$$

$$\Rightarrow \frac{24 - P_s}{P_s} = \frac{\frac{30}{180}}{\frac{70}{18}} = \frac{3}{70}$$

$$\Rightarrow$$
 1680 – 70 P_s = 3 P_s

$$P_s = \frac{1680}{73}$$

= 23 torr



8. How many of the following are isoelectronic species?

Ans. 5

Sol. Mg^{2+} , Al^{3+} , Na^{+} , O^{2-} , F^{-} all are having $10e^{-}$.

9. Oxidation state of Cr in Chromyl chloride .

Ans.

Sol. CrO_2Cl_2

10. Statement-1: According to Bohr's model angular momentum is quantized for stationary orbit.

Statement-2: Bohr model does not follow Heisenberg uncertainty principle.

- (1) Both statements-1 and 2 are correct.
- (2) Both statement-1 and 2 are incorrect.
- (3) Statement-1 is correct and statement-2 is incorrect.
- (4) Statement-1 is incorrect and statement-2 is correct.

Ans. (1)


- 11. How many of the following statements are correct?
 - (i) Conductivity (k) decreases with increase in dilution for both strong and weak electrolyte.
 - (ii) Molar conductivity increases with increase in dilution for both strong and weak electrolyte.
 - (iii) Molar conductivity increases with increase in degree of dissociation (α) for weak electrolyte.
 - (iv) Change in molar conductivity is same for both strong and weak electrolyte with increase in dilution.


Ans. (3)


Sol. Statements (i), (ii) & (iii) are correct.


12. Nucleophilicity order of following is:













Ans. c > b > e > a > d.







Ans. (2)

Sol. It is Friedel craft reactions.

14.
$$O \longrightarrow O \longrightarrow Product$$
 is:

Ans. (1)

- 15. The possibility of photochemical smog formation will be minimum at
 - (1) Kolkata in October

(2) Mumbai in May

(3) Srinagar in January

(4) New Delhi in August

Ans. (3)

16. Match the list.

List-I

List-II

- (a) $CF_2=CF_2$
- (p) Nylon-6
- (b) Isoprene
- (q) Orlon
- (c) Caprolactam
- (r) Teflon
- (d) Acrylonitrile
- (s) Natural rubber

Ans. a-r, b-s, c-p, d-q



17.
$$\bigcirc$$
 NH₂ $\xrightarrow{\text{HNO}_2}$ $\xrightarrow{\text{D-N-CH}_3}$ Product P is :

$$(1) \bigcirc$$
 NH₂ $\xrightarrow{\text{HNO}_2}$ $\xrightarrow{\text{D-N-CH}_3}$ (2) \bigcirc NH₃ CI ^{Θ} (3) \bigcirc NH₃ CI ^{Θ} (4) \bigcirc N=N- \bigcirc NH₃ CI ^{Θ} (4) \bigcirc N=N- \bigcirc NH₃ CI ^{Θ} (4) \bigcirc NH₃ CI ^{Θ} (5) \bigcirc NH₃ CI ^{Θ} (6) \bigcirc NH₃ CI ^{Θ} (7) \bigcirc NH₃ CI ^{Θ} (8) \bigcirc NH₃ CI ^{Θ} (9) \bigcirc NH₃ CI ^{Θ} (9) \bigcirc NH₃ CI ^{Θ} (1) \bigcirc N

Ans. (2)

set of reagent will be -

- (1) $I-HNO_3 + H_2SO_4$, $II-Br_2/FeBr_3$, $III-KMnO_4/H^+$, IV-Sn / HCI
- $(2) \ I-Br_2/FeBr_3, \ II-KMnO_4/H^+, \ III-HNO_3+H_2SO_4, \ IV-Sn\ /\ HCl$
- $(3) \ I-KMnO_4/H^+, \ II-HNO_3+H_2SO_4, \ \ III-Br_2/FeBr_3, \ IV-Sn\ /\ HCl$
- (4) None of these

Ans. (1)





SATYAM CHAKRAVORTY

(Classroom) ··→ selected for







Success Delivered to the Deserving



RELIABLE INSTITUTE: A-10, Road No.1, IPIA, Kota-324005 (Rajasthan), India

Tel.: 0744-3535544, 2665544 | Website: www.reliablekota.com | E-mail: info@reliablekota.com

