


Chemistry: Section-A (Q. No. 51 to 85)


- The stability of Cu²⁺ is more than Cu⁺ salts in aqueous solution due to -
 - (1) enthalpy of atomization.
 - (2) hydration energy.
 - (3) second ionisation enthalpy
 - (4) first ionisation enthalpy.
- Which one is an example of heterogenous catalysis?
 - (1) Hydrolysis of sugar catalysed by H⁺ ions.
 - (2) Decomposition of ozone in presence of nitrogen monoxide.
 - (3) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron.
- (4) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.

Which amongst the following option correct graphical representation of B₀ Law?









Given below are two statements: one is labelled as Assertion A and the other is 54 labelled as Reason R:

Assertion A: A reaction can have zero

activation energy.

Reasons R: The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold

value, is called activation energy. Value, light of the above statements, choose In the light of the above statements, choose the correct answer from the options given

(1) Both A and R are true and R is NOT the correct explanation of A. A is true but R is false.

(3) A is false but R is true. (4) Both A and R are true and R is the

correct explanation of A.

In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe3+ due to the formation of -

(1) NaSCN

(2)
$$\left[\text{Fe(CN)}_5 \text{ NOS} \right]^{4-}$$

(3)
$$\left[\text{Fe}(\text{SCN}) \right]^{2+}$$

(3)
$$[Fe(SCN)]$$

(4) $Fe_4[Fe(CN)_6]_3 \times H_2O$

Consider the following reaction and identify 56 the product (P).

$$\begin{array}{c|c}
\text{CH}_3 - \text{CH} - \text{CH} - \text{CH}_3 \\
& | & | & | \\
\text{CH}_3 \text{ OH}
\end{array}$$

$$\xrightarrow{\text{HBr}} \text{Product (P)}$$

3 - Methylbutan - 2 - ol

(1)
$$CH_3 CH = CH - CH_3$$

(3)
$$CH_3 - C - CH_2$$
 Br CH_3
 $CH_3 - C - CH_2$ Br CH_3

(4) $CH_3 - C - CH_2 - CH_3$

F1_English]

- For a certain reaction, the rate = $k[A]^2[B]$, 57 when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
 - (1) increase by a factor of six.
 - (2) increase by a factor of nine.
 - (3) increase by a factor of three.
 - (4) decrease by a factor of nine.

Match List - I with List - II: 58

List - II List - I Carbon atoms are Coke sp³ hybridised. Used as a dry Diamond B.

Fullerene

lubricant III. Used as a reducing agent IV. Cage like

Graphite D. molecules

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-I, C-IV, D-II
- A-III, B-IV, C-I, D-II
- (4) A-II, B-IV, C-I, D-III

Which one of the following statements is 59 correct?

- (1) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor.
- (2) The bone in human body is an inert and unchanging substance.
- (3) Mg plays roles in neuromuscular function and interneuronal transmission.
- (4) The daily requirement of Mg and Ca in the human body is estimated to be 0.2 - 0.3 g.

[Contd...

- A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is A_xB_y, then the value of x + y is in option
 - (1) 4
- (2) 3
- (3) 2
- (4) 5
- 61 Homoleptic complex from the following complexes is:
 - (1) Diamminechloridonitrito N platinum (II)
 - (2) Pentaamminecarbonatocobalt (III) chloride
 - (3) Triamminetriaquachromium (III) chloride
 - (4) Potassium trioxalatoaluminate (III)
- The correct order of energies of molecular orbitals of N₂ molecule, is:
 - (1) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z <$

$$(\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$$

(2) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < \sigma 2p_z <$

 $\sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$

 $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi 2p_x = \pi 2p_y)$

 $\left(\pi^* 2p_x = \pi^* 2p_y\right) < \sigma 2p_z < \sigma^* 2p_z$

- (4) $\sigma' 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
- 63 Taking stability as the factor, which one of the following represents correct relationship?
 - (1) $InI_3 > InI$
- (2) AlCl > AlCl₃
- (3) $TII > TII_3$
- (4) $TICI_3 > TICI$

64 Given below are two statements: a labelled as Assertion A and the ot labelled as Reason R:

Assertion A: Helium is used to oxygen in diving apparatus.

Reasons R: Helium has high solubin O_2 .

In the light of the above statements, of the **correct** answer from the options below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R correct explanation of A.
- 65 Select the correct statements from following:
 - A. Atoms of all elements are compositivo fundamental particles.
 - B. The mass of the electron is 9.10939×10^{-31} kg.
 - C. All the isotopes of a given element same chemical properties.

Protons and electrons are collections known as nucleons.

E. Dalton's atomic theory, regarded atom as an ultimate particle of r

Choose the **correct** answer from the o given below:

- (1) C, D and E only
- (2) A and E only
- B, C and E only
 - (A) A, B and C only

- Which of the following statements are NOT | correct?
 - A. Hydrogen is used to reduce heavy metal oxides to metals.
 - Heavy water is used to study reaction B. mechanism.
 - C. Hydrogen is used to make saturated fats from oils.
 - The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
 - Hydrogen reduces oxides of metals that are more active than iron.

Choose the most appropriate answer from the options given below:

- (1) B, D only
- (2) D, E only
- (3) A, B, C only
- (4) B, C, D, E only
- The given compound 67

$$CH = CH - CH - CH_2 CH_3$$

$$X$$


is an example of


- (1) aryl halide
- (2) allylic halide
- (3) vinylic halide
- (4) benzylic halide

Identify product (A) in the following reaction:

$$\frac{\text{Zn-Hg}}{\text{conc. HCI}}$$
 (A) + 2H₂O

(2)
$$CH_2$$
 CH_2OH





- The conductivity of centimolar solution of 69 KCl at 25°C is 0.0210 ohm⁻¹ cm⁻¹ and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is -
 - (1) 3.28 cm^{-1}
- (2) 1.26 cm⁻¹
- (3) 3.34 cm^{-1} (4) 1.34 cm^{-1}
- Amongst the given options which of the 70 following molecules / ion acts as a Lewis acid?
 - (1) H_2O
- (2) BF₃
- (3) OH-
- (4) NH₃

71 Given below are two statements: Statement 1: A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside

Statement II: When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the **correct** answer from the options given

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.
- The relation between n_m , $(n_m = the number of permissible values of magnetic quantum$ number (m)) for a given value of azimuthal quantum number (l), is

 - (1) $l = 2n_m + 1$ (2) $n_m = 2l^2 + 1$

 - (3) $n_{\rm m} = l + 2$ (4) $l = \frac{n_{\rm m} 1}{2}$
- Amongst the following, the total umber of species NOT having eight electrons around central atom in its outer most shell, is NH_3 , $AICI_3$, $BeCI_2$, CCI_4 , PCI_5 :
- (3) 1
- 74 Intermolecular forces are forces of attraction and repulsion between interacting particles that will include:
 - dipole dipole forces.
 - dipole induced dipole forces.
 - hydrogen bonding.
 - D. covalent bonding.
 - E. dispersion forces.

Choose the most appropriate answer from the options given below:

- (1) A, B, C, D are correct.
- (2) A, B, C, E are correct.
- (3) A, C, D, E are correct.
- (4) B, C, D, E are correct.

Given below are two statements: 75 labelled as Assertion A and the other labelled as Reason R:

Assertion A: Metallic sodium dissolve liquid ammonia giving a deep blue sol which is paramagnetic.

Reasons R: The deep blue solution is to the formation of amide.

In the light of the above statements, c the correct answer from the options below:

- (1) Both A and R are true but R is the correct explanation of A.
- \cdot (2) **A** is true but **R** is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R i correct explanation of A.
- 76 The element expected to form largest i achieve the nearest noble gas configur
 - (1) F
- (2) N
- (3) Na
- (4) O
- Some tranquilizers are listed below. 77 one from the following belon 'arbiturates?
 - (1) Meprobamate
 - (2) Valium
 - (3) Veronal
 - (4) Chlordiazepoxide
- 78 Given below are two statements: or labelled as Assertion A and the oth labelled as Reason R:

Assertion A: In equation $\Delta_r G = -nF$ value of $\Delta_r G$ depends on n.

Reasons R: E_{cell} is an intensive pro and $\Delta_r G$ is an extensive property.

In the light of the above statements, ch the correct answer from the options below:

- (1) Both A and R are true and R is 1 the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is correct explanation of A.

Which amongst the following molecules on polymerization produces neoprene? 79

(1)
$$H_2C = C - CH = CH_2$$

(2)
$$H_2C = CH - C \equiv CH$$

(3)
$$H_2C = C - CH = CH_2$$

(4)
$$H_2C = CH - CH = CH_2$$

Complete the following reaction:

$$\begin{array}{c}
 & OH \\
\hline
 & (A) \\
\hline
 & (B) \\
\hline
\end{array}$$

$$\xrightarrow{\text{conc. H}_2\text{SO}_4} [C]$$

[C] is .

80

- Weight (g) of two moles of the organic 81 compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is:
 - (1) 32
- (2) 30
- (3) 18
- (4) 16


F1_English]


- Which of the following reactions will NOT give primary amine as the product?
 - (1) $CH_3CN \xrightarrow{(i) LiAIII_4} Product$
 - (2) $CH_3NC \xrightarrow{(i) LiAIII_4} Product$
 - (3) $CH_3CONH_2 \xrightarrow{\text{(i) LiAIH}_4} Product$
 - (4) $CH_3 CONH_2 \xrightarrow{Br_2 / KOH} Product$
- The right option for the mass of CO_2 produced by heating 20 g of 20% pure 83 limestone is (Atomic mass of Ca = 40)

$$\begin{bmatrix} \text{CaCO}_3 & \text{1200 K} \\ \text{CaCO}_3 & \text{2.64 c} \end{bmatrix}$$

- (1) 1.76 g
- (2) 2.64 g
- (3) 1.32 g
- (4) 1.12 g
- Identify the product in the following reaction: 84

$$\begin{array}{c}
\stackrel{+}{\text{N}_2} \overline{\text{Cl}} \\
& \stackrel{\text{(i) } \text{Cu}_2\text{Br}_2/\text{HBr}}{\text{(ii) } \text{Mg/dry ether}} \rightarrow \text{Product} \\
\hline
& \stackrel{\text{(iii) } \text{H}_2\text{O}}{\text{(iii) } \text{H}_2\text{O}}
\end{array}$$





- The number of σ bonds, π bonds for pair of electrons in π pair of electrons in pyridine. respectively (1) 12 3 0 85
 - (1) 12, 3, 0
- (3) 12, 2, 1

Contd...

95 Which complex compound is most stable?

(1)
$$\left[\text{Co}(\text{NH}_3)_3 (\text{NO}_3)_3 \right]$$

(2)
$$\left[\operatorname{CoCl}_{2}\left(\operatorname{en}\right)_{2}\right]\operatorname{NO}_{3}$$

(3)
$$\left[\text{Co} \left(\text{NH}_3 \right)_6 \right]_2 \left(\text{SO}_4 \right)_3$$

(4)
$$\left[\text{Co}(\text{NH}_3)_4 (\text{H}_2\text{O}) \text{Br} \right] (\text{NO}_3)_2$$

96 On balancing the given redox reaction,

$$a Cr_2O_7^{2-} + b SO_3^{2-}(aq) + c H^+(aq) \rightarrow$$

2a
$$Cr^{3+}(aq) + b SO_4^{2-}(aq) + \frac{c}{2} H_2O(\ell)$$

the coefficients a, b and c are found to be, respectively -

97 Given below are two statements:

Statement I: The nutrient deficient water bodies lead to eutrophication.

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

Identify the final product [D] obtained the following sequence of reactions.

$$CH_3CHO \xrightarrow{i) LiAlH_4} [A] \xrightarrow{H_2SO_4} [B]$$

$$\xrightarrow{\text{HBr}} [C] \xrightarrow{\text{Na/dry ether}} [D]$$

(2)
$$C_4H_{10}$$

(3)
$$HC \equiv C^{\Theta} Na^+$$

99 Pumice stone is an example of -

100 Match List - I with List - II:

List - I (Oxoacids List - II (Bonds) of Sulphur)

D. Sulphurous acid IV. Two S-OH, Two S=C Choose the **correct** answer from the option given below: