

### **GENERAL INSTRUCTIONS:**

# Read the following instructions carefully and follow them:

- (i) This question paper contains 33 questions. All questions are compulsory.
- (ii) Question paper is divided into FIVE sections Section A, B, C, D and E.
- (iii) Section A question number 1 to 16 are multiple choice type questions. Each question carries 1 mark.
- (iv) Section B question number 17 to 21 are very short answer type questions. Each question carries 2 marks.
- (v) Section C question number 22 to 28 are short answer type questions. Each question carries 3 marks.
- (vi) Section D question number 29 and 30 are case-based questions. Each question carries 4 marks.
- (vii) Section E question number 31 to 33 are long answer type questions. Each question carries 5 marks.
- (viii) There is no overall choice given in the question paper. However, an internal choice has been provided in few questions in all the Sections except section A.
- (ix) Kindly note that there is a separate question paper for Visually Impaired candidates.
- (x) Use of calculator is NOT allowed.

## SECTION - A

Question No. 1 to 16 are Multiple Choice type Questions, carrying 1 mark each.  $16 \times 1 = 16$ 

- The specific sequence in which amino acids are arranged in a protein is called its
- (A) Primary structure
- (B) Secondary structure
- (C) Tertiary structure
- (D) Quaternary structure



The correct name of the given reaction is

$$Ar - N_2^+ X^- Cu CN/KCN Ar - CN + N_2$$

- Sandmeyer's reaction
- Gabriel Phthalimide synthesis
- Carbyl amine reaction
- (D) Hoffmann bromamide degradation reaction

Out of the following alkenes, the one which will produce tertiary butyl alcohol on acid catalysed hydration is

- (A)  $CH_3CH_2CH = CH_2$
- (B)  $CH_3CH = CH_2$
- (C)  $CH_3 CH = CH CH_3$  (D)  $(CH_3)_2C = CH_2$

Auto-oxidation of chloroform in air and light produces a poisonous gas known as

Phosphine (A)

Mustard gas

Phosgene

(D) Tear gas

Transition metals are known to make interstitial compounds. Formation of interstitial compounds makes the transition metal

more hard

more soft

more ductile

more metallic

56/5/1/22

5



Isotonic solutions have the same

(A) density

- (B) refractive index
- (C) osmotic pressure
- (D) volume

7. Which of the following cell was used in Apollo space programme?

(A) Mercury cell

(B)  $H_2 - O_2$  fuel cell

(C) Dry cell

(D) Ni-Cd cell

8. The rate of a reaction increases sixteen times when the concentration of the reactant increases four times. The order of the reaction is

(A) 2.5

(B) 2.0

(C) 1.5

(D) 0.5

9. In which of the following molecules, C atom marked with asterisk is chiral?

(A) I, II, III

(B) I, II, III, IV

(C) II, III, IV

(D) I, III, IV

56/5/1/22

7



- 10. Which of the following species can act as the strongest base?
  - (A) OH-
  - (B)  $C_6H_5O^-$
  - (C) RO-

(D) 
$$O_2N$$

- Dilution affects both conductivity as well as molar conductivity. Effect of dilution on both is as follows:
  - (A) both increase with dilution.
  - (B) both decrease with dilution.
  - (C) conductivity increases whereas molar conductivity decreases on dilution.
  - (D) conductivity decreases whereas molar conductivity increases on dilution.
- Van't Hoff factor for Na<sub>2</sub>SO<sub>4</sub>·10H<sub>2</sub>O solution, assuming complete ionization is
  - (A) 1
  - (B) 3
  - (C) 13
  - (D) 2

For questions number 13 to 16, two statements are given one labelled as Assertion (A) and the other labelled as Reason (R). Select the correct answer to these questions from the codes (A), (B), (C) and (D) as given below:

- (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).
- (B) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of Assertion (A).
- (C) Assertion (A) is true, but Reason (R) is false.
- (D) Assertion (A) is false, but Reason (R) is true.

13. Assertion (A): Zr and Hf are of almost similar atomic radii.

Reason (R) : This is due to Lanthanoid contraction.

14. Assertion (A): The units of rate constant of a zero order reaction and rate of reaction are the same.

Reason (R) : In zero order reaction, the rate of reaction is independent of the concentration of reactants.

15 Assertion (A): Inversion of configuration is observed in S<sub>N</sub>2 reaction.

Reason (R): The reaction proceeds with the formation of carbocation.

16. Assertion (A): p-methoxyphenol is a stronger acid than p-nitrophenol.	
Reason (R) : Methoxy group shows +I effect whereas nitro group	
shows –I effect.	
SECTION - B	
17. State:	
(a) Kohlrausch law of independent migration of ions.	
(b) Faraday's first law of electrolysis.	× 2
18. Classify the following sugars into monosaccharides and disaccharides:	2
Galactose, Glucose, Lactose and Maltose	
19. (a) Carry out the following conversions:	
Nitrobenzene to Aniline	1
Aniline to Phenol	1
OR	
(b) (i) Write a chemical test to distinguish between Dimethyl amine	
and Ethanamine.	1

Write the product formed when benzene diazonium chloride is

Show that in case of a first order reaction, the time taken for completion

of 99% reaction is twice the time required for 90% completion of the

Resistance of a conductivity cell filled with 0.2 mol L-1 KCl solution is

200  $\Omega$ . If the resistance of the same cell when filled with 0.05 mol L<sup>-1</sup> KCl

solution is 620 \Omega, calculate the conductivity and molar conductivity of

0.05 mol L<sup>-1</sup> KCl solution. The conductivity of 0.2 mol L<sup>-1</sup> KCl solution is

13

1

2

P.T.O.

(ii)

reaction.  $(\log 10 = 1)$ 

0.0248 S cm<sup>-1</sup>.

56/5/1/22

treated with KI.

## SECTION - C

22. Write the IUPAC names of the following coordination compounds

(any three):

(a) [Co(NH<sub>3</sub>)<sub>4</sub>Cl(NO<sub>2</sub>)]Cl

(Ni(NH3)6]Cl2

(c)  $K_3[Cr(C_2O_4)_3]$ 

(d)  $[Co(en)_2Br_2]^+$ 

23. Give the structure of the major product expected from the following 1 × 3 reactions:

(a) Reaction of Ethanal with methyl-magnesium bromide followed by hydrolysis.

(b) Hydration of But-1-ene in the presence of dilute sulphuric acid.

(c) Reaction of phenol with bromine water.

24. Draw the structures of major product(s) in each of the following reactions:

$$(a) \qquad \begin{array}{c} O \\ \hline (Ag(NH_3)_2]^+ OH^- \\ \hline (CHO) \\ \hline (CH_3) \\ \hline (CH_3) \\ \hline (CH_3) \\ \hline (CHO) \\ \hline$$

25. Calculate the emf of the following cell:

 $Ni(s) + 2Ag^{+}(0.01 \text{ M}) \longrightarrow Ni^{2+}(0.1 \text{ M}) + 2Ag(s)$ 

Given that  $E_{cell}^{\circ} = 1.05 \text{ V}$ ,  $\log 10 = 1$ 

26. Account for the following:

1 × 3

3

(a) Haloalkanes react with AgCN to form isocyanide as main product.

(b) Allyl chloride shows high reactivity towards S<sub>N</sub>1 reaction.

(e) Haloarenes are extremely less reactive towards nucleophilic substitution reactions.

56/5/1/22

15



The rate constant of a reaction quadruples when the temperature changes from 300 K to 320 K. Calculate the activation energy for this reaction.

 $[\log 2 = 0.30, \log 4 = 0.60, 2.303 \text{ R} = 19.15 \text{ J K}^{-1} \text{mol}^{-1}]$ 

3

28. A compound 'X' with molecular formula C<sub>3</sub>H<sub>9</sub>N reacts with C<sub>6</sub>H<sub>5</sub>SO<sub>2</sub>Cl to give a solid, insoluble in alkali. Identify 'X' and give the IUPAC name of the product. Write the reaction involved.

3

#### SECTION - D

The following questions are case-based questions. Read the case carefully and answer the questions that follow:

29. The oxidation number of the central atom in a complex is defined as the charge it would carry if all the ligands are removed along with the electron pairs that are shared with the central atom. Similarly the charge on the complex is the sum of the charges of the constituent parts i.e. the sum of the charges on the central metal ion and its surrounding ligands. Based on this, the complex is called neutral if the sum of the charges of the constituents is equal to zero. However, for an anion or cationic complex, the sum of the charges of the constituents is equal to the charge on the coordination sphere.

Based on the above information, answer the following questions:

(a) Define ambidentate ligand with an example.

1

What type of isomerism is shown by  $[Co(NH_3)_5CI]SO_4$  and  $[Co(NH_3)_5SO_4]CI$ ?

1

(c) Define Chelate effect. How it affects the stability of complex?

2

### OR

Find the coordination number and oxidation state of chromium in  $Na_3[Cr(C_2O_4)_3]$ .

2

56/5/1/22

17

Certain organic compounds are required in small amounts in our diet but their deficiency causes specific disease. These compounds are called vitamins. Most of the vitamins cannot be synthesized in our body but plants can synthesize almost all of them. So they are considered as essential food factors. However, the bacteria of the gut can produce some of the vitamins required by us. All the vitamins are generally available in our diet. The term 'vitamin' was coined from the words vital + amine, since the earlier identified compounds had amino group. Vitamins are classified into two groups depending upon their solubility in water or fat namely-fat soluble vitamins and water soluble vitamins.

Answer the following questions:

(a) What is the other name of vitamin B<sub>6</sub>?

1

1

Name the vitamin whose deficiency causes increased blood clotting time.

Xerophthalmia is caused by the deficiency of which vitamin? Give two sources of this vitamin.

2

-2

OR

(c) Why can't vitamin C be stored in our body? Name the disease caused by the deficiency of this vitamin.

# SECTION - E

31. Attempt any five of the following:

1 × 5

- (a) Ce(III) is easily oxidised to Ce(IV). Comment.
- (b) E°(Mn<sup>2+</sup>/Mn) is -1.18 V. Why is this value highly negative in comparison to neighbouring d block elements?

56/5/1/22

167

19

- (e) Which element of 3d series has lowest enthalpy of atomisation and why?
- (d) What happens when sodium chromate is acidified?
- (e) Zn, Cd and Hg are soft metals. Why?
- (f) Why is permanganate titration not carried out in the presence of HCl?
- (g) The lower oxides of transition metals are basic whereas the highest are amphoteric/acidic. Give reason.
- 32. (a) (i) Ishan's automobile radiator is filled with 1.0 kg of water. How many grams of ethylene glycol (Molar mass = 62 g mol<sup>-1</sup>) must Ishan add to get the freezing point of the solution lowered to 2.8 °C. K<sub>f</sub> for water is 1.86 K kg·mol<sup>-1</sup>.
  - (ii) What type of deviation from Raoult's law is shown by ethanol and acetone mixture? Give reason.

#### OR

Boiling point of water at 750 mm Hg pressure is 99.68 °C. How much sucrose (Molar mass = 342 g mol<sup>-1</sup>) is to be added to 500 g of water such that it boils at 100 °C? ( $K_b$  for water = 0.52 K kg mol<sup>-1</sup>).

(ii) State Henry's law and write its any one application.

3+2

3


2

56/5/1/22

21



- 33. (a) An organic compound (A) with the molecular formula C<sub>9</sub>H<sub>10</sub>O forms
  2, 4-DNP derivative, reduces Fehling solution and undergoes
  Cannizzaro reaction. On vigorous oxidation, it gives 1, 2-benzene
  dicarboxylic acid.
  - (i) Identify the compound (A) and write its IUPAC name.
  - (ii) Write the reaction of compound (A) with
    - (1) 2, 4-Dinitrophenyl hydrazine and
    - (2) Fehling solution



(iii) Write the equation of compound (A) when it undergoes

Cannizzaro reaction.

OR

(b) (i) Account for the following:

1×2

- The alpha (α)-hydrogens of aldehydes and ketones are acidic in nature.
- (2) Oxidation of aldehydes is easier than ketones.
- (ii) Arrange the following in:

1×2

- (1) Decreasing reactivity towards nucleophilic addition reaction propanal, acetone, benzaldehyde.
- (2) Increasing order of boiling point:

  Propane, Ethanol, Dimethylether, Propanal
- (iii) Give simple chemical test to distinguish between Benzoic acid and Benzaldehyde.