



# BOARD QUESTION PAPER: JULY 2022

## Mathematics Part - II

Time: 2 Hours

Max. Marks: 40

Note:


- All questions are compulsory.
- Use of calculator is not allowed.
- The numbers to the right of the questions indicate full marks.
- In case of MCQs [Q. No. 1(A)] only the first attempt will be evaluated and will be given credit.
- For every MCQ, the correct alternative (A), (B), (C) or (D) with sub-question number is to be written as an answer.
- Draw proper figures for answers wherever necessary.
- The marks of construction should be clear. Do not erase them.
- Diagram is essential for writing the proof of the theorem.

**Q.1. (A) Four alternative answers are given for every sub-question. Select the correct alternative and write the alphabet of that answer:** [4]


- From the following points \_\_\_\_\_ point lies to the right side of the origin on X-axis.  
(A)  $(-2, 0)$  (B)  $(0, 2)$   
(C)  $(2, 3)$  (D)  $(2, 0)$
- $\Delta PQR \sim \Delta STU$  and  $A(\Delta PQR) : A(\Delta STU) = 64 : 81$ , then what is the ratio of corresponding sides?  
(A)  $8 : 9$  (B)  $64 : 81$   
(C)  $9 : 8$  (D)  $16 : 27$
- In a right angled triangle; if the sum of the squares of sides making right angle is 169, then what is the length of hypotenuse?  
(A) 15 (B) 13  
(C) 5 (D) 12
- If  $\tan \theta = \sqrt{3}$ , then the value of  $\theta$  is \_\_\_\_\_  
(A)  $60^\circ$  (B)  $30^\circ$   
(C)  $90^\circ$  (D)  $45^\circ$

**(B) Solve the following sub-questions:** [4]

- In the given figure, seg  $CB \perp$  seg  $AB$ , seg  $AD \perp$  seg  $AB$ .  
If  $BC = 4$ ,  $AD = 8$ ,  
then find  $\frac{A(\Delta ABC)}{A(\Delta ADB)}$ .



- Find the coordinates of the midpoint of the segment joining the points  $(22, 20)$  and  $(0, 16)$ .
- Two circles having radii 7 cm and 4 cm touch other internally. Find the distance between their centres.
- In  $\Delta ABC$ ,  $\angle B = 90^\circ$ ,  $\angle A = 30^\circ$ ,  $AC = 14$ , then find  $BC$ .





[4]

**Q.2. (A) Complete the following activities and rewrite it (any two):**

- i. In the above figure,  $\angle PQR$  is inscribed in the semicircle PQR. Complete the following activity to find measure of  $\angle PQR$ .


**Activity:**

$m(\text{arc PQR}) = 180^\circ$  ... (measure of semicircle)

$\therefore m(\text{arc PXR}) = \square$

$\therefore \angle PQR = \frac{1}{2} m(\text{arc } \square)$  ...  $\square$   
 $= \frac{1}{2} \times 180^\circ$

$\therefore \angle PQR = \square$



- ii. In  $\triangle ABC$ ,  $\angle B = 90^\circ$ ,  $\angle C = \theta^\circ$  then complete the activity to derive the trigonometric identity.

**Activity:**


$AB^2 + BC^2 = \square$  ... (Pythagoras theorem)

$\therefore \frac{AB^2}{AB^2} + \frac{BC^2}{AB^2} = \frac{AC^2}{AB^2}$  ... (dividing by  $AB^2$ )

$\therefore 1 + \frac{BC^2}{AB^2} = \frac{AC^2}{AB^2}$

But  $\frac{\square}{AB^2} = \cot^2 \theta$  and  $\frac{AC^2}{\square} = \text{cosec}^2 \theta$

$\therefore 1 + \square = \text{cosec}^2 \theta$



- iii. In  $\triangle PQR$ , if  $PN = 12$ ,  $NR = 8$ ,  $PM = 15$ ,  $MQ = 12$ , then complete the following activity to justify whether seg NM is parallel to side RQ or not.

**Activity:**

In  $\triangle PQR$ ,

$\frac{PN}{NR} = \frac{12}{\square} = \frac{3}{2}$  ... (i)

and  $\frac{PM}{MQ} = \frac{15}{12} = \frac{\square}{4}$  ... (ii)

$\therefore \frac{PN}{NR} \neq \frac{PM}{MQ}$  ... [from (i) and (ii)]

$\therefore$  By  $\square$


seg NM is  $\square$  to side RQ.

[Note : The activity has been modified.]

**(B) Solve the following sub-questions (Any four):**

[8]

- i. In the given figure, chord AC and chord DE intersect each other at point B. If  $\angle ABE = 108^\circ$  and  $m(\text{arc AE}) = 95^\circ$ , Then find  $m(\text{arc DC})$ .



- ii. Find the distance between the points  $P(-1, 1)$  and  $Q(5, -7)$ .  
 iii. Construct a tangent to a circle with centre P and radius 3.5 cm at any point M on it.  
 iv. Find the length of diagonal of rectangle having sides 11 cm and 60 cm.  
 v. If  $\sin \theta = \frac{7}{25}$ , then find values of  $\cos \theta$  and  $\tan \theta$ .

**Q.3. (A) Complete the following activities and rewrite it (any one):**

[3]

- i. In the above figure  
 $\angle QPR = 90^\circ$ , seg  $PM \perp$  seg  $QR$  and  $Q-M-R$ .  $PM = 10$ ,  
 $QM = 8$ . Complete the following activity to find the  
 value of  $QR$ .

**Activity:**

In  $\Delta PQR$ ,  $\angle QPR = 90^\circ$  and  
 seg  $PM \perp$  seg  $QR$

$$\therefore PM^2 = \square \times MR$$

$$\therefore (\square)^2 = 8 \times MR$$

$$\therefore \frac{100}{8} = MR$$

$$\therefore \square = MR$$

Now  $QR = QM + MR$

$$\therefore QR = 8 + \square$$

$$\therefore QR = \square$$

- ii. In the above figure, in  $\Delta ABC$  seg  $XY \parallel$  side  $AC$ ,  $A-X-B$ ,  $B-Y-C$   
 If  $2AX = 3BX$  and  $XY = 9$ ,  
 then complete the following activity to find value of  $AC$ .

**Activity:**

$2AX = 3BX$

$$\therefore \frac{AX}{BX} = \frac{\square}{\square}$$

$$\therefore \frac{AX+BX}{BX} = \frac{3+2}{A(\Delta PQR)}$$


$$\therefore \frac{AB}{BX} = \frac{5}{2}$$

$\Delta ABC \sim \Delta BYX$

$$\therefore \frac{BA}{BX} = \frac{AC}{\square}$$

$$\therefore \frac{BA}{BX} = \frac{AC}{\square}$$

$$\therefore AC = \square$$



....(Given)

....

....( $\because$  Q-M-R)

....(Given)


....(Componendo)

....(i)

....( test of similarity)

....(c.s.s.t)

....[from (i)]

**(B) Solve the following sub-questions (any two):**


[6]

- Prove that  $\sec \theta + \tan \theta = \frac{\cos \theta}{1 - \sin \theta}$ .
- Find the coordinates of centroid of the triangle whose vertices are  $(4, 7)$ ,  $(8, 4)$ ,  $(7, 11)$ .
- Prove that "Opposite angles of a cyclic quadrilateral are supplementary".
- Draw a circle with centre  $O$  and radius  $3.5$  cm. take a point  $P$  at a distance  $7.5$  cm from the centre. Draw tangents to the circle from point  $P$ .

**Q.4. Solve the following sub-questions (any two):**


[8]

- i. In  $\Delta ABC$ , point  $X$  is any point on side  $BC$ .  
 seg  $XM \parallel$  seg  $AB$  and seg  $XN \parallel$  seg  $AC$ .  
 Extend seg  $MN$  such that it intersects extended  
 side  $CB$  in point  $T$ .  
 Then prove that  $TX^2 = TB \times TC$ .





- ii. Draw triangle ABC, right angle at B such that AB = 3 cm, BC = 4 cm. Now construct  $\Delta PBQ$  similar to  $\Delta ABC$  each of whose sides are  $\frac{7}{4}$  times the corresponding sides of  $\Delta ABC$ .
- iii. In the given figure, points A, P, B, R, C, Q are on the circle. After joining the given points as shown in the figure it forms a hexagon, then prove that  $\angle APB + \angle BRC = 360^\circ - \angle AQC$ .



**Q.5. Solve the following sub-questions (Any one):**

- i.  $\Delta ABC$  and  $\Delta PQR$  are equilateral triangles with altitudes  $2\sqrt{3}$  and  $4\sqrt{3}$  respectively, then:
  - a. Find the length of side AB and side PQ
  - b. Find  $\frac{A(\Delta ABC)}{A(\Delta PQR)}$
  - c. Find the ratio of perimeter of  $\Delta ABC$  to the perimeter of  $\Delta PQR$ .
- ii. In a circle with centre O, PA and PB are tangents from an external point P. E is the point on the circle such that O-E-P. Tangent drawn at E intersects PA and PB in point C and D respectively. If PA = 10, then write the answers to the following questions:
  - a. Draw the suitable figure using given information.
  - b. Write the relation between seg PA and seg PB
  - c. Find the perimeter of  $\Delta PCD$ .

[3]