NEET Sample Paper 1 PDF for Class 11 (Zoology)

- 1. The figures given below show the types of coelom, identify them and select the correct group of organisms which possess them.
- (a) (b) (c)
- (1) Annelids Aschelminthes Platyhelminthes
- (2) Molluscs Arthropods Platyhelminthes
- (3) Echinoderms Aschelminthes Annelids
- (4) Echinoderms Arthropods Platyhelminthes
- 2. Which of the following is correct about metamerism (true segmentation)?
- (1) Every organ shows serial repetition.
- (2) Body is divided externally as well as internally.
- (3) Each segment is not supplied with separate nerves and blood vessels.
- (4) All of these.
- 3. Which of the following is a characteristic feature of Echinodermata?
- (1) Smooth skin and radial symmetry
- (2) Spiny skin and radial symmetry
- (3) Spiny skin and bilateral symmetry
- (4) Smooth skin and bilateral symmetry
- 4. Which of the following animals is cold blooded and has a four-chambered heart?
- (1) Rana
- (2) Ornithorhynchus
- (3) Crocodile
- (4) Scoliodon
- 5. Point out the mammalian characters.
- (1) Diaphragm, four chambered heart, lungs

- (2) Hairy skin, viviparity, feathers
- (3) Fins, gills, viviparity
- (4) Neural gland, gills, four chambered heart
- 6. Which of the following statements is false about the glands?
- (1) Goblet cells secrete mucus.
- (2) Exocrine glands possess duct for secretion of mucus, milk, saliva, earwax, digestive enzymes, oil and other cell products.
- (3) Glandular epithelium consists of specialised columnar or cuboidal cells.
- (4) Endocrine glands secrete a variety of enzymes only.
- 7. Which of the following is incorrect with respect to junction and its function?
- (1) Tight junction Promotes leaking of substances across a tissue
- (2) Adhering junctionKeeps neighbouring cells together
- (3) Gap junction Connects the cytoplasm of adjoining cells for rapid transfer of ions and small molecules
- (4) Gap junction Facilitates the cells to communicate with each other
- 8. Cartilage is present at:
- (a) tip of nose.
- (b) between adjacent bones of the vertebral column.
- (c) outer ear joints.
- (1) (a) and (b)

- (2) (b) and (c)
- (3) (a) and (c)
- (4) (a), (b) and (c)
- 9. Mark the mismatched pair.
- (1) Toxins Ricin
- (2) Alkaloids Codeine
- (3) Drugs Vinblastine
- (4) Lectin -Curcumin
- 10. In a protein, amino acids are linked by a peptide bonds, which is formed by the reaction of :
- (1) –COOH group of one amino acid with –NH2 group of next amino acid.
- (2) –NH3 group of one amino acid with –COOH group of next amino acid.
- (3) -COOH groups of two amino acids.
- (4) –NH2 groups of two amino acids.
- 11. Lipids belong to which of the following groups?
- (1) Amino proteins
- (2) Macromolecules
- (3) Secondary metabolites
- (4) Metabolic by-products
- 12. The curve given belong show enzymatic activity with relation to three conditions (pH, temperature and substrate concentration)

repare · Achieve

What do the two axes (x and y) represent?

X-axis Y-axis

- (1) Enzymatic activity Temperature
- (2) Enzymatic activity pH
- (3) Temperature Enzymatic activity
- (4) Substrate concentration Enzymatic activity
- 13. Which one of the following organisms bears hollow and pneumatic long bones?

- (1) Ornithorhynchus
- (2) Neophron
- (3) Hemidactylus
- (4) Macropus
- 14. Which of the following statements wrongly represents the nature of smooth muscle?
- (1) These muscles are present in the wall of blood vessels.
- (2) These muscle have no striations.
- (3) They are involuntary muscles.
- (4) Communication among the cells is performed by intercalated discs.
- 15. Match List-I with List-II and choose the correct option :

List - I List - II

(A) Protein (I) C = C double

bonds

- (B) Unsaturated fatty acid
- (II) Phosphodiest er bonds
- (C) Nucleic acid (III) Glycosidic bonds
- (D) Polysaccharide (IV) Peptide bonds
- (1) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)
- (2) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
- (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (4) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)
- 16. During forced expiration, actively contracting muscles include:
- (1) Diaphragm.
- (2) External intercostals.
- (3) Internal intercostal and abdominal muscles.

- (4) Diaphragm and intestinal muscle.
 17. Each cerebral hemisphere is divided into_____
 lobes by sulci.
 (1) 3
 (2) 4
 (3) 5
 (4) 6
- 18. The cerebrum wraps around a structure called thalamus, which is;
- (1) a major coordinating centre for sensory signal only.
- (2) a major centre for motor signalling.
- (3) a major coordinating centre for sensory and motor signalling.
- (4) interconnects different regions of the brain.
- 19. Select the true statement about RBC.
- (1) RBCs have an average life span of 120 days.
- (2) RBCs are destroyed in the spleen (graveyard of RBCs).
- (3) RBCs are devoid of nucleus in most of the mammals.
- (4) All of these.
- 20. Blood differs from real connective tissue because;
- (1) Plasma of blood is not entirely secreted by blood cells.
- (2) Blood corpuscles are not formed in blood.
- (3) Fibres are absent in blood.
- (4) All of these.
- 21. Mammals are said to have double circulation. It means;
- (1) blood vessels are paired.
- (2) there are two types of blood vessels attached

to every organ.

- (3) there are two systems, one from the heart to the lungs and other from heart to the rest of the body.
- (4) blood circulates once through heart.
- 22. Hormone renin is produced from which part of kidney?
- (1) Proximal convoluted tubule (PCT)
- (2) Distal convoluted tubule (DCT)
- (3) Juxtaglomerular apparatus (JGA)
- (4) Renal Pyramids
- 23. Following are the points of mechanism of juxta glomerular apparatus (JGA). Arrange them in the correct order.
- (a) Activation of juxta glomerular (JG) cells.
- (b) Activated JG cells release renin.
- (c) Fall in glomerular filtration rate (GFR).
- (d) Increase of glomerular blood flow.
- (e) GFR back to normal.
- 24. The effect of antidiuretic hormone (ADH) on the kidney is to increase the;
- (1) Excretion of water.
- (2) Excretion of Na+
- (3) Permeability of the distal nephron to water.
- (4) Glomerular filtration rate.

25. Binding of Ca2+ with	in skeletal	muscles	and
leads to the exposure of the b	inding site	for	
on the filament			

- (1) Troponin; myosin; actin
- (2) Troponin; actin; relaxin
- (3) Actin; myosin; troponin
- (4) Tropomyosin; myosin; actin

- 26. Smooth muscle fibres are:
- (1) cylindrical, unbranched, striated, multinucleate and voluntary.
- (2) spindle-shaped, unbranched, non-striated, uninucleate and involuntary.
- (3) cylindrical, unbranched, non-striated, multinucleate and involuntary.
- (4) spindle-shaped, unbranched, striated, uninucleate and voluntary.
- 27. Which of the following statements is false?
- (1) Scapula has the spine which projects as acromion process.
- (2) Below acromion process is a glenoid cavity.
- (3) Each clavicle (collar bone) articulates with acromion.
- (4) Clavicle is long S-shaped bone with 4 curvatures.
- 28. Nodes of Ranvier are;
- (1) areas of swellings of axon.
- (2) found in the wall of stomach.
- (3) the gaps between two adjacent myelin sheath.
- (4) bands in striated muscles.
- 29. Na+ K+ pump:
- (a) Needs energy (ATP) to work.
- (b) Expels 3Na+

for every 2K+

ions imported.

- (c) Works against a concentration gradient.
- (d) Maintains resting potential.
- (1) Only (c)
- (2) Only (b) and (c) are correct
- (3) Only (a) and (c) are correct
- (4) All of these

- 30. PNS is divided into;
- (1) Somatic neural system
- (2) autonomic neural system
- (3) Central nervous system
- (4) Both (1) and (2)
- 31. Assertion (A): Resting membrane potential is -70mV.

Reason (R): Na+

- K+ pump plays an important role in maintaining resting membrane potential.
- (1) Both Assertion (A) and Reason (R) are the true, and Reason (R) is a correct explanation of Assertion (A).
- (2) Both Assertion (A) and Reason (R) are the true, but Reason (R) is not a correct explanation of Assertion (A).
- (3) Assertion (A) is true, and Reason (R) is false.
- (4) Assertion (A) is false, and Reason (R) is true.
- 32. Match List-I with List-II and choose the correct option:

List - I List - II

- (A) PRL (I) Gonadotropins
- (B) TSH (II) Glucocorticoids
- (C) ACTH (III) Thyroid hormone
- (D) LH and FSH (IV) Mammary glands
- (1)(A)
- 33. Select the correct matching:
- (1) Insulin Decreases uptake of glucose utilisation by hepatocyte and adipocytes
- (2) Cortisol Decreases RBC production, causes inflammation
- (3) Thymosin Promotes production of

antibodies to provide humoral immunity also.

- (4) Thyroxine No role in water and electrolyte balance.
- 34. Mark antagonistic hormones.
- (1) Insulin and glucagon
- (2) Adrenaline and noradrenaline
- (3) Calcitonin and parathormone
- (4) Both (1) and (3)
- 35. The secretin promotes the release of;
- (1) HCl and sodium carbonate ions.
- (2) HCl and bicarbonate ions in gastric juice.
- (3) Water and bicarbonates ions in pancreatic juice.
- (4) Pancreatic enzymes and mucus. SECTION-B
- 36. (1) Marine with streamlined body
- (2) Cartilaginous endoskeleton
- (3) Mouth ventral
- (4) Caudal fin is heterocercal
- (5) Notochord is persistent throughout life Above characters belong to how many of the following organisms?

Dogfish, Sawfish, Flying fish, Fighting fish, Angelfish, Jellyfish, Starfish, Trygon,

Torpedo, Rohu, Catla. Magur

- (1) Three (2) Four
- (3) Six (4) Seven
- 37. Which of the following is not a characteristic feature of biceps muscle?
- (1) We are usually able to make it contract merely by thinking about it.
- (2) It has alternate light and dark bands.
- (3) Its muscle fibres taper at both ends.

- (4) Its muscle fibres are bundled together in a parallel fashion.
- 38. Assertion (A): Three kinds of cofactors may be identified: Prosthetic groups, co-enzymes and metal ions.

Reason (R): A complete, catalytically active enzyme together with its bound prosthetic group is called apoenzyme.

- (1) Both Assertion (A) and Reason (R) are the true, and Reason (R) is a correct explanation of Assertion (A).
- (2) Both Assertion (A) and Reason (R) are the true, but Reason (R) is not a correct explanation of Assertion (A).
- (3) Assertion (A) is true, and Reason (R) is false.
- (4) Assertion (A) is false, and Reason (R) is true.
- 39. Which of the following statements are correct with respect to vital capacity?
- (a) It includes ERV, TV and IRV
- (b) Total volume of air a person can inspire after a normal expiration.
- (c) The maximum volume of air a person can breathe in after forced expiration.
- (d) It includes ERV, RV and IRV.
- (e) The maximum volume of air a person can breath out after a forced inspiration.

Choose the most appropriate answer from the options given below:

- (1) (a) and (e) (2) (b), (d) and (e)
- (3) (a), (c) and (d) (4) (a), (c) and (e)
- 40. Which enzyme is responsible for the conversion of inactive fibrinogens to fibrins?

- (1) Thrombokinase (2) Thrombin
- (3) Renin (4) Epinephrine
- 41. Given below are four statements (a) (d) regarding human blood circulatory system:
- (a) Arteries are thick-walled and have narrow lumen as compared to veins.
- (b) Angina is acute chest pain when the blood circulation to the brain is reduced.
- (c) Persons with blood group AB can donate blood to any person with any blood group under the ABO system.
- (d) Calcium ions play a very important role in blood clotting.

Which two of the above statements are correct?

- (1) (a) and (d) (2) (a) and (b)
- (3) (b) and (c) (4) (c) and (d)
- 42. Which of the following statements is not true about blood pressure?
- Blood pressure is measured with an instrument called a sphygmomanometer.
- (2) If the blood pressure of an individual is 140/90 mm Hg or higher, it shows hypertension.
- (3) The normal systolic pressure is 120 mm Hg and diastolic pressure is 80 mm Hg.
- (4) Hypertension is caused by vasodilation which results in increased resistance to blood flow.
- 43. Which of the following is correctly matched?
- (1) Afferent arterioles Carry blood away from glomerulus towards renal vein.
- (2) Podocytes Create slit pores for filtration of blood into Bowman's capsule.
- (3) Henle's loop Most reabsorption of major substances from filtrate.

- (4) DCT Reabsorption of K+ ions into surrounding blood capillaries.
- 44. Following are the steps of dialysis.
- (a) Blood is passed into a vein.
- (b) Blood is mixed with heparin.
- (c) Blood is mixed with anti-heparin.
- (d) Blood is drained from convenient artery.
- (e) Blood is passed through a coiled and porous cellophane tube bathing in dialysing fluid.
- (f) Removal of nitrogenous wastes from blood.
- 45. Which of the following statements is incorrect about skeletal muscles?
- (1) Striped appearance under microscope hence called striated muscle.
- (2) They are voluntary muscles.
- (3) Primarily involved in locomotory actions and changes of body postures.
- (4) They are involuntary muscles.
- 46. Identify a wrong statement with respect to ribs.
- (1) The ribs are curved bars, which are movable, articulate with the thoracic vertebrae at the back and unite with the sternum in front, all collectively forming a bony cage, the thoracic basket.
- (2) Seventh rib is usually floating in Japanese and some other people.
- (3) The upper seven pairs of ribs are attached in front directly to the sternum. These are called true ribs.
- (4) The lower two pairs of ribs are free in front, they are known as floating ribs.
- 47. Which of the following statement(s) is/are false

about the electrical synapse?

- (a) Electrical current can flow directly from one neuron into the other across the synapses.
- (b) At electrical synapses, the membranes of pre and post-synaptic neurons are in very close proximity.
- (c) Electrical synapses are rare in our system.
- (d) Electrical synapses pass electrical signals between cells with the use of acetylcholine.
- (e) Electrical synapses are fast.
- (f) Transmission of an impulse across electrical synapses is very similar to impulse conduction along single axon.
- (1) (a) and (b) (2) Only (b)
- (3) Only (d) (4) Only (e)
- 48. According to the sliding filament theory;
- (1) The actin filaments slide away from A-band resulting in shortening of sarcomere.
- (2) Actin and myosin filaments slide over each other to increase the length of the sarcomere.
- (3) Length of A-band does not change
- (4) I-band increases in length.
- 49. Arrange the sequence of action of work of FSH?

repare · Achieve

- (a) Binding to membrane receptor
- (b) Biochemical response
- (c) Generation of second messenger
- (d) Physiological response (e.g., Ovarian growth)
- 50. Read the following statements and choose the right option.
- (a) Calcitonin is non-iodized hormone secreted by parafollicular cells of the thyroid gland.
- (b) Maximum iodine is stored in the thyroid gland.
- (c) TCT is a hypocalcemic factor.

- (d) Calcitonin (TCT) regulates the blood Ca2+level.
- (1) All are correct
- (2) All are wrong
- (3) (a), (b) and (c) are correct
- (4) Only (d) is correct

