

PART : MATHEMATICS

1. Find number of words by using all letters of the word "DAUGHTER" such that no two vowels come together
 (1) 5200 (2) 7200 (3) 14400 (4) $3 \times \underline{5}$

Ans. (3)
Sol.

D G H T R

Number of ways of arrangement of consonants = $\underline{5}$

Now there are 6 gaps between these consonants.

So, number of ways of arrangement of three vowels A, U, E = 6P_3

So total number of words = $\underline{5} \times {}^6P_3 = 120 \times 6 \times 5 \times 4 = 120 \times 120 = 14400$

2. Find sum of all rational terms in expansion of $(1 + 2^{1/3} + 3^{1/2})^6$
 (1) 144 (2) 612 (3) 720 (4) 562

Ans. (2)

Sol. General term = $\frac{{}^6P_{r_1 r_2 r_3}}{r_1! r_2! r_3!} \times 2^{r_1} \times 3^{r_2}$; $0 \leq r_1, r_2, r_3 \leq 6$ and $r_1 + r_2 + r_3 = 6$.

For rational term : $r_2 = 0 \rightarrow r_1 + r_3 = 6$

$$\begin{cases} r_3 = 0, r_1 = 6 \\ r_3 = 2, r_1 = 4 \\ r_3 = 4, r_1 = 2 \\ r_3 = 6, r_1 = 0 \end{cases}$$

$$r_2 = 3 \rightarrow r_1 + r_3 = 3 \begin{cases} r_3 = 0, r_1 = 3 \\ r_3 = 2, r_1 = 1 \end{cases}$$

$$r_2 = 6 \rightarrow r_1 + r_3 = 0 \quad (r_1 = 0, r_3 = 0)$$

Sum of all rational terms =

$$\frac{{}^6P_{006}}{0!0!6!} 2^0 \cdot 3^0 + \frac{{}^6P_{024}}{0!2!4!} 2^0 \cdot 3^1 + \frac{{}^6P_{042}}{0!4!2!} 2^0 \cdot 3^2 + \frac{{}^6P_{060}}{0!6!0!} 2^0 \cdot 3^3 + \frac{{}^6P_{303}}{3!0!3!} 2^1 \cdot 3^0 + \frac{{}^6P_{321}}{3!2!1!} 2^1 \cdot 3^1 + \frac{{}^6P_{600}}{6!0!0!} 2^2 \cdot 3^0$$

$$= 1 + 45 + 135 + 27 + 40 + 360 + 4 = 612$$

3. If for an AP, if first term is 3 and sum of first four terms is equal to $\frac{1}{5}$ of the sum of next four terms,

then the sum of first 20 terms is:

- (1) -540 (2) -1080 (3) 2016 (4) 4080

Ans. (2)

Sol. $a = 3$, let common difference = d .

$$\frac{4}{2} [2 \times 3 + (4-1)d] = \frac{4}{5 \times 2} [2 \times (3+4d) + (4-1)d]$$

$$5(6+3d) = 6+8d+3d$$

$$30+15d = 6+11d$$

$$4d = -24$$

$$d = -6$$





$$S_{20} = \frac{20}{2} [2 \times 3 + 19(-6)] = 10(6 - 114) = 10 \times (-108) = -1080$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 |  facebook.com/ResonanceEdu |  twitter.com/ResonanceEdu |  www.youtube.com/resonance |  blog.resonance.ac.in

4. Value of $\sin 70^\circ (\cot 10^\circ \cot 70^\circ - 1)$ is:

- (1) 2 (2) 1 (3) $\frac{1}{2}$ (4) 3

Ans. (2)

Sol. $\sin 70^\circ \left(\frac{\cos 10^\circ \cos 70^\circ}{\sin 10^\circ \sin 70^\circ} - 1 \right)$

$$\sin 70^\circ \left(\frac{\cos 70^\circ \cos 10^\circ - \sin 70^\circ \sin 10^\circ}{\sin 70^\circ \sin 10^\circ} \right) = \frac{\cos(70^\circ + 10^\circ)}{\sin 10^\circ} = \frac{\cos 80^\circ}{\sin 10^\circ} = \frac{\sin 10^\circ}{\sin 10^\circ} = 1$$

5. Value of $\cos^{-1} \left[\frac{12}{13} \cos x + \frac{5}{13} \sin x \right]$ is, if $x \in \left(\frac{\pi}{2}, \frac{3\pi}{4} \right)$


- (1) $x + \tan^{-1} \frac{12}{5}$ (2) $x - \tan^{-1} \frac{12}{5}$ (3) $x - \tan^{-1} \frac{5}{12}$ (4) $x + \tan^{-1} \frac{5}{12}$

Ans. (3)

Sol. $\cos^{-1} \left[\frac{12}{13} \cos x + \frac{5}{13} \sin x \right]$

$$\cos^{-1} [\cos(x - \phi)]$$

Let $\cos \phi = \frac{12}{13}$ and $\sin \phi = \frac{5}{13}$, so $\tan \phi = \frac{5}{12}$



$$= x - \phi$$

$$= x - \tan^{-1} \frac{5}{12}$$

6. If function $f(x) = \begin{cases} \frac{2}{x} \{ \sin(k_1 + 1)x + \sin(k_2 + 1)x \} & x < 0 \\ 4 & x = 0 \\ \frac{2}{x} \ln \left(\frac{k_2 x + 1}{k_1 x + 1} \right) & x > 0 \end{cases}$ is continuous at $x = 0$, then value of $k_1^2 + k_2^2$ is

equal to –

- (1) 6 (2) 2 (3) 4 (4) 8

Ans. (2)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/reswatch blog.resonance.ac.in

Sol. $f(0) = 4$

$$f(0^-) = \lim_{h \rightarrow 0} \frac{2[\sin(k_1 + 1)h + \sin(k_2 + 1)h]}{h}$$

$$= \lim_{h \rightarrow 0} \frac{2\{(k_1 + 1)\cos(k_1 + 1)h + (k_2 + 1)\cos(k_2 + 1)h\}}{1}$$

$$= 2(k_1 + 1 + k_2 + 1) = 2(k_1 + k_2 + 2)$$

$$f(0^+) = \lim_{h \rightarrow 0} \frac{2\{n(k_2 h + 1) - n(k_1 h + 1)\}}{h}$$

$$= \lim_{h \rightarrow 0} \frac{2\left\{\frac{k_2}{k_2 h + 1} - \frac{k_1}{k_1 h + 1}\right\}}{1}$$

$$= 2(k_2 - k_1)$$

Now $2(k_1 + k_2 + 2) = 4$

$$k_1 + k_2 = 0 \quad \dots(i)$$

and $2(k_2 - k_1) = 4$

$$k_2 - k_1 = 2 \quad \dots(ii)$$

So $k_1 = -1$ and $k_2 = 1$

So $k_1^2 + k_2^2 = 1 + 1 = 2$

7. A relation defined on set $A = \{1, 2, 3, 4\}$, then how many ordered pairs are added to $R = \{(1, 2), (2, 3), (3, 3)\}$ so that it becomes equivalence?

Ans. (7)

Sol. For equivalence it must be transitive, symmetric and reflexive all.

For reflexive $\rightarrow (1, 1), (2, 2), (4, 4)$

For symmetric $\rightarrow (2, 1), (3, 2)$

For transitive $\rightarrow (1, 3), (3, 1)$

Total 7 pairs has to be added to make it's an equivalence relation.

8. Find value of λ for which system of equation:

$$(\lambda - 1)x + (\lambda + 2)y + (\lambda - 1)z = 0$$

$$\lambda x + (\lambda - 1)y + (\lambda + 1)z = 0$$

$$(\lambda - 1)x + (\lambda + 1)y + (\lambda + 2)z = 0 \text{ has infinite solution.}$$

- (1) 0 (2) $\frac{2}{11}$ (3) 2 (4) $\frac{3}{11}$

Ans. (2)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No. : +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 [facebook.com/resonanceedu](https://www.facebook.com/resonanceedu) twitter.com/resonanceedu www.youtube.com/resonanceedu blog.resonance.ac.in

Sol. Homogeneous system of equation:

$$\begin{vmatrix} (\lambda - 1) & (\lambda + 2) & \lambda - 1 \\ \lambda & \lambda - 1 & \lambda + 1 \\ \lambda - 1 & \lambda + 1 & (\lambda + 2) \end{vmatrix} = 0$$

$$R_2 \rightarrow R_2 - R_1$$

$$R_3 \rightarrow R_3 - R_1$$

$$\begin{vmatrix} \lambda - 1 & \lambda + 2 & \lambda - 1 \\ 1 & -3 & 2 \\ 0 & -1 & 3 \end{vmatrix} = 0$$

$$(\lambda - 1)(-9 + 2) - (\lambda + 2)(3 - 0) + (\lambda - 1)(-1 - 0) = 0.$$

$$-7(\lambda - 1) - 3(\lambda + 2) - (\lambda - 1) = 0.$$

$$-7\lambda + 7 - 3\lambda - 6 - \lambda + 1 = 0$$

$$\Rightarrow \lambda = \frac{2}{11}$$

9. There are two biased dice such that, for first dice two faces show 1, 2 faces show 2, one face show 3 and one face show 4. For second dice one face show 1, two faces show 2, one face show 3, and two faces show 4. Then find probability of getting sum 4 or 5, when dice are thrown together.

(1) $\frac{5}{9}$

(2) $\frac{4}{9}$

(3) $\frac{2}{9}$

(4) $\frac{8}{9}$

Ans. (2)

Sol. First dice have 1, 1, 2, 2, 3, 4

Second dice have 1, 2, 2, 3, 4, 4

Now $P(\text{sum 4 or sum 5}) = P(\text{sum 4}) + P(\text{sum 5})$

$$= P(1, 3) + P(2, 2) + P(3, 1) + P(1, 4) + P(2, 3) + P(3, 2) + P(4, 1)$$

$$= \frac{2}{6} \times \frac{1}{6} + \frac{2}{6} \times \frac{2}{6} + \frac{1}{6} \times \frac{1}{6} + \frac{2}{6} \times \frac{2}{6} + \frac{2}{6} \times \frac{1}{6} + \frac{1}{6} \times \frac{2}{6} + \frac{1}{6} \times \frac{1}{6}$$

$$= \frac{2 + 4 + 1 + 4 + 2 + 2 + 1}{36} = \frac{16}{36} = \frac{4}{9}$$

10. If $\left| \frac{\bar{z} - i}{2\bar{z} + i} \right| = \frac{1}{3}$ represent a circle whose centre is C and area of triangle whose vertices are (0, 0), C and

(α , 0) is 11 then find α^2 .

Ans. (100)

Sol. $|\bar{z} - i| = |2\bar{z} + i|$

$$3|x - i(y + 1)| = |2x + i(1 - 2y)|$$

$$\Rightarrow 9(x^2 + (y + 1)^2) = 4x^2 + (1 - 2y)^2$$

$$\Rightarrow 5x^2 + 5y^2 + 22y + 8 = 0$$

Centre $C\left(0, -\frac{11}{5}\right)$

Area $\Delta = \left| \frac{1}{2} \cdot \frac{11}{5} \cdot \alpha \right| = 11$

$$|\alpha| = 10$$

$$\alpha^2 = 100$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | [facebook.com/ResonanceEdu](https://www.facebook.com/ResonanceEdu) | twitter.com/ResonanceEdu | www.youtube.com/ResonanceEdu | blog.resonance.ac.in

11. If both roots of quadratic equation
 $a(b - c)x^2 + b(c - a)x + c(a - b) = 0$ are equal and $a + c = 15$, $b = 2/15$ then value of $a^2 + c^2$ is:
 (1) 217 (2) 223 (3) 213 (4) 211

Ans. (2)

Sol. Clearly one root is one

∴ Product of roots = 1

$$\frac{c(a-b)}{a(b-c)} = 1$$

$$ac - bc = ab - ac$$

$$2ac = b(a + c)$$


$$2ac = \frac{2}{15} \times 15$$

$$ac = 1$$

$$\begin{aligned} \text{Now } a^2 + c^2 &= (a + c)^2 - 2ac \\ &= (15)^2 - 2 = 223 \end{aligned}$$

12. Two vertices of triangle are $(-2, 4)$ and $(5, 4)$ and its orthocentre is $(3, 5)$ and centroid is (c, d) then the value of $c + 3d$ is:

Ans. (24)



Sol.

$BC \Rightarrow$ parallel to x -axis

$AH \Rightarrow$ parallel to y -axis

so $x = 3$

$$M_{AC} \times M_{BN} \Rightarrow -1$$

$$\frac{4-y}{5-3} \times \frac{5-4}{3+2} = -1$$

$$\Rightarrow (4-y) = -10$$

$$\Rightarrow y = 14$$

$A(3, 14)$

$$G = (c, d) = \left(2, \frac{22}{3} \right) \Rightarrow c = 2, d = \frac{22}{3}$$

$$c + 3d = 24$$

Resonance Eduventures Ltd.


Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | [facebook.com/ResonanceEdu](https://www.facebook.com/ResonanceEdu) | twitter.com/ResonanceEdu | www.youtube.com/resonance1 | blog.resonance.ac.in

13. In the given figure, $\frac{BC}{AB} = \frac{1}{5}$, $\vec{OC} = \alpha\vec{OA} + \beta\vec{OB}$; find $\alpha + \sqrt{2}(\sqrt{3}-1)\beta$



(1) $6 + 3\sqrt{3}$


(2) $3 + \sqrt{3}$

(3) $6 - 3\sqrt{3}$

(4) $3 - \sqrt{3}$

Ans. (3)

Sol.



$$5\theta + \theta = \frac{\pi}{2}$$

$$\theta = \frac{\pi}{12}$$

$$\vec{OC} = r \cos \theta \hat{i}$$

$$\vec{OA} = r \hat{j}$$

$$\vec{OB} = r \cos \theta \hat{i} + r \sin \theta \hat{j}$$

$$\vec{OC} = \alpha \vec{OA} + \beta \vec{OB}$$

$$r \cos \theta \hat{i} = \alpha (r \hat{j}) + \beta (r \cos \theta \hat{i} + r \sin \theta \hat{j})$$

$$r \cos \theta = \beta r \cos \theta$$

$$\beta = 1$$

$$\alpha r + r \sin \theta \cdot \beta = 0$$

$$\alpha = -\sin \theta$$

$$\alpha = \left(\frac{\sqrt{3}-1}{2\sqrt{2}} \right)$$

$$\left(\frac{\sqrt{3}-1}{2\sqrt{2}} \right) + \sqrt{2}(\sqrt{3}-1) \cdot 1 = (\sqrt{3}-1) \frac{3}{2\sqrt{2}}$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No. : +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029


Toll Free : 1800 258 5555 | 7340010333 | [facebook.com/ResonanceEdU](https://www.facebook.com/ResonanceEdU) | twitter.com/ResonanceEdU | www.youtube.com/resonance | blog.resonance.ac.in

14. Area of the larger region bounded by curves $y = |x - 1|$ and $x^2 + y^2 = 25$ is:

- (1) $\left(\frac{75\pi}{4} + \frac{1}{2}\right)$ (2) $\left(\frac{75\pi}{4} - \frac{1}{2}\right)$ (3) $\left(\frac{25\pi}{4} + \frac{1}{2}\right)$ (4) $\left(\frac{25\pi}{4} - \frac{1}{2}\right)$

Ans. (1)

Sol. Area of shaded of region = area of circle - area AOB (unshaded)



$$\begin{aligned} \therefore \text{Area of AOB} &= \int_{-3}^4 \sqrt{25 - x^2} \, dx - \text{Area of } \triangle AOM - \text{Area of } \triangle ONB \\ &= \int_{-3}^4 \sqrt{25 - x^2} \, dx - \frac{1}{2} \times 4 \times 4 - \frac{1}{2} \times 3 \times 3 \\ &= \int_{-3}^4 \sqrt{25 - x^2} \, dx - 8 - \frac{9}{2} \quad \dots(i) \\ &= \left[\frac{x}{2} \sqrt{25 - x^2} + \frac{25}{2} \sin^{-1} \frac{x}{5} \right]_{-3}^4 - \frac{25}{2} \\ &= \frac{25\pi}{4} - \frac{1}{2} \end{aligned}$$

$$\therefore \text{Required area} = \pi(5^2) - \left(\frac{25\pi}{4} - \frac{1}{2}\right) = \frac{75\pi}{4} + \frac{1}{2}$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No.: +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | [facebook.com/ResonanceEdu](https://www.facebook.com/ResonanceEdu) | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

15. Given $f(x) = \ln x$ and $g(x) = \frac{x^4 - 2x^3 + 3x^2 - 2x + 2}{2x^2 - 2x + 1}$, then the domain of $f(g(x))$ is :

(1) $(0, \infty)$

(2) $(1, \infty)$

(3) \mathbb{R}

(4) $(-\infty, 0)$

Ans. (3)

Sol. $f(g(x)) = \ln(g(x)) \Rightarrow g(x) > 0$

$$g(x) = \frac{x^4 - 2x^3 + 3x^2 - 2x + 2}{2x^2 - 2x + 1} > 0$$

$$\Rightarrow 2x^2 - 2x + 1 > 0 \quad \forall x \in \mathbb{R} \quad (\because a > 0, D < 0)$$

Now, $x^4 - 2x^3 + 3x^2 - 2x + 2 = x^4 - 2x^3 + 2x^2 + x^2 - 2x + 2$

$$x^4 - 2x^3 + 2x^2 + x^2 - 2x + 2 = (x^2 + 1)(x^2 - 2x + 2) > 0 \quad \forall x \in \mathbb{R}$$

$$x^4 - 2x^3 + 3x^2 - 2x + 2 > 0$$

$$g(x) > 0 \quad \forall x \in \mathbb{R}$$

Therefore, domain of $f(g(x))$ is \mathbb{R} .

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resonance  blog.resonance.ac.in