Test Booklet No.

Test Booklet Code

48
ENGLISH

NARMADA

Do not open this Test Booklet until you are asked to do so.

This Booklet contains 32 pages, including Rough Page.

Important Instructions:


- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
- 2. The test is of 3 hours duration and the Test Booklet contains 180 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
- Wherever the symbols/constants are not mentioned, they
 are to be considered as per their standard meaning/
 value.
- 4. Each question earries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.
- Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 7. On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/ Hall. The candidates are allowed to take away this Test Booklet with them.
- 8. The CODE for this Booklet is "48". Make sure to enter this code in the OMR answer sheet.

- The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/ Answer Sheet.
- Use of white fluid for correction is NOT permissible on the Answer Sheet.
- 11. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- 13. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 14. Use of Electronic/Manual Calculator is prohibited.
- 15. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination along with Public Examinations (Prevention of unfair means act 2024).
- No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 18. If a candidate marks more than one answers for a question in the OMR Sheet, it will be treated as incorrect and negative marking will be applicable.


Name of the Candidate (in Capitals):A	PYAN RANA	******
D. II Number in figures 440	0 410 60 60	
: in words faut	hundred fourty Casone of	austy one lathy Six Housen
Centre of Examination (in Capitals):	embhedoura	• • • • • • • • • • • • • • • • • • • •
Candidate's Signature :		e:
Facsimile signature stamp of Centre Superi	ntendent:	***************************************
48 English l	1	[Contd

- A parallel plate capacitor made of circular plates is being charged such that the surface charge density on its plates is increasing at a constant rate with time. The magnetic field arising due to displacement current is:
 - (1) non-zero everywhere with maximum at the imaginary cylindrical surface connecting peripheries of the plates
 - (2) zero between the plates and non-zero outside
 - (3) zero at all places
 - (4) constant between the plates and zero outside the plates
- An electric dipole with dipole moment 5×10^{-6} Cm is aligned with the direction of a uniform electric field of magnitude 4×10^5 N/C. The dipole is then rotated through an angle of 60° with respect to the electric field. The change in the potential energy of the dipole is:
 - (1) 1.2 J
- (2) 1.5 J
- (3) 0.8 J
- (4) 1.0 I
- A ball of mass 0.5 kg is dropped from a height of 40 m. The ball hits the ground and rises to a height of 10 m. The impulse imparted to the ball during its collision with the ground is (Take $g = 9.8 \ m/s^2$)
- (1) 0
- (2) 84 NS
- (3) 21 NS
- (4) 7 NS
- The intensity of transmitted light when a polaroid sheet, placed between two crossed polaroids at 22.5° from the polarization axis of one of the polaroid, is (I₀ is the intensity of polarised light after passing through the first polaroid):
 - (1) $\frac{I_0}{8}$
- (2) $\frac{I_0}{16}$
- (3) $\frac{I_0}{2}$
- (4) $\frac{I_0}{4}$

- The kinetic energies of two similar cars A and B are 100 J and 225 J respectively. On applying breaks, car A stops after 1000 m and car B stops after 1500 m. If F_A and F_B are the forces applied by the breaks on cars A and B, respectively, then the ratio F_A/F_B is
 - (1) $\frac{1}{3}$
- $\frac{10}{(2)} \frac{1}{2}$
- (3) $\frac{3}{2}$
- $(4) \frac{2}{3}$
- The current passing through the battery in the given circuit, is:




- (1) 2.5 A
- (2) 1.5 A
- (3) 2.0 A
- (4) 0.5 A
- Three identical heat conducting rods are connected in series as shown in the figure. The rods on the sides have thermal conductivity 2K while that in the middle has thermal conductivity K. The left end of the combination is maintained at temperature 3T and the right end at T. The rods are thermally insulated from outside. In steady state, temperature at the left junction is T_1 and that at the right junction is T_2 . The ratio T_1/T_2 is




- $(1) \frac{5}{3}$
- (2)
- (3) $\frac{3}{2}$
- (4)

8 In an oscillating spring mass system, a spring is connected to a box filled with sand. As the box oscillates, sand leaks slowly out of the box vertically so that the average frequency $\omega(t)$ and average amplitude A(t) of the system change with time t. Which one of the following options schematically depicts these changes correctly?



AB is a part of an electrical circuit (see figure). The potential difference " $V_A - V_B$ ", at the instant when current i = 2 A and is increasing at a rate of 1 amp / second is:



A particle of mass m is moving around the 10 origin with a constant force F pulling it towards the origin. If Bohr model is used to describe its motion, the radius r of the nth orbit and the particle's speed v in the orbit depend on n as

(1)
$$r \propto n^{2/3}$$
; $v \propto n^{1/3}$
(2) $r \propto n^{4/3}$; $v \propto n^{-1/3}$
(3) $r \propto n^{1/3}$; $v \propto n^{1/3}$

(2)
$$r \propto n^{4/3}$$
; $v \propto n^{-1/3}$

(3)
$$r \propto n^{1/3}$$
; $v \propto n^{1/3}$

(4)
$$r \propto n^{1/3}$$
; $v \propto n^{2/3}$


In some appropriate units, time (t) and position 11 (x) relation of a moving particle is given by $t = x^2 + x$. The acceleration of the particle is

(1)
$$+\frac{2}{(x+1)^3}$$
 (2) $+\frac{2}{2x+1}$

(3)
$$-\frac{2}{(x+2)^3}$$
 (4) $-\frac{2}{(2x+1)^3}$

- 12 A model for quantized motion of an electron in a uniform magnetic field B states that the flux passing through the orbit of the electron is n(h/e) where n is an integer, h is Planck's constant and e is the magnitude of electron's charge. According to the model, the magnetic moment of an electron in its lowest energy state will be (m is the mass of the electron)
 - heB (1)
- heB
- (3)
- $2\pi m$

- A microscope has an objective of focal length 2 cm, eyepiece of focal length 4 cm and the tube length of 40 cm. If the distance of distinct vision of eye is 25 cm, the magnification in the microscope is
 - (1) 150
- (2) 250
- (3) 100
- (4) 125
- 14 There are two inclined surfaces of equal length (L) and same angle of inclination 45° with the horizontal. One of them is rough and the other is perfectly smooth. A given body takes 2 times as much time to slide down on rough surface than on the smooth surface. The coefficient of kinetic friction (μ_k) between the object and the rough surface is close to
 - (1) 0.5
- (2) 0.75
- (3) 0.25
- (4) 0.40
- A full wave rectifier circuit with diodes (D_1) and (D_2) is shown in the figure. If input supply voltage $V_{in} = 220 \sin (100 \pi t)$ volt, then at t = 15 msec





- (1) D_1 and D_2 both are forward biased
- (2) D_1 and D_2 both are reverse biased
- (3) D_1 is forward biased, D_2 is reverse biased
- (4) D_1 is reverse biased, D_2 is forward biased


- 16 A uniform rod of mass 20 kg and length 5 m leans against a smooth vertical wall making an angle of 60° with it. The other end rests on a rough horizontal floor. The friction force that the floor exerts on the rod is (take g = 10 m/s²)
 - (1) 200 N
- (2) 200 √3 N
- (3) 100 N
- (4) 100 √3 N
- A and B have their centres separated by a certain distance. Charge on each sphere is q and the force of repulsion between them is F. A third identical uncharged conducting sphere is brought in contact with sphere A first and then with B and finally removed from both. New force of repulsion between spheres A and B (Radii of A and B are negligible compared to the distance of separation so that for calculating force between them they can be considered as point charges) is best given as:
 - $(1) \quad \frac{F}{2}$
- (2) $\frac{3F}{8}$
- $(3) \quad \frac{3F}{5}$
- $(4) \quad \frac{2F}{3}$
- 18 Two cities X and Y are connected by a regular bus service with a bus leaving in either direction every T min. A girl is driving scooty with a speed of 60 km/h in the direction X to Y notices that a bus goes past her every 30 minutes in the direction of her motion, and every 10 minutes in the opposite direction. Choose the correct option for the period T of the bus service and the speed (assumed constant) of the buses.
 - (1) 10 min, 90 km/h
 - (2) 15 min, 120 km/h
 - (3) 9 min, 40 km/h
 - (4) 25 min, 100 km/h


- 19 A container has two chambers of volumes $V_1 = 2$ litres and $V_2 = 3$ litres separated by a partition made of a thermal insulator. The chambers contains $n_1 = 5$ and $n_2 = 4$ moles of ideal gas at pressures $p_1 = 1$ atm and $p_2 = 2$ atm, respectively. When the partition is removed, the mixture attains an equilibrium pressure of:
 - (1) 1.4 atm
 - (2) 1.8 atm
 - (3) 1.3 atm
 - (4) 1.6 atm
 - De-Broglie wavelength of an electron orbiting in the n = 2 state of hydrogen atom is close to (Given Bohr radius = 0.052 nm)
 - (1) 1.67 nm
 - (2) 2.67 nm
 - (3) 0.067 nm
 - (4) 0.67 nm
 - To an ac power supply of 220 V at 50 Hz, a resistor of $20~\Omega$, a capacitor of reactance $25~\Omega$ and an inductor of reactance $45~\Omega$ are connected in series. The corresponding current in the circuit and the phase angle between the current and the voltage is, respectively -
 - (1) 15.6 A and 30°
 - (2) 15.6 A and 45°
 - (3) 7.8 A and 30°
 - (4) 7.8 A and 45°

Which of the following options represent the variation of photoelectric current with property of light shown on the x-axis?










- (1) A and D
- (2) B and D
- (3) A only
- (4) A and C
- A pipe open at both ends has a fundamental frequency f in air. The pipe is now dipped vertically in a water drum to half of its length.

 The fundamental frequency of the air column is now equal to:
 - $(1) \quad \frac{3f}{2}$
- (2) 2 f
- $(3) \quad \frac{f}{2}$
- (4) f

| Contd...

A sphere of radius R is cut from a larger solid sphere of radius 2R as shown in the figure. The ratio of the moment of inertia of the smaller sphere to that of the rest part of the sphere about the Y-axis is:



An electron (mass 9×10^{-31} kg and charge 1.6×10^{-19} C) moving with speed c/100 (c = speed of light) is injected into a magnetic field B of magnitude 9×10^{-4} T perpendicular to its direction of motion. We wish to apply an uniform electric field E together with the magnetic field so that the electron does not deflect from its path. Then (speed of light $c = 3 \times 10^8$ ms⁻¹)

- (1) \overrightarrow{E} is parallel to \overrightarrow{B} and its magnitude is 27×10^2 V m⁻¹
- (2) $\stackrel{\rightarrow}{E}$ is parallel to $\stackrel{\rightarrow}{B}$ and its magnitude is 27×10^4 V m⁻¹
- (3) $\stackrel{\longrightarrow}{E}$ is perpendicular to $\stackrel{\longrightarrow}{B}$ and its magnitude is $27 \times 10^4 \text{ V } m^{-1}$
- (4) \overrightarrow{E} is perpendicular to \overrightarrow{B} and its magnitude is $27 \times 10^2 \text{ V m}^{-1}$

48_English |

The electric field in a plane electromagnetic wave is given by

$$E_z = 60\cos(5x + 1.5 \times 10^9 t)V/m$$
.

Then expression for the corresponding magnetic field is (here subscripts denote the direction of the field):

(1)
$$B_z = 60\cos(5x + 1.5 \times 10^9 t)T$$

(2)
$$B_y = 60 \sin (5x + 1.5 \times 10^9 t)T$$

(3)
$$B_v = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$$

(4)
$$B_x = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$$


A body weighs 48 N on the surface of the earth. The gravitational force experienced by the body due to the earth at a height equal to one-third the radius of the earth from its surface is:

- (1) 32 N
- (2) 36 N
- (3) 16 N
- (4) 27 N

An unpolarized light beam travelling in air is incident on a medium of refractive index 1.73 at Brewster's angle. Then-

- (1) both reflected and transmitted light are perfectly polarized with angles of reflection and refraction close to 60° and 30°, respectively.
- (2) transmitted light is completely polarized with angle of refraction close to 30°
- (3) reflected light is completely polarized and the angle of reflection is close to 60°
- (4) reflected light is partially polarized and the angle of reflection is close to 30°

A constant voltage of 50 V is maintained 41 between the points A and B of the circuit shown in the figure. The current through the branch CD of the circuit is:



- 2.5 A
- 3.0 A
- 1.5 A
- 2.0 A
- The plates of a parallel plate capacitor are 42 separated by d. Two slabs of different dielectric

constant K_1 and K_2 with thickness $\frac{3}{8}d$ and $\frac{d}{2}$,

respectively are inserted in the capacitor. Due to this, the capacitance becomes two times larger than when there is nothing between the plates.

If $K_1 = 1.25 K_2$, the value of K_1 is:

- (1) 1.60
- (3) 2.66

- (4) 2.33
- Consider the diameter of a spherical object 43 being measured with the help of a Vernier callipers. Suppose its 10 Vernier Scale Divisions (V.S.D.) are equal to its 9 Main Scale Divisions (M.S.D.). The least division in the M.S. is 0.1 cm and the zero of V.S. is at x = 0.1 cm when the jaws of Vernier callipers are closed.


If the main scale reading for the diameter is M = 5 cm and the number of coinciding vernier division is 8, the measured diameter after zero error correction, is

- (1) 4.98 cm (2) 5.00 cm
- (3) 5.18 cm
- (4) 5.08 cm

- A 2 amp current is flowing through two different small circular copper coils having radii ratio 1:2. The ratio of their respective magnetic moments will be

 - 4:1

 - 1:2
- Consider a water tank shown in the figure. 45 It has one wall at x = L and can be taken to be very wide in the z direction. When filled with a liquid of surface tension S and density p, the liquid surface makes angle $\theta_0(\theta_0 \ll 1)$ with the x-axis at x = L. If y(x) is the height of the surface then the equation for y(x) is:



(take $\theta(x) = \sin \theta(x) = \tan \theta(x) = \frac{dy}{dx}$, g is the acceleration due to gravity)

- $(1) \quad \frac{d^2y}{dx^2} = \sqrt{\frac{\rho g}{S}}$
- (2) $\frac{dy}{dx} = \sqrt{\frac{\rho g}{S}}x$
- $(4) \quad \frac{d^2y}{dx^2} = \frac{\rho g}{S}y$

Identify the suitable reagent for the following 46 conversion.

- (i) NaBH₄, (ii) H⁺/H₂O
- (2) H₂ / Pd-BaSO₄
- (i) LiAlH₄, (ii) H⁺/H₂O
- (4) (i) AlH(iBu), (ii) H₂O
- The correct order of decreasing acidity of the 47 following aliphatic acids is:
 - (1) HCOOH > CH3COOH > $(CH_3)_2CHCOOH > (CH_3)_3CCOOH$
 - $HCOOH > (CH_3)_3CCOOH >$ (CH₃)₂CHCOOH > CH₃COOH
 - (3) $(CH_3)_3CCOOH > (CH_3)_2CHCOOH >$ CH3COOH > HCOOH
 - (4) $CH_3COOH > (CH_3)_2CHCOOH >$ $(CH_3)_3CCOOH > HCOOH$
- Which one of the following reactions does 48 NOT belong to "Lassaigne's test"?

(1) Na + X
$$\xrightarrow{\Lambda}$$
 + NaX

(2)
$$2CuO + C \longrightarrow 2Cu + CO_2$$

(3) Na + C + N
$$\longrightarrow$$
 NaCN

(4)
$$2Na + S \longrightarrow Na_2S$$

49 If the rate constant of a reaction is 0.03 s⁻¹, how much time does it take for 7.2 mol L-1 concentration of the reactant to get reduced to 0.9 mol L-1?

(Given: $\log 2 = 0.301$)

48_English |

- Given below are two statements: 50
 - Statement I: A hypothetical diatomic molecule with bond order zero is quite stable.

Statement II : As bond order increases, the bond length increases.

- Statement I is true but Statement II is false
- Statement I is false but Statement II is true
- Both Statement I and Statement II are true
- Both Statement I and Statement II are false
- Out of the following complex compounds, 51 which of the compound will be having the minimum conductance in solution?

(1)
$$\left[\text{Co}(\text{NH}_3)_6 \right] \text{Cl}_3$$

(2)
$$\left[C_0(NH_3)_5 Cl\right]Cl$$

(3)
$$\left[\operatorname{Co}(\operatorname{NH}_3)_3\operatorname{Cl}_3\right]$$

(4)
$$\left[\text{Co}(\text{NH}_3)_4 \text{Cl}_2 \right]$$

- Which of the following aqueous solution will 52 exhibit highest boiling point?
 - (1) 0.01M Na₂SO₄
 - (2) 0.015M C₆H₁₂O₆
 - (3) 0.01M Urea
 - (4) 0.01M KNO₃

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): \bigcirc I undergoes S_N^2 reaction faster than \bigcirc Cl.

Reason (R): lodine is a better leaving group because of its large size.

In the light of the above statements, choose the correct answer from the options given below

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is not the correct explanation of A
- 54 Consider the following compounds:

 \underline{KO}_2 , $\underline{H_2O}_2$ and $\underline{H_2SO}_4$.

The oxidation states of the underlined elements in them are, respectively,

- (1) $\pm 1, -2, \text{ and } \pm 4$
- (2) +4, -4, and +6
- (3) +1, -1, and +6
- (4) +2, -2, and +6
- 55 Match List I with List II

List-II List-II

- A. Haber process——I. Fe catalyst
- B. Wacker oxidation II. PdCl₂
- C. Wilkinson catalyst III. [(PPh₃)₃RhCl]
- D. Ziegler catalyst IV. TiCl₄ with Al(CH₃)₃

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-I, B-IV, C-III, D-II
- (3) A-I, B-II, C-IV, D-III
- (4) A-H, B-III, C-I, D-IV

56 Given below are two statements:

Statement I: Like nitrogen that can form ammonia, arsenic can form arsine.

Statement II: Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect
- 57 Given below are two statements:

Statement I: Ferromagnetism is considered as an extreme form of paramagnetism.

Statement II: The number of unpaired electrons in a Cr^{2+} ion (Z = 24) is the same as that of a Nd^{3+} ion (Z = 60).

- (1) Statement I is true but Statement II is false
- (2) Statement 1 is false but Statement 11 is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

- Which one of the following reactions does 58 NOT give benzene as the product?
 - red hot Iron Tube H-C≡C-H (1)

 - Mo.O. (4) 773K, 10 - 20 atm. n-hexane
- 59 Match List - I with List - II
 - List-I

List-II

- A. XeO₃
- sp³d; linear
- B. XeF,
- sp³; pyramidal
- C. XeOF
- III. sp³d³; distorted
 - octahedral
- D. XeF6
- IV. sp³d²; square

pyramidal

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- A-IV, B-II, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-II, B-I, C-III, D-IV
- How many products (including stereoisomers) 60 are expected from monochlorination of the following compound?

- (1) 5
- (2) 6
- (3) 2
- (4) 3
- 48_English]

- Which of the following statements are true? A. Unlike Ga that has a very high melting
 - point, Cs has a very low melting point.
 - On Pauling scale, the electronegativity values of N and Cl are not the same.
 - Ar, K+, Cl-, Ca2+, and S2- are all isoelectronic species.
 - The correct order of the first ionization enthalpies of Na, Mg, Al, and Si is Si > Al > Mg > Na.
 - The atomic radius of Cs is greater than that of Li and Rb.

Choose the correct answer from the options given below:

- (1) C and D only
- (2) A, C, and E only
- A, B, and E only
- (4) C and E only
- 62 The standard heat of formation, in kcal/mol of Ba²⁺ is:

[Given: standard heat of formation of SO₄²ion (aq) = -216 kcal/mol, standard heat of crystallisation of

 $BaSO_4(s) = 4.5$ kcal/mol, standard heat of formation of $BaSO_4(s) = -349 \text{ kcal/mol}$

- (1) + 133.0
- (2) + 220.5
- (3) 128.5
- (4) 133.0
- Match List I with List II 63

List-I


List-II


(Example)


(Type of Solution)


- A. Humidity
- Solid in solid
- B. Alloys
- II. Liquid in gas
- Amalgams III. Solid in gas
- Smoke -IV. Liquid in solid Choose the correct answer from the options
- given below: (1) A-III, B-I, C-IV, D-II
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-IV, C-I, D-III
- (4) A-II, B-I, C-IV, D-III

C(s)+2H₂(g)→CH₄(g); ΔH=-74.8 kJ mol⁻¹
 Which of the following diagrams gives an accurate representation of the above reaction?
 [R → reactants; P → products]









- 65 Sugar 'X'
 - A. is found in honey.
 - B. is a keto sugar.
 - C. exists in α and β anomeric forms.
 - D. is laevorotatory.
 - 'X' is:
 - (1) Maltose
- (2) Sucrose
- (3) D-Glucose
- (4) D-Fructose

- Total number of possible isomers (both structural as well as stereoisomers) of cyclic ethers of molecular formula (C₄H₈O js:
 - (1) 10
- (2) 11
- (3) 6
- (4) 8
- For the reaction $A(g) \rightleftharpoons 2B(g)$, the backward reaction rate constant is higher than the forward reaction rate constant by a factor of 2500, at 1000 K.

[Given: $R = 0.0831 \text{ L atm mol}^{-1} \text{ K}^{-1}$]

Kp for the reaction at 1000 K is

- (1) 0.033
- (2) 0.021
- (3) 83.1
- (4) 2.077×10^5
- 68 The ratio of the wavelengths of the light absorbed by a Hydrogen atom when it undergoes n = 2 → n = 3 and n = 4 → n = 6 transitions, respectively, is
 - (1) $\frac{1}{9}$
- (2) $\frac{1}{4}$
- (3) $\frac{1}{36}$
- $(4) \frac{1}{16}$
- 69 If the molar conductivity (A_m) of a 0.050 mol L⁻¹ solution of a monobasic weak acid is 90 S cm² mol⁻¹, its extent (degree) of dissociation will be

[Assume $\Lambda_{+}^{\circ} = 349.6 \,\mathrm{S \, cm^{2} \, mol^{-1}}$ and

 $\Lambda_{-}^{\circ} = 50.4 \text{ S cm}^2 \text{ mol}^{-1}.$

- (1) 0.225
- (2) 0.215
- (3) 0.115
- (4) 0.125

- 5 moles of liquid X and 10 moles of liquid Y make a solution having a vapour pressure of 70 torr. The vapour pressures of pure X and Y 70 are 63 torr and 78 torr respectively. Which of the following is true regarding the described solution?
 - The solution is ideal.
 - The solution has volume greater than the sum of individual volumes.
 - (3) The solution shows positive deviation.
 - The solution shows negative deviation.
- Among the following, choose the ones with 71 equal number of atoms.
 - A. $212 \text{ g of Na}_2\text{CO}_3$ (s) [molar mass = 106 g]
 - B. $248 \text{ g of Na}_2\text{O (s) [molar mass} = 62 \text{ g]}$
 - C. 240 g of NaOH (s) [molar mass = 40 g]
 - D. 12 g of $H_2(g)$ [molar mass = 2 g]
 - E. 220 g of $CO_2(g)$ [molar mass = 44 g] Choose the correct answer from the options given below:
 - B, C, and D only
 - B, D, and E only
 - (3) A. B, and C only
 - (4) A. B. and D only
- Which of the following are paramagnetic? 72

- A. $[\text{NiCI}_4]^{2-}$ B. Ni(CO)_4 23

 C. $[\text{Ni(CN)}_4]^{2-}$ D. $[\text{Ni(H}_2\text{O})_6]^{2+}$
- E. Ni(PPh3)
- CID.

Choose the correct answer from the options given below:


- (1) A and D only
- (2) A, D and E only
- (3) A and C only
- (4) B and E only
- If the half-life (t_{1/2}) for a first order reaction 73 is 1 minute, then the time required for 99.9% completion of the reaction is closest to:
 - (1) 5 minutes
- (2) 10 minutes
- (3) 2 minutes
- (4) 4 minutes
- 48_English |

Energy and radius of first Bohr orbit of

He+ and Li2+ are

[Given $R_H = 2.18 \times 10^{-18} \text{ J}$, $a_0 = 52.9 \text{ pm}$]

- (1) $E_n(Li^{2+}) = -19.62 \times 10^{-16} J;$ $r_n(Li^{2+}) = 17.6 \text{ pm}$
 - $E_n(He^+) = -8.72 \times 10^{-16} J;$ $r_n(He^+) = 26.4 \text{ pm}$
- (2) $E_n(Li^{2+}) = -8.72 \times 10^{-16} J;$ $r_n(Li^{2+}) = 17.6 \text{ pm}$ $E_n(He^+) = -19.62 \times 10^{-16} J;$ $r_n(He^+) = 17.6 \text{ pm}$
- (3) $E_n(Li^{2+}) = +19.62 \times 10^{-18} J;$ $r_n(Li^{2+}) = 17.6 \text{ pm}$ $E_{\rm p}({\rm He^+}) = -8.72 \times 10^{-18} \,{\rm J};$ $r_{\rm p}({\rm He^+}) = 26.4~{\rm pm}$
- (4) $E_n(Li^{2+}) = -8.72 \times 10^{-18} J;$ $r_n(Li^{2+}) = 26.4 \text{ pm}$
- $E_n(He^+) = -19.62 \times 10^{-18} \text{ J};$ $r_n(He^+) = 17.6 \text{ pm}$ Stable of Stable of
- Among the given compounds I-III, the correct 75 order of bond dissociation energy of C-H bond marked with * is:



- (1) $\Pi > \Pi > \Pi > 1$ (2) $\Pi > \Pi > 1$
- (3) II > I > III (4) I > II > III
- Dalton's Atomic theory could not explain 76 which of the following?
 - (1) Law of multiple proportion
 - (2) Law of gaseous volume
 - Law of conservation of mass
 - Law of constant proportion

- Identify the correct orders against the property 77 mentioned
 - A. $H_2O > NH_3 > CHCl_3 dipole moment$
 - B. $XeF_4 > XeO_3 > XeF_2$ number of lone pairs on central atom
 - C. O-H > C-H > N-O bond length
 - D. $N_2 > O_2 > H_2$ bond enthalpy

Choose the correct answer from the options given below:

- (1) A, C only
- (2) B, C only
- A, D only
- (4) B, D only
- Match List I with List II. 78

List I
(Name of
Vitamin)

List II (Deficiency disease)

- Vitamin B₁₂
- Cheilosis
- Vitamin D
- Convulsions
- Vitamin B₂
- III. Rickets

IV. Pernicious anaemia D. Vitamin B₆ Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- A-IV, B-III, C-II, D-I
- A-I, B-III, C-II, D-IV
- A-IV, B-III, C-I, D-II
- The correct order of decreasing basic strength 79 of the given amines is:
 - (1) N-ethylethanamine > ethanamine > N-methylaniline > benzenamine
 - benzenamine > ethanamine > N-methylaniline > N-ethylethanamine
 - (3) N-methylaniline > benzenamine > ethanamine > N-ethylethanamine
 - N-ethylethanamine > ethanamine > benzenamine > N-methylaniline
- The correct order of the wavelength of light 80 absorbed by the following complexes is,

A.
$$\left[\text{Co(NH}_3)_6\right]^{3+}$$
 B. $\left[\text{Co(CN)}_6\right]^{3-}$ C. $\left[\text{Cu(H}_2\text{O})_4\right]^{2+}$ D. $\left[\text{Ti(H}_2\text{O})_6\right]^{3+}$

D.
$$[Ti(H_2O)_6]^{34}$$

Choose the correct answer from the options given below:

- (1) C < D < A < B (2) C < A < D < B (3) B < D < A < C (4) B < A < D < C

- Which one of the following compounds does 81 not decolourize bromine water?
- Predict the major product 'P' in the following 82 sequence of reactions -

(1)
$$\bigcirc$$
 CH₃ (2) \bigcirc CH₃ \bigcirc CH₃

(3)
$$CH_3$$
 (4) CH_2NH_2 CH_2NH_2

Match List I with List II 83

List I	
(Mixture)	

List II (Method of Separation)

- A. CHCl₃ + C6H5NH2
- Distillation under reduced pressure
- Crude oil in petroleum industry
- Steam distillation
- Glycerol from spent-lye


D. Aniline - water

- Fractional distillation Simple IIV.
- distillation Choose the correct answer from the options given below:
- (1) A-III, B-IV, C-I, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A-IV, B-III, C-I, D-II
- A-IV, B-III, C-II, D-I

- Which among the following electronic configurations belong to main group elements? 84
 - A. [Ne]3s1
- B. [Ar]3d³4s²
- C. [Kr]4d¹⁰5s²5p⁵ D. [Ar]3d¹⁰4s¹
- E. [Rn]5f⁰6d²7s²

Choose the correct answer from the option given below:

- (1) D and E only
- A, C and D only
- B and E only
- A and C only
- Which one of the following compounds can 85 exist as cis-trans isomers?
 - 1.1-Dimethylcyclopropane
 - 1,2-Dimethylcyclohexane
 - Pent-1-ene
 - 2-Methylhex-2-ene



Phosphoric acid ionizes in three steps with 86 their ionization constant values

$$K_{a_1}$$
, K_{a_2} and K_{a_3} , respectively,

while K is the overall ionization constant. Which of the following statements are true?

A.
$$\log K = \log K_{a_1} + \log K_{a_2} + \log K_{a_3}$$

- B. H₃PO₄ is a stronger acid than H₂PO₄ and HPO_4^{2-} .
- C. $K_{a_1} \times K_{a_2} > K_{a_3}$
- D. $K_{a_1} = \frac{K_{a_3} + K_{a_2}}{2}$

Choose the correct answer from the options

- (1) B, C and D only
- (2) A, B and C only
- (3) A and B only
- (4) A and C only

48_English |

Match List I with List II

List I

List II

(Ion)

(Group Number in Cation Analysis)

- Group-I A. Co2+
- Mg²⁺
- Group-III
- C. Pb²⁺
- ✓III. Group-IV
- D. Al³⁺
- IV. Group-VI

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-III, B-II, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-III, B-IV, C-I, D-II
- Higher yield of NO in 88

$$N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$$
 can be

obtained at

[ΔH of the reaction = + 180.7 kJ mol⁻¹]

- A. higher temperature
- lower temperature
- higher concentration of N2
- D. higher concentration of O2

Choose the correct answer from the options given below:

- (1) B, C, D only
- (2) A, C, D only
- (3) A, D only
- (4) B, C only

89 Given below are two statements:

Statement I: Benzenediazonium salt is prepared by the reaction of aniline with nitrous acid at 273 - 278 K. It decomposes easily in the dry state.

Statement II: Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI.


In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

90 The major product of the following reaction is:

$$\begin{array}{ccc}
& O \\
& O \\
& CN \\
& (i) CH_3MgBr \\
& (excess) \\
\hline
& (ii) H_3O^+
\end{array}$$

91



In the above represented plasmid an alien piece of DNA is inserted at EcoRI site. Which of the following strategies will be chosen to select the recombinant colonies?

- (1) White color colonies will be selected.
- (2) Blue color colonies grown on ampicillin plates can be selected.
- (3) Using ampicillin & tetracyclin containing medium plate.
- (4) Blue color colonies will be selected.

92 The protein portion of an enzyme is called:

- (1) Apoenzyme
- (2) Prosthetic group
- (3) Cofactor
- (4) Coenzyme

93 Given below are two statements:

Statement I: The primary source of energy in an ecosystem is solar energy.

Statement II: The rate of production of organic matter during photosynthesis in an ecosystem is called net primary productivity (NPP).

- (1) Statement I is correct but statement II is incorrect
- (2) Statement 1 is incorrect but statement 11 is correct
- (3) Both statement I and statement II are correct
- (4) Both statement I and statement II are incorrect

Given below are two statements: One is labelled as Assertion (A) and the other is 94 labelled as Reason (R).

Assertion (A) : A typical unfertilised, angiosperm embryo sac at maturity is 8 nucleate and 7-celled.

Reason (R): The egg apparatus has 2 polar nuclei.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
- A is false but R is true
- Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A
- Neoplastic characteristics of cells refer to:
 - A. A mass of proliferating cell
 - Rapid growth of cells
 - Invasion and damage to the surrounding tissue
 - D. Those confined to original location

Choose the correct answer from the options given below:

- (1) A, B, D only
- (2) B, C, D only
- (3) A. B only
- (4) A. B. C only
- Which one of the following is the characteristic 96 feature of gymnosperms?
 - (1) Seeds are absent.
 - (2) Gymnosperms have flowers for reproduction.
 - (3) Seeds are enclosed in fruits.
 - (4) Seeds are naked.
 - 48 English |

Match List - I with List - II. 97

List - I

List - II

Pars intermedia

- A. Progesterone
- II. Ovary
- B. Relaxin
- C. Melanocyte
- III. Adrenal
- stimulating hormone
- Medulla
- D. Catecholamines
- IV. Corpus luteum

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-III, B-II, C-IV, D-I
- (3) A-IV, B-II, C-I, D-III
- (4) A-IV, B-II, C-III, D-I
- Which chromosome in the human genome has 98 the highest number of genes?
 - Chromosome 1
 - Chromosome 10
 - Chromosome X
 - Chromosome Y
- Which of the following statements about 99 RuBisCO is true?
 - It is an enzyme involved in the photolysis of water.
 - It catalyzes the carboxylation of RuBP.
 - It is active only in the dark.
 - It has higher affinity for oxygen than carbon dioxide.
 - The first menstruation is called: 100
 - Diapause
- Ovulation
- (3) Menopause
- Menarche
- 101 Which of the following genetically engineered organisms was used by Eli Lilly to prepare human insulin?
 - Virus
- Phage
- Bacterium
- (4) Yeast

- 102 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).
 - Assertion (A): All vertebrates are chordates but all chordates are not vertebrate.

Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is not the correct explanation of A
- What is the main function of the spindle fibers during mitosis?
 - To repair damaged DNA
 - (2) To regulate cell growth
 - (3) To separate the chromosomes
 - (4) To synthesize new DNA
 - 104 Match List I with List II:

List-II List-I Streptococcus A. Alfred Hershey pneumoniae and Martha Chase Densely packed B. Euchromatin and dark-stained III. Loosely packed C. Frederick and light-stained Griffith IV. DNA as genetic D. Heterochromatin material

Choose the correct answer from the options given below:

confirmation

- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-II, C-I, D-III

105 Match List I with List II.

A. Adenosine I. Nitrogen base B. Adenylic acid II. Nucleotide C. Adenine III. Nucleoside D. Alanine IV. Amino acid Choose the option with all correct matches.

- (1) A-III, B-II, C-I, D-IV
- (2) A-II, B-III, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-III, B-II, C-IV, D-I
- 106 In frog, the Renal portal system is a special venous connection that acts to link:
 - (1) Kidney and intestine
 - (2) Kidney and lower part of body
 - (3) Liver and intestine
 - (4) Liver and kidney
- 107 Which of the following are the posttranscriptional events in an eukaryotic cell?
 - A. Transport of pre-mRNA to cytoplasm prior to splicing.
 - B. Removal of introns and joining of exons.
 - C. Addition of methyl group at 5' end of hnRNA.
 - D. Addition of adenine residues at 3' end of hnRNA.
 - E. Base pairing of two complementary RNAs.

Choose the correct answer from the options given below:

- (1) B, C, E only
- (2) C, D, E only
- (3) A, B, C only
- (4) B, C, D only
- 108 Polymerase chain reaction (PCR) amplifies
 DNA following the equation.
 - (1) 2n + 1
- (2) $2N^2$
- (3) N^2
- (4) 2ⁿ

Given below are two statements: One is 109 labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Both wind and water pollinated flowers are not very colourful and do not produce nectar.

Reason (R): The flowers produce enormous amount of pollen grains in wind and water pollinated flowers.


In the light of the above statements, choose the correct answer from the options given below:

- A is true but R is false
- A is false but R is true
- Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A
- Epiphytes that are growing on a mango branch is an example of which of the following?
 - Predation
 - Amensalism
 - Commensalism
 - Mutualism
- Find the correct statements:
 - A. In human pregnancy, the major organ systems are formed at the end of 12 weeks.
 - B. In human pregnancy the major organ systems are formed at the end of 8 weeks.
 - In human pregnancy heart is formed after one month of gestation.
 - In human pregnancy, limbs and digits develop by the end of second month.
 - In human pregnancy the appearance of hair is usually observed in the fifth month.

Choose the correct answer from the options given below:

- (1) B, C, D and E Only
- (2) A, C, D and E Only
- (3) A and E Only
- (4) B and C Only
- 48 English]

Identify the part of a bio-reactor which is used 112 as a foam braker from the given figure.



- (1) D
- (3) A
- Frogs respire in water by skin and buccal 113 cavity and on land by skin, buccal cavity and lungs.

Choose the correct answer from the following:

- The statement is false for water but true for land
- The statement is false for both the environment
- The statement is true for water but false for land
- The statement is true for both the environment
- 114 Consider the following statements regarding function of adrenal medullary hormones:
 - It causes pupilary constriction
 - It is a hyperglycemic hormone
 - It causes piloerection
 - It increases strength of heart contraction Choose the correct answer from the options given below:
 - A, C and D Only
 - D Only
 - C and D Only
 - B, C and D Only

- Read the following statements on plant growth and development.
 - A. Parthenocarpy can be induced by auxins.
 - B. Plant growth regulators can be involved in promotion as well as inhibition of growth.
 - C. Dedifferentiation is a pre-requisite for re-differentiation.
 - D. Abscisic acid is a plant growth promoter.
 - E. Apical dominance promotes the growth of lateral buds.

Choose the option with all correct statements.

- (1) A, D, E only
- (2) B, D, E only
- (3) A, B, C only
- (4) A, C, E only
- Which of the following hormones released from the pituitary is actually synthesized in the hypothalamus?
 - (1) Follicle-stimulating hormone (FSH)
 - (2) Adenocorticotrophic hormone (ACTH)
 - (3) Luteinizing hormone (LH)
 - (4) Anti-diuretic hormone (ADH)
 - Which of the following is an example of nondistilled alcoholic beverage produced by yeast?
 - (1) Beer
- (2) Rum
- (3) Whisky
- (4) Brandy
- What is the pattern of inheritance for polygenic trait?
 - (1) Autosomal dominant pattern
 - (2) X-linked recessive inheritance pattern
 - (3) Mendelian inheritance pattern
 - (4) Non-mendelian inheritance pattern

119 Match List - I with List - II.

List - I

List - II

- A. Head
- I. Enzymes
- B. Middle piece
- II. Sperm motility
- C. Acrosome
- III. Energy
- D. Tail
- IV. Genetic material

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-III, B-II, C-I, D-IV
- (3) A-IV, B-III, C-I, D-II
- (4) A-IV, B-III, C-II, D-I
- 120 Which of the following is an example of a zygomorphic flower?
 - (1) Pea
- (2) Chilli
- (3) Petunia
- (4) Datura
- Which of following organisms cannot fix nitrogen?
 - A. Azotobacter
- B. Oscillatoria
- C. Anabaena
- D. Volvox
- E. Nostoc

Choose the *correct* answer from the options given below:

- (1) B only
- (2) E only
- (3) A only
- (4) Donly
- Which one of the following is an example of ex-situ conservation?
 - (1) Zoos and botanical gardens
 - (2) Protected areas
 - (3) National Park
 - (4) Wildlife Sanctuary
- 123 Who is known as the father of Ecology in India?
 - (1) Ram Udar
 - (2) Birbal Sahni
 - (3) S. R. Kashyap
 - (4) Ramdeo Misra

124 Given below are two statements:

Statement I: In the RNA world, RNA is considered the first genetic material evolved to carry out essential life processes. RNA acts as a genetic material and also as a catalyst for some important biochemical reactions in living systems. Being reactive, RNA is unstable.

Statement II: DNA evolved from RNA and is a more stable genetic material. Its double helical strands being complementary, resist changes by evolving repairing mechanism.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but statement II is incorrect
- (2) Statement I is incorrect but statement II is correct
- (3) Both statement I and statement II are correct
- (4) Both statement I and statement II are incorrect

125 Given below are two statements:

Statement I: Transfer RNAs and ribosomal RNA do not interact with mRNA.

Statement II: RNA interference (RNAi) takes place in all eukaryotic organisms as a method of cellular defence.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

126 Match List - I with List - II.

List - I

List - II

- A. Heart
- 1. Erythropoietin
- B. Kidney
- II. Aldosterone
- C. Gastro-intestinal
- III. Atrial natriuretic
 - Adrenal Cortex IV. Secretin

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-III, C-II, D-I

127 All living members of the class Cyclostomata are:

- (1) Symbiotic
- (2) Ectoparasite
- (3) Free living
- (4) Endoparasite

Streptococcus is used for

- (1) Liver disease treatment
- (2) Removing clots from blood vessels
- (3) Curd production
- (4) Ethanol production

129 Role of the water vascular system in Echinoderms is:

- A. Respiration and Locomotion
- B. Excretion and Locomotion
- C. Capture and transport of food
- D. Digestion and Respiration
- E. Digestion and Excretion

Choose the correct answer from the options given below:

- (1) B and C Only
- (2) B, D and E Only
- (3) A and B Only
- (4) A and C Only

130 Match List I with List II.

List I

List II

- A. Pteridophyte
- I. Salvia
- B. Bryophyte
- II. Ginkgo
- C. Angiosperm
- III. Polytrichum
- D. Gymnosperm
- IV. Salvinia

Choose the option with all correct matches.

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-IV, C-II, D-I
- (4) A-IV, B-III, C-I, D-II

131 Which are correct:

- A. Computed tomography and magnetic resonance imaging detect cancers of internal organs.
- B. Chemotherapeutics drugs are used to kill non-cancerous cells.
- C. \(\alpha\)-interferon activate the cancer patients' immune system and helps in destroying the tumour.
- D. Chemotherapeutic drugs are biological response modifiers.
- E. In the case of leukaemia blood cell counts are decreased.

Choose the correct answer from the options given below:

- (1) C and D only
- (2) A and C only
- (3) B and D only
- (4) D and E only
- What are the potential drawbacks in adoption of the IVF method?
 - A. High fatality risk to mother
 - B. Expensive instruments and reagents
 - C. Husband/wife necessary for being donors
 - D. Less adoption of orphans
 - E. Not available in India
 - F. Possibility that the early embryo does not survive

Choose the correct answer from the options given below:

- (1) A, B, C, D only
- (2) A, B, C, E, F only
- (3) B, D, F only
- (4) A, C, D, F only

- 133 Consider the following:
 - A. The reductive division for the human female gametogenesis starts earlier than that of the male gametogenesis.
 - B. The gap between the first meiotic division and the second meiotic division is much shorter for males compared to females.
 - C. The first polar body is associated with the formation of the primary oocyte.
 - D. Luteinizing Hormone (LH) surge leads to disintegration of the endometrium and onset of menstrual bleeding.

Choose the correct answer from the options given below:

- (1) B and D are true
- (2) B and C are true
- (3) A and B are true
- (4) A and C are true
- In bryophytes, the gemmae help in which one of the following?
 - (1) Nutrient absorption
 - (2) Gaseous exchange
 - (3) Sexual reproduction
 - (4) Asexual reproduction
- 135 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): The primary function of the Golgi apparatus is to package the materials made by the endoplasmic reticulum and deliver it to intracellular targets and outside the cell.

Reason (R): Vesicles containing materials made by the endoplasmic reticulum fuse with the cis face of the Golgi apparatus, and they are modified and released from the trans face of the Golgi apparatus.

- 1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is not the correct explanation of A

- Which one of the following statements refers to Reductionist Biology?
 - (1) Chemical approach to study and understand living organisms.
 - (2) Behavioural approach to study and understand living organisms.
 - (3) Physico-chemical approach to study and understand living organisms.
 - (4) Physiological approach to study and understand living organisms.
 - 137 After maturation, in primary lymphoid organs, the lymphocytes migrate for interaction with antigens to secondary lymphoid organ(s) / tissue(s) like:
 - A. thymus
- B. bone marrow
- C. spleen
- D. lymph nodes
- E. Peyer's patches

Choose the *correct* answer from the options given below:

- (1) E, A, B only
- (2) C, D, E only
- (3) B, C, D only
- (4) A, B, C only
- 138 Match List I with List II:

List I

List II

- A. The Evil Quartet
- I. Cryopreservation
- B. Ex situ
- II. Alien species invasion
- conservation C. Lantana
- III. Causes of biodiversity
- camara biodiv
- D. Dodo
- IV. Extinction

Choose the option with all correct matches.

- (1) A-III, B-IV, C-II, D-I
- (2) A-III, B-II, C-IV, D-I
- (3) A-III, B-II, C-I, D-IV
- (4) A-III, B-I, C-II, D-IV

- How many meiotic and mitotic divisions need to occur for the development of a mature female gametophyte from the megaspore mother cell in an angiosperm plant?
 - (1) 1 Meiosis and 3 Mitosis
 - (2) No Meiosis and 2 Mitosis
 - (3) 2 Meiosis and 3 Mitosis
 - (4) 1 Meiosis and 2 Mitosis
 - Which of the following type of immunity is present at the time of birth and is a non-specific type of defence in the human body?
 - (1) Cell-mediated Immunity
 - (2) Humoral Immunity
 - (3) Acquired Immunity
 - (4) Innate Immunity
 - 141 Given below are two statements :

Statement I: Fig fruit is a non-vegetarian fruit as it has enclosed fig wasps in it.

Statement II: Fig wasp and fig tree exhibit mutual relationship as fig wasp completes its life cycle in fig fruit and fig fruit gets pollinated by fig wasp.

- (1) Statement I is correct but statement II is incorrect
- (2) Statement I is incorrect but statement II is correct
- (3) Both statement I and statement II are correct
- (4) Both statement I and statement II are incorrect

- 142 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).
 - Assertion (A): Cells of the tapetum possess dense cytoplasm and generally have more than one nucleus.

Reason (R): Presence of more than one nucleus in the tapetum increases the efficiency of nourishing the developing microspore mother cells.

In light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A
- 143 From the statements given below choose the correct option:
 - A. The eukaryotic ribosomes are 80S and prokaryotic ribosomes are 70S.
 - B. Each ribosome has two sub-units.
 - C. The two sub-units of 80S ribosome are 60S and 40S while that of 70S are 50S and 30S.
 - D. The two sub-units of 80S ribosome are 60S and 20S and that of 70S are 50S and 20S.
 - E. The two sub-units of 80S are 60S and 30S and that of 70S are 50S and 30S.
 - (1) A, B, E are true
 - (2) B, D, E are true
 - (3) A, B, C are true
 - (4) A. B. D are true
 - Which one of the following enzymes contains
 'Haem' as the prosthetic group?
 - (1) Succinate dehydrogenase
 - (2) Catalase
 - (3) RuBisCo
 - (4) Carbonic anhydrase

- What is the name of the blood vessel that carries deoxygenated blood from the body to the heart in a frog?
 - (1) Pulmonary vein
 - (2) Vena cava
 - (3) Aorta
 - (4) Pulmonary artery
- Given below are the stages in the life cycle of pteridophytes. Arrange the following stages in the correct sequence.
 - A. Prothallus stage
 - B. Meiosis in spore mother cells
 - C. Fertilisation
 - D. Formation of archegonia and antheridia in gametophyte.
 - E. Transfer of antherozoids to the archegonia in presence of water.

Choose the correct answer from the options given below:

- (1) D, E, C, A, B (2) E, D, C, B, A
- (3) B, A, D, E, C (4) B, A, E, C, D
- 147 The blue and white selectable markers have been developed which differentiate recombinant colonies from non-recombinant colonies on the basis of their ability to produce colour in the presence of a chromogenic substrate.

Given below are two statements about this method:

Statement I: The blue coloured colonies have DNA insert in the plasmid and they are identified as recombinant colonies.

Statement II: The colonies without blue colour have DNA insert in the plasmid and are identified as recombinant colonies.

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

- 148 Which of the following microbes is NOT involved in the preparation of household products?
 - A. Aspergillus niger
 - B. Lactobacillus
 - C. Trichoderma polysporum
 - D. Saccharomyces cerevisiae
 - E. Propionibacterium sharmanii

Choose the correct answer from the options given below:

- (1) C and D only
- (2) C and E only
- (3) A and B only
- (4) A and C only
- 149 Silencing of specific mRNA is possible via RNAi because of -
 - (1) Complementary tRNA
 - (2) Non-complementary ssRNA
 - (3) Complementary dsRNA
 - (4) Inhibitory ssRNA
- 150 The complex II of mitochondrial electron transport chain is also known as
 - (1) Cytochrome c oxidase
 - (2) NADH dehydrogenase
 - (3) Cytochrome bc
 - (4) Succinate dehydrogenase
- 151 While trying to find out the characteristic of a newly found animal, a researcher did the histology of adult animal and observed a cavity with presence of mesodermal tissue towards the body wall but no mesodermal tissue was observed towards the alimentary canal. What could be the possible coelome of that animal?
 - (1) Schizocoelomate
 - (2) Spongocoelomate
 - (3) Acoelomate
 - (4) Pseudocoelomate

- 152 Given below are two statements:
 - Statement I: In a floral formula \oplus stands for zygomorphic nature of the flower, and G stands for inferior ovary.

Statement II: In a floral formula \oplus stands for actinomorphic nature of the flower and \underline{G} stands for superior ovary.

In the light of the above statements, choose the correct answer from the options given below:


- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect
- 153 Given below are two statements:

Statement I: In ecosystem, there is unidirectional flow of energy of sun from producers to consumers.

Statement II: Ecosystems are exempted from 2nd law of thermodynamics.

- (1) Statement I is correct but statement II is incorrect
- (2) Statement I is incorrect but statement II is correct
- (3) Both statement I and statement II are correct
- (4) Both statement I and statement II are incorrect
- 154 Which of the following is the unit of productivity of an Ecosystem?
 - (1) KCal m⁻³
 - (2) (KCal m⁻²)yr⁻¹
 - (3) gm⁻²
 - (4) KCal m⁻²

With the help of given pedigree, find out the 155 probability for the birth of a child having no disease and being a carrier (has the disease mutation in one allele of the gene) in F₃ generation.



- Unaffected male
- Affected male
- Carrier female
- Unaffected female
- Affected female
- 1/8 (1)
- Zero
- 1/4 (3)
- 1/2 (4)
- In the seeds of cereals, the outer covering of endosperm separates the embryo by a proteinrich layer called:
 - Integument
 - Aleurone layer
 - Coleoptile (3)
 - Coleorhiza
- Match List I with List II: 157

List I

- Chlorophyll a
- List II Yellow-green
- Chlorophyll b
- Yellow
- Xanthophylls
- Blue-green III.
- Carotenoids
- IV. Yellow to
- Yellow-orange

Choose the option with all correct matches.


- (1) A-I, B-II, C-IV, D-III
- (2) A-I, B-IV, C-III, D-II
- (3) A-III, B-IV, C-II, D-I
- (4) A-III, B-I, C-II, D-IV


- Who proposed that the genetic code for amino acids should be made up of three nucleotides?
 - Jacque Monod
 - Franklin Stahl
 - George Gamow
 - Francis Crick
- Histones are enriched with -159
 - Phenylalanine & Leucine
 - Phenylalanine & Arginine
 - Lysine & Arginine
 - Leucine & Lysine
- Which of the following enzyme(s) are NOT 160 essential for gene cloning?
 - Restriction enzymes
 - DNA ligase
 - DNA mutase
 - DNA recombinase
 - E. DNA polymerase


Choose the correct answer from the options given below:

- (1) -D and E only
- (2) B and C only
- (3) C and D only
- (4) A and B only
- A specialised membranous structure in a 161 prokaryotic cell which helps in cell wall formation, DNA replication and respiration is:
 - (1) Cristae
 - Endoplasmic Reticulum
 - Mesosome
 - Chromatophores
- Which factor is important for termination of transcription?
 - p (rho)
- y (gamma)
- a (alpha)
- o (sigma) (4)

- Which of the following statement is correct about location of the male frog copulatory 163 pad?
 - (1) Second digit of fore limb
 - First digit of the fore limb
 - First and Second digit of fore limb
 - (4) First digit of hind limb
- 164 Which of the following diagrams is correct with regard to the proximal (P) and distal (D) tubule of the Nephron.







- Identify the statement that is NOT correct.
 - Antigen binding site is located at C-terminal region of antibody molecules.
 - Constant region of heavy and light chains are located at C-terminus of antibody molecules.
 - Each antibody has two light and two heavy chains.
 - (4) The heavy and light chains are held together by disulfide bonds.

Match List I with List II: 166

List II List I Persistent A. Scutellum nucellus Cotyledon of B. Non-albuminous

- Monocot seed seed III. Groundnut
- Epiblast IV. Rudimentary D. Perisperm cotyledon

Choose the option with all correct matches.

- (1) A-IV, B-III, C-I, D-II
- A-II, B-IV, C-III, D-I
- (3) A-II, B-III, C-IV, D-I
- (4) A-IV, B-III, C-II, D-I
- 167 Find the statement that is NOT correct with regard to the structure of monocot stem.
 - Vascular bundles are conjoint and closed.
 - Phloem parenchyma is absent.
 - Hypodermis is parenchymatous.
 - Vascular bundles are scattered.
- Twins are born to a family that lives next door to you. The twins are a boy and a girl. Which of the following must be true?
 - (1) They were conceived through in vitro fertilization.
 - They have 75% identical genetic content.
 - They are monozygotic twins.
 - They are fraternal twins.
 - 169 Sweet potato and potato represent a certain type of evolution. Select the correct combination of terms to explain the evolution.
 - Homology, convergent
 - Analogy, divergent
 - Analogy, convergent
 - Homology, divergent

- 170 Which one of the following phytohormones promotes nutrient mobilization which helps in the delay of leaf senescence in plants?
 - (1) Gibberellin
- (2) Cytokinin
- (3) Ethylene
- (4) Abscisic acid
- Why can't insulin be given orally to diabetic patients?
 - (1) Because of structural variation
 - (2) Its bioavailability will be increased
 - (3) Human body will elicit strong immune response
 - (4) It will be digested in Gastro-Intestinal (GI) tract
- 172 Name the class of enzyme that usually catalyze the following reaction:

$$S-G+S^{\#} \rightarrow S+S^{\#}-G$$

Where, G → a group other than hydrogen

 $S \rightarrow a$ substrate

S[#] → another substrate

- (1) Transferase
- (2) Ligase
- (3) Hydrolase
- (4) Lyase
- 173 Given below are two statements:

Statement I: The DNA fragments extracted from gel electrophoresis can be used in construction of recombinant DNA.

Statement II: Smaller size DNA fragments are observed near anode while larger fragments are found near the wells in an agarose gel.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but statement II is incorrect
- (2) Statement I is incorrect but statement II
- is correct

 Both statement I and statement II

 are correct
- (4) Both statement I and statement II are incorrect

- 174 The correct sequence of events in the life cycle of bryophytes is
 - A. Fusion of antherozoid with egg.
 - B. Attachment of gametophyte to substratum.
 - C. Reduction division to produce haploid spores.
 - D. Formation of sporophyte.
 - E. Release of antherozoids into water.

Choose the correct answer from the options given below:

- (1) B, E, A, D, C
- (2) D, E, A, B, C
- (3) D, E, A, C, B
- (4) B, E, A, C, D
- 175 Genes R and Y follow independent assortment.

 If RRYY produce round yellow seeds and rryy produce wrinkled green seeds, what will be the phenotypic ratio of the F2 generation?
 - (1) Phenotypic ratio 9:3:3:1
 - (2) Phenotypic ratio 9:7
 - (3) Phenotypic ratio 1:2:1
 - (4) Phenotypic ratio 3:1
- 176 Each of the following characteristics represent a Kingdom proposed by Whittaker. Arrange the following in increasing order of complexity of body organization.
 - A. Multicellular heterotrophs with cell wall made of chitin.
 - B. Heterotrophs with tissue/organ/organ system level of body organization.
 - C. Prokaryotes with cell wall made of polysaccharides and amino acids.
 - D. Eukaryotic autotrophs with tissue/organ level of body organization.
 - E. Eukaryotes with cellular body organization.

Choose the correct answer from the options given below:

- (1) A, C, E, D, B
- (2) C, E, A, B, D
- (3) A, C, E, B, D
- (4) C, E, A, D, B

Match List - I with List - II.

List - I

List - II

- Centromere
- Mitochondrion
- B. Cilium
- Cell division
- C. Cristae
- III. Cell movement
- D. Cell membrane
- IV. Phospholipid

Bilayer

Choose the correct answer from the options given below:

- A-IV, B-II, C-III, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-I, C-IV, D-III
- 178 Which one of the following equations represents the Verhulst-Pearl Logistic Growth of population?

$$(1) \frac{dN}{dt} = rN\left(\frac{N-K}{N}\right)$$

(2)
$$\frac{dN}{dt} = N\left(\frac{r - K}{K}\right)$$

(3)
$$\frac{dN}{dt} = r\left(\frac{K-N}{K}\right)$$

$$(4) \quad \frac{dN}{dt} = rN\left(\frac{K-N}{K}\right)$$

48_English |

Match List - I with List - II.

List - I

List - II

- Rapid spasms in muscle A. Emphysema due to low Ca++ in body fluid
- Damaged alveolar B. Angina walls and decreased Pectoris respiratory surface
- III. Acute chest pain when C. Glomerulonot enough oxygen nephritis is reaching to heart muscle
- IV. Inflammation of D. Tetany glomeruli of kidney

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-III, D-I
- (2) A-II, B-III, C-IV, D-I
- A-III, B-I, C-IV, D-II
- A-III, B-I, C-II, D-IV
- Cardiac activities of the heart are regulated by:
 - Nodal tissue
 - A special neural centre in the medulla oblongata
 - Adrenal medullary hormones
 - D. Adrenal cortical hormones

Choose the correct answer from the options given below:

- (1) A, C and D Only
- (2) A, B and D Only
- (3) A, B and C Only
- (4) A, B, C and D