



GRADUATE APTITUDE TEST IN ENGINEERING 2025

अभियांत्रिकी स्नातक अभिक्षमता परीक्षा २०२५

Organising Institute: INDIAN INSTITUTE OF TECHNOLOGY ROORKEE



Answer Key for Production and Industrial Engineering (PI)

Q. No.	Session	Q. Type	Section	Key/Range	Marks
1	5	MCQ	GA	A	1
2	5	MCQ	GA	B	1
3	5	MCQ	GA	C	1
4	5	MCQ	GA	A	1
5	5	MCQ	GA	C	1
6	5	MCQ	GA	B	2
7	5	MCQ	GA	B	2
8	5	MCQ	GA	A	2
9	5	MCQ	GA	C	2
10	5	MCQ	GA	A	2
11	5	MCQ	PI	A	1
12	5	MCQ	PI	A	1
13	5	MCQ	PI	A	1
14	5	MCQ	PI	B	1
15	5	MCQ	PI	B	1
16	5	MCQ	PI	D	1
17	5	MCQ	PI	C	1
18	5	MCQ	PI	A	1
19	5	MCQ	PI	B	1
20	5	MCQ	PI	C	1
21	5	MCQ	PI	B	1
22	5	MCQ	PI	A	1
23	5	MCQ	PI	A	1
24	5	MCQ	PI	B	1
25	5	MCQ	PI	A	1
26	5	MCQ	PI	A	1
27	5	MCQ	PI	A	1
28	5	MCQ	PI	A	1
29	5	NAT	PI	199 to 201	1
30	5	NAT	PI	0.5 to 0.5	1

31	5	NAT	PI	399 to 401	1
32	5	NAT	PI	9995 to 10005	1
33	5	NAT	PI	199 to 201	1
34	5	NAT	PI	2490 to 2510	1
35	5	NAT	PI	0.01 to 0.01	1
36	5	MCQ	PI	A	2
37	5	MCQ	PI	A	2
38	5	MCQ	PI	A	2
39	5	MCQ	PI	C	2
40	5	MCQ	PI	A	2
41	5	MCQ	PI	B	2
42	5	MSQ	PI	A;B;C	2
43	5	NAT	PI	2 to 2	2
44	5	NAT	PI	2 to 2	2
45	5	NAT	PI	47.1 to 49.5	2
46	5	NAT	PI	0.08 to 0.08	2
47	5	NAT	PI	1.65 to 1.69	2
48	5	NAT	PI	315 to 325	2
49	5	NAT	PI	5 to 5	2
50	5	NAT	PI	0.19 to 0.21	2
51	5	NAT	PI	0.72 to 0.76	2
52	5	NAT	PI	0.49 to 0.53	2
53	5	NAT	PI	81.50 to 82.50	2
54	5	NAT	PI	70 to 70	2
55	5	NAT	PI	9.8 to 10.2	2
56	5	NAT	PI	185.0 to 188.0	2
57	5	NAT	PI	4000 to 4000	2
58	5	NAT	PI	30.00 to 33.00	2
59	5	NAT	PI	95 to 99	2
60	5	NAT	PI	1995 to 2005	2
61	5	NAT	PI	20.8 to 20.8	2
62	5	NAT	PI	10.61 to 10.65	2
63	5	NAT	PI	4 to 4	2
64	5	NAT	PI	12.3 to 12.7	2
65	5	NAT	PI	27.1 to 27.5	2