

### 4220002789 (Booklet Number)



**Duration: 90 minutes** 

No. of MCQ: 100

Full Marks: 100

#### INSTRUCTIONS

- 1. All questions are of objective type having four answer options for each.
- 2. Each question carries 1 mark each and only one option is correct. In case of incorrect answer or any combination of more than one answer, ¼ marks will be deducted.
- 3. Questions must be answered on OMR sheet by darkening the appropriate bubble marked A, B, C or D.
- 4. Use only Black/Blue ink ball point pen to mark the answer by filling up of the respective bubbles completely.
- 5. Write Question Booklet number and your roll number carefully in the specified locations of the OMR sheet. Also fill appropriate bubbles.
- 6. Write your name (in block letter), name of the examination center and put your signature (as is appeared in Admit Card) in appropriate boxes in the **OMR sheet**.
- 7. The OMR sheet is liable to become invalid if there is any mistake in filling the correct bubbles for Question Booklet number/roll number or if there is any discrepancy in the name/ signature of the candidate, name of the examination center. The OMR sheet may also become invalid due to folding or putting stray marks on it or any damage to it. The consequence of such invalidation due to incorrect marking or careless handling by the candidate will be sole responsibility of candidate.
- 8. Candidates are not allowed to carry any written or printed material, calculator, pen, docu-pen, log-table, wristwatch, any communication device like mobile phones, bluetooth devices etc. inside the examination hall. Any candidate found with such prohibited items will be reported against and his/her candidature will be summarily cancelled.
- 9. Rough work must be done on the Question Booklet itself, Additional blank pages are given in the Question Booklet for rough work.
- 10. Hand over the OMR sheet to the invigilator before leaving the Examination Hall.
- 11. Candidates are allowed to take the Question Booklet after examination is over.

JEMScN-2024				
Signature of the Inv	igilator :			
(as in Admit Ca	ırd)			
Signature of the Car	ndidate :			

CONFIDENTIAL



# JEMScN-2024 SPACE FOR ROUGH WORK

4220002789

Attackers are at objective type haying four answer opinions for each.

Each questions are at objective type haying four answer opinions for each and server premy each interest than one are very formatics will be deducted answer premy each interest on Orde shows in the converted and Orde shows in the appropriate bubble marked A. B. C or D.

Lise only Black time are bell point pen to man the massive by filling up of the respective habites completely.

Lise only Black time are bell point pen to man the massive by filling up of the respective habites completely.

Write Cheerion Bucklet manber and work oil number carefully in the specified with Cherican Bucklet manber and work oil number carefully in the specified with the court of the examination center and put your sent with the court and block letter), name of the examination center and put your current builde. The Orde become mostled if there is an invalide in a Cherican Bookset manber roll number or if there is not current builde. The Ohection Bookset manber roll number or if there is not discrepancy in the canner algorithm bookset manber roll number or if there is not interest and the contract manber of the canner and the contract manber of the canner and the contract of the contract manber of the canner and the contract of the contract manber of the contract manber of the contract of



# (Carry 1 mark each. Only one option is correct. Negative marks :- $\frac{1}{4}$ )

	(C)	Severe vomiti			(B) (D)	Renal calculi Acute pyelonepl	hritis
8.	One (A)	of the causes of Benign prosta	NA CONTRACTOR			Panal astrait	gniointe() (8)
	(D)	inflammation	and infec	ction of the cer	vix.	mud i Mon arvis turv	entanat lamat entanat 2 (A)
	(C)		te, recur				oductive organs and
	wom (B)		ylococci	that produce a	unique e	pidermal toxin.	manapus (G)
7.	Toxi (A)	e Shock Syndro infection ind					y seen in lactating
0.	(A)		(B)	15-18 sec.	(C)	4-9 sec.	(D) 10-14 sec.
6.	Norr	nal serum Protl	arombin '	Time (DT) is			(C) Valetonsy
5.	Bitte (A)	er taste is felt at Tip	the follo	wing part of the	ne tongue (C)	Mid dorsal	(D) Sides
	(C)	the transverse	tubules		(D)	the neuromuscu	lar junction
	(A)	the sarcoplasi	nic reticu	ılum	(B)	the myofibril	ad no selfs (O)
4.	A m	otor neuron stir	nulates a	muscle fiber	at	g tuomig vas numa na torien av littura	(A) Flexed policy (A)
	(D)	secretin, ente	rogastero	ne, gastrin and	l enteroki		Tigal basada
	(C)					pancreozymin	
	(B)					nolecystokinin	
		gastrin, secre		ogastrone and	cholecys	tokinin	ing washes at Egrophes (SA)
3.	Inhi	bition of gastr rolled by horm	ric and	stimulation of	gastric,	pancreatic, and	bile secretions are
2.	(A)	at type of joint s Saddle joint	is at the t	Hinge joint	mb ? (C)	Condyloid join	t (D) Pivot joint
•			ourub (K	-0à atau bakis	s. 50 (Min) 1		(A) Bead-mill
	(C)	Ileocaecal va		in habitet allt	(B) (D)	Semilunar valv Pyloric sphinct	
	(A)	Sphincter of	111:		(D)		

9.	1110	value of glycosy	iatea naemogiooin g					
	(A)	over 6 months		(B)	over 3 months			
	(C)	over 1 year	EF WOD ON \$40.000	(D)	over 1 month			
10.	For n		gular venous pressur			ionida est Grant		
	(A) Head end side of the bed should be raised upto 60-90 degree							
	(B) Supine position							
	(C)	Sims lateral po	sition		elf (8) mis			
	(D)	Semi fowler's	with head end 30-45	degree				
11.	Eden	na of optic nerve	e is termed as		AND STREET OF STREET	an continues		
	(A)	Retinopathy	(B) Papilledema	a (C)	Ophthalmitis	(D) Glaucoma		
12.		eted leg?	f the Right Knee in v			d place the client's		
	(A)		n by placing a pillow	under the	knee			
	(B)	Elevated and k	enee extended		secon dependents o			
	(C)	Flat on bed						
	(D)	Elevated and k	rnee flexed		88.0000 32137	ancid out		
13.	Stres	Stress Ulcer after severe burn is called						
	(A)	Curling's Ulce	er	(B)	Cushing's Ulcer			
	(C)	Meleney's Ulc	cer .	(D)	Rodent Ulcer	annest terminal A		
14.	Eme	Emergency management of Diabetic ketoacidosis patient include						
	(A)	Monitoring of	vital signs					
	(B)	Administration	n of insulin		ria (186 - Transport	milesine (A)		
	(C)		uid replacement ther					
15	(D)	Determination	of the cause of Dial	oetic ketoac	idosis	do eiena (B)		
15.		ich nursing actional in thickness bur	on should be taken in?		nging dressing of			
	(A)		I signs including blo					
	(B)	Obtaining a w	ritten informed cons	ent for this	procedure			
	(C)		g the pain medication					
	(D)	A monoina div	vertional therapy duri	ing the proc	edure	ry willy Savette yo		

EMS	ScN-20	)24		5				PERSON
Tables and the same of the sam	(C)	Elimination of	infection	184 (4) 184 (4)	(D)	Eradication of	of infection	
	(A)	Elimination of			(B)	Eradication of	of disease	
23.	Zero	incidence is	. •					
	(A)	7.5 kg ,	(B)	10.5 kg	(C)	11.5 kg	(D) 12.5 kg	
22.		ected weight of			se birth v	veight was 3.5	5 kg	
		New York	egilev.			Indian depart	ionada	
	(C)	Dependency r			(D)	Mortality rat		
		Case fatality r		auti of disca	(B)	Disability ad	ljusted life years	
21.	Whic	ch is the best in	dex for bu	ırden of disea	se?			
	(C)	Retrospective	study		(D)	RCT	(D) : Contractions or	
	(A)	Case-Control	study		(B)	Prospective	study	
20.	Incid	dence rate is cal	culated fi	om				
	(D)	Stillbirths and	death of	newborn with	nn first 7	days of life	on numerica (A)	
	(C)	Abortion and				<b>&gt;</b>		
	(B)	Death of foet			st 24 hou	rs of birth		
	(A)	Death of foet						E.
19.		natal mortality					BR - SHEEMAKA TAYA	
10					ai de	e letyl to tety	enisti S A teeda id satt.	
	(C)	Secondary pr	evention		(D)	Tertiary pre	evention	
	(A)				(B)	Primary pre	MARKET AND THE PARTY OF THE PAR	
34	obse	ervation for lon	gest incul	pation period	of that di	sposure to d sease. Quaran	lisease, are kept un tine is a method of	der
18.	Oue	rantine means	hoolthy	in dini di 1		541 875	bist of Affice	
	(C)	Post unprotec	eted sexua	al activity	(D)	Pregnant m	other	
	(A)				(B)	Lactating m	nothers	
17.	Mir	ni pill is usually	advised	for the			neucos/Diebel voice IM	
	(A)	Dpt – 1 <sup>st</sup>	(B)	Opv – 1 <sup>st</sup>	(C)	Measles	(D) BCG	
					hich vac	cine can be gi	ven to the child excep	t
16.		mother brings	ner 18 m	onths old bal	by in the	hospital who	has not been immuni	ized

24.	Occur	rence of a dis	ease in a	haphazard and	irregular	pattern is kno	wn as
24.		Endemic	(B)	Epidemic	(C)	Sporadic	(D) Pandemic
, i'	(A)	Litacinio		•			
25.	Missi	on Indradhan	ush is for	entre pressivo			gilangua din 1000
45.		Non-commu			(B)	Family plann	ing
		Safe water as			(D)	Universal im	munization
	(C)	Date water an					
26.	Danc	rerous placent	a previa	is the name giv	en to the	y it is	
∡0.		Type I place			(B)	Type II anter	ior placenta previa
	(A)	Type II post	erior plac	enta previa	(D)	Type III place	centa previa
	(0)	1,100 11,100	17 17 19	arol-(4)			
27.	The	highest AP di	ameter o	f fetal skull is			gagani ang kalangan kalangan Kalangan kalangan ka
41.	(A)	Suboccipito			(B)	Occipito fro	ntal
	(C)	Mentovertic			(D)	Submentove	rtical
	(0)						este comprove (C)
28.	How	v does a nurse	identify	true labour as	opposed to	o false labour	?
40.	(A)	Contraction	stops wi	nen the clients	walks aro	und.	
	(B)	Contraction	progress	only in lying	down posi	ition.	such that she should be
	(E)			progressive.			
	(D)		is occur i	mmediately aft	ter the me	mbrane ruptur	es.
	(1)	Contact					
29.	In t	following whi	ch is the	common treatn	nent of lut	eal phase defe	ect?
47.	(A)				(B)	Progestero	ne therapy
	(C)				(D)	) Dexametha	isone
	(0)			angesta of the			
30	Fo	lic acid supple	ementatio	on reduces the i	risk of		
30	. 10 (A	Control Control of the second			(B	) Toxaemia	of pregnancy
	(C				(D	) Placenta p	revia
	(C	, Down 50)					a sample of the Co
91	W/	hat is the reas	on for th	e golden colou	r of amnic	otic fluid?	it to nonarioriti, 44)
31					(E	3) Fetal Dist	
	(A				(I	) Intrauterin	ne Death
	(C	) I OSCIVIAN					NA PROPERTY STATEMENT AND ADMINISTRAL PROPERTY ADMINISTRAL PROPERTY ADMINISTRAL PROPERTY ADMINISTRAL PROPERTY AND ADMINISTRAL PROPERTY ADMINISTRAL PROPER

32.	Bas hor	Basal Body Temperature (BBT) is increased after ovulation due to influence of which hormone?								
	(A)	Oetrogen (B) Progesterone	(C	) LH	(D) FSH					
33.	Trip	ole test includes the test of -		Name and the same						
	(A)	MSAFP, UE <sub>3</sub> and hCG	(B)	MSAFP, UE	3 and inhibin A					
	(C)	Inhibin A, UE <sub>3</sub> and hCG	(D)		nibin A and hCG					
34.	On	a 2 <sup>nd</sup> day of postpartum day you elicited	l Homa	ns' sign. A nos	itive finding means					
	(A)	Puerperal sepsis	(B)		who many means.					
	(C)	Thrombophlebitis	(D)		litis (2)					
35.	Mid in th	wives should measure the brachial bloce same position because lowest blood p	od pres	sure for pregna	ant women at each visit					
	(A)	Sitting position	(B)		ent position					
	(C)	Right recumbent position	(D)	Supine positi						
36.	Curr	iculum means	tres o li (dili)	on varionine or i zhi volta 1801 le:	Buller tarimisess A. J Sitailists offi aggreg					
	(A)	All the experiences which students get	in inst	itution						
	(B)	Subjects that are transferred by faculty	· .	izon	(C) Fisher's exact					
	(C)	Syllabus prescribed for the course.								
	(D)	Class experiences, games, sports.		Sing stop bound	S. In a gornality distri- deviation of the ora					
37.	Over	all plan of rotation of all students in a pa	articula	r educational ir						
	(A)	Clinical rotation plan	(B)	Course outline						
	(C)	Master rotation plan	(D)	Internal rotation						
38.	Acco	ding to Hildgard E. Peplaue the 3 <sup>rd</sup> stag	ge of in	terpersonal rela	tion is					
	(A)	Orientation (B) Identification		Intervention	(D) Exploitation					
9.	Tests	show how well a student performed in 1	relation	to other studen	nts is known as					
	(A)	Norm referenced	(B)	Criterion refer						
	(C)	Function referenced	(D)	Teacher studer						
EMS	cN-202	24 7								

(A) Likert scale (C) Sematice differential scale (D) Critical incident technique  41. If we reject Null Hypothesis, when actually it is true, it is known as (A) Type I error (B) Power (C) Specificity (D) Type II error  42. A researcher needs to live and work with a tribal population in an isolated village to know their experiences and life style. This is the example of which type of research? (A) Phenomenology (B) Ethnography (C) Grounded theory (D) Meta-analysis  43. Staging of Carcinoma of colon as type I, II, III or IV belongs to which of the following scale? (A) Nominal (B) Ordinal (C) Interval (D) Ratio  44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is (A) ANOVA (B) t-test (C) Fisher's exact test (D) Chi-square			h of the following too	l can be used	for as	sessing student	's ability to perform			
<ul> <li>(C) Sematice differential scale</li> <li>(D) Critical incident technique</li> <li>(E) If we reject Null Hypothesis, when actually it is true, it is known as (A) Type I error (B) Power (C) Specificity (D) Type II error</li> <li>(A) Type I error (B) Power (C) Specificity (D) Type II error</li> <li>(A) A researcher needs to live and work with a tribal population in an isolated village to know their experiences and life style. This is the example of which type of research?</li> <li>(A) Phenomenology (B) Ethnography (C) Grounded theory (D) Meta-analysis</li> <li>(B) Ethnography (D) Meta-analysis</li> <li>(C) Interval (D) Ratio</li> <li>(A) Nominal (B) Ordinal (C) Interval (D) Ratio</li> <li>(A) A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is (A) ANOVA (B) t-test (C) Fisher's exact test (D) Chi-square</li> <li>(E) Fisher's exact test (D) Chi-square</li> <li>(E) In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? (A) 34% (B) 95.4% (C) 68% (D) 99.6%</li> <li>(E) Which of the following is true? (A) The sampling error becomes progressively smaller, with larger sample size. (C) The sampling error becomes progressively larger, with larger sample size. (D) The sampling error becomes progressively larger, with larger sample size. (D) The sampling error is not related to sample size.</li> <li>(E) Canadax medium (B) Canadax medium</li> <li>(E) Canadax medium</li> </ul>					(B)	Checklist				
<ul> <li>(A) Type I error (B) Power (C) Specificity (D) Type II error</li> <li>42. A researcher needs to live and work with a tribal population in an isolated village to know their experiences and life style. This is the example of which type of research? <ul> <li>(A) Phenomenology (B) Ethnography</li> <li>(C) Grounded theory (D) Meta-analysis</li> </ul> </li> <li>43. Staging of Carcinoma of colon as type I, II, III or IV belongs to which of the following scale? <ul> <li>(A) Nominal (B) Ordinal (C) Interval (D) Ratio</li> </ul> </li> <li>44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is <ul> <li>(A) ANOVA (B) t-test</li> <li>(C) Fisher's exact test (D) Chi-square</li> </ul> </li> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34% (B) 95.4% (C) 68% (D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively larger, with larger sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> <li>(C) Campular medium</li> </ul> </li> </ul>			Sematice differential so	ale	(D)	Critical incide	nt technique			
<ul> <li>(A) Type I error (B) Power (C) Specificity (D) Type II error</li> <li>42. A researcher needs to live and work with a tribal population in an isolated village to know their experiences and life style. This is the example of which type of research? <ul> <li>(A) Phenomenology (B) Ethnography</li> <li>(C) Grounded theory (D) Meta-analysis</li> </ul> </li> <li>43. Staging of Carcinoma of colon as type I, II, III or IV belongs to which of the following scale? <ul> <li>(A) Nominal (B) Ordinal (C) Interval (D) Ratio</li> </ul> </li> <li>44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is <ul> <li>(A) ANOVA (B) t-test</li> <li>(C) Fisher's exact test (D) Chi-square</li> </ul> </li> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34% (B) 95.4% (C) 68% (D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively larger, with larger sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> <li>(C) Campular medium</li> </ul> </li> </ul>	<b>11.</b> ]	If we	reject Null Hypothesis,	when actually	it is true	e, it is known as	3. Tiple ter includes cAL MARKER OF			
know their experiences and life style. This is the example of which type of research?  (A) Phenomenology (B) Ethnography (C) Grounded theory (D) Meta-analysis  43. Staging of Carcinoma of colon as type I, II, III or IV belongs to which of the following scale? (A) Nominal (B) Ordinal (C) Interval (D) Ratio  44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is (A) ANOVA (B) t-test (C) Fisher's exact test (D) Chi-square  45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? (A) 34% (B) 95.4% (C) 68% (D) 99.6%  46. Which of the following is true? (A) The sampling error becomes progressively smaller, with larger sample size. (B) The sampling error becomes progressively smaller, with larger sample size. (C) The sampling error becomes progressively larger, with larger sample size. (D) The sampling error is not related to sample size.  47. To study the motility of bacteria the medium used is (A) Solid medium (B) Liquid medium (C) Capaclar medium		aran i			(C)	Specificity	(D) Type II error			
(A) Phenomenology (C) Grounded theory (D) Meta-analysis  43. Staging of Carcinoma of colon as type I, II, III or IV belongs to which of the following scale? (A) Nominal (B) Ordinal (C) Interval (D) Ratio  44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is (A) ANOVA (B) t-test (C) Fisher's exact test (D) Chi-square  45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? (A) 34% (B) 95.4% (C) 68% (D) 99.6%  46. Which of the following is true? (A) The sampling error becomes progressively smaller, with larger sample size. (B) The sampling error becomes progressively smaller, with smaller sample size. (C) The sampling error becomes progressively larger, with larger sample size. (D) The sampling error is not related to sample size.  47. To study the motility of bacteria the medium used is (A) Solid medium (B) Liquid medium (C) Complex medium	42.	A researcher needs to live and work with a tribal population in an isolated village to know their experiences and life style. This is the example of which type of research?								
<ul> <li>43. Staging of Carcinoma of colon as type I, II, III or IV belongs to which of the following scale? <ul> <li>(A) Nominal</li> <li>(B) Ordinal</li> <li>(C) Interval</li> <li>(D) Ratio</li> </ul> </li> <li>44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is <ul> <li>(A) ANOVA</li> <li>(B) t-test</li> <li>(C) Fisher's exact test</li> <li>(D) Chi-square</li> </ul> </li> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34%</li> <li>(B) 95.4%</li> <li>(C) 68%</li> <li>(D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively larger, with larger sample size.</li> <li>(C) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> </ul> </li> </ul>				(E) Miss						
<ul> <li>(A) Nominal (B) Ordinal (C) Interval (D) Ratio</li> <li>44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is <ul> <li>(A) ANOVA</li> <li>(B) t-test</li> <li>(C) Fisher's exact test</li> <li>(D) Chi-square</li> </ul> </li> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34%</li> <li>(B) 95.4%</li> <li>(C) 68%</li> <li>(D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively larger, with larger sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> </ul> </li> <li>(D) The sampling error is not related to sample size. <ul> <li>(E) To study the motility of bacteria the medium used is</li> <li>(E) Consplay medium</li> </ul> </li> <li>(E) Consplay medium</li> </ul>		(C)	Grounded theory		(D)	Meta-analysis	(C) Thrombopht			
<ul> <li>44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is <ul> <li>(A) ANOVA</li> <li>(B) t-test</li> <li>(C) Fisher's exact test</li> <li>(D) Chi-square</li> </ul> </li> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34%</li> <li>(B) 95.4%</li> <li>(C) 68%</li> <li>(D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively larger, with larger sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> </ul> </li> </ul>				lon as type I, II	, III or	IV belongs to	which of the following			
<ul> <li>44. A researcher wants to analyze the differences between the means of more than two groups. The statistical test to be used by the researcher is <ul> <li>(A) ANOVA</li> <li>(B) t-test</li> <li>(C) Fisher's exact test</li> <li>(D) Chi-square</li> </ul> </li> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34%</li> <li>(B) 95.4%</li> <li>(C) 68%</li> <li>(D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively smaller, with smaller sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> </ul> </li> </ul>		(A)	Nominal (B)	Ordinal	(C)		STATES OF CHARACTER PARTY			
(C) Fisher's exact test (D) Chi-square  45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? (A) 34% (B) 95.4% (C) 68% (D) 99.6%  46. Which of the following is true? (A) The sampling error becomes progressively smaller, with larger sample size. (B) The sampling error becomes progressively smaller, with smaller sample size. (C) The sampling error becomes progressively larger, with larger sample size. (D) The sampling error is not related to sample size.  47. To study the motility of bacteria the medium used is (A) Solid medium (B) Liquid medium	44.	A regrou	esearcher wants to analups. The statistical test to	lyze the different be used by the	ences b	etween the me	ans of more than two			
<ul> <li>45. In a normally distributed data set, what percentage of population fall within two standard deviation of the mean? <ul> <li>(A) 34%</li> <li>(B) 95.4%</li> <li>(C) 68%</li> <li>(D) 99.6%</li> </ul> </li> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively smaller, with smaller sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> </ul> </li> </ul>		(A)	ANOVA	an heitzel af to	(B)	t-test	inegas of IA. (A)			
deviation of the mean?  (A) 34% (B) 95.4% (C) 68% (D) 99.6%  46. Which of the following is true?  (A) The sampling error becomes progressively smaller, with larger sample size.  (B) The sampling error becomes progressively smaller, with smaller sample size.  (C) The sampling error becomes progressively larger, with larger sample size.  (D) The sampling error is not related to sample size.  47. To study the motility of bacteria the medium used is  (A) Solid medium  (B) Liquid medium		(C)	Fisher's exact test	masinal (i)	(D)	Chi-square	(B) Sudjects that			
<ul> <li>46. Which of the following is true? <ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively smaller, with smaller sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> </ul> </li> <li>47. To study the motility of bacteria the medium used is <ul> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> </ul> </li> </ul>	45.	In a normally distributed data set, what percentage of population fall within two standard deviation of the mean?								
<ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively smaller, with smaller sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> <li>47. To study the motility of bacteria the medium used is</li> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> <li>(Complex medium)</li> </ul>		(A)	34% (B)	95.4%	(C)	68%	(D) 99.6%			
<ul> <li>(A) The sampling error becomes progressively smaller, with larger sample size.</li> <li>(B) The sampling error becomes progressively smaller, with smaller sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> <li>47. To study the motility of bacteria the medium used is</li> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> <li>(Complex medium)</li> </ul>	10	337L	ich of the following is tr	, (A)		Lessonale no	(A) - Chinkent von h			
<ul> <li>(B) The sampling error becomes progressively smaller, with smaller sample size.</li> <li>(C) The sampling error becomes progressively larger, with larger sample size.</li> <li>(D) The sampling error is not related to sample size.</li> <li>47. To study the motility of bacteria the medium used is</li> <li>(A) Solid medium</li> <li>(B) Liquid medium</li> <li>(Complex medium)</li> </ul>	40.		The sampling error be	comes progress	sively si	maller, with larg	ger sample size.			
(C) The sampling error becomes progressively larger, with larger sample size.  (D) The sampling error is not related to sample size.  47. To study the motility of bacteria the medium used is  (A) Solid medium  (B) Liquid medium		(A) The sampling error becomes progressively smaller, with smaller sample size.								
(D) The sampling error is not related to sample size.  47. To study the motility of bacteria the medium used is  (A) Solid medium  (B) Liquid medium  (C) Complex medium		(C) The sampling error becomes progressively larger, with larger sample size.								
47. To study the motility of bacteria the medium used is  (A) Solid medium  (B) Liquid medium  (C) Complex medium		Airesti					(A) Unentation			
(A) Solid medium  (B) Liquid medium  (C) Complex medium	47.	То	study the motility of bac	eteria the mediu	m used	18				
(D) Complex medium			Market and the second of the party	到10 (8)		Liquid medi				
				flane(E <sub>j</sub> (Q)	(D)	) Complex me	edium			

48.	Bab	ies born to hepatitis B infected mothe	rs are g	ive	en
	(A)	Immunoglobulin only	(E		Vaccine only
	(C)	Immunological and antiviral only	(D	))	Immunoglobulin and vaccine
49.	Whi	ch of the following microorganism is	elimina	tec	d in canned foods ?
	(A)	Lactobacillus	(B		Clostridium botulinum
	(C)	Mycobacterium tuberculosis	(D		Coxiella burnetii
50.	Рани	an walks into a clinic and is complatess and appears to be healing on its of ause?	ining o wn. Wh	f a	an ulcerated lesion in his penis. It is hof the following would probably be
	(A)	Chancroid	(B)	)	Syphilis
	(C)	Gonorrhea	(D)		Chlamydia
	(A)	sonably concerned, overly kind, or nation is that the nurse is displaying.  Counter transference  Splitting behaviour	(B) (D)		Empathetic resonance Transference
	(C)	Splitting behaviour	(D)		
52.	The p	rimary use of stimulants is for			g . Which of the following is a main
	(A)	Attention deficit hyperactive disorder			Formalia (V) un
• •	(B)	Depression	1		(C) Anticipation
-111	(C)	Schizoaffective disorder			Net contract on teams to the second
	(D) A	All of the above			or The name is cardin for a first of the control of
3.	The fo	llowing are parasomnia, except	-naimei		$(\lambda)$ Nullion (B) $\tilde{\mathbb{C}}$
		Nightmare disorder		~	
		Varcolepsy	(B)		Sleep paralysis
		words olayabayet (8).	(D)	S	omnambulism
4. "	Good	me", "bad me" and "not me" are the t	hree co	mr	nonent of calf quaters 11
(	A) P	eplau (B) Sullivan	(C)		ean Piaget (D) Eric Erikson
					(D) Effe Effeson
EMSc	N-202	4			

61.	(C) Th	Melancholic disorder e "Law of Effect" was coined by	(D 	Conversion disorder  (D) Thorndike
	(A)		(B)	아이는 승규는 사람이 되는 아름이 다른 그들은 사람들이 살아 있는 것이 되었다. 나는 사람들이 되었다면 하다 되었다.
60.	A 1	mild form of bipolar disorder in which are that go from mild depression to mild e	a pers lation	is vagalogaski (0)
		Nutrition (B) Elimination		) Safety (D) Rest
59.	The	nurse is caring for a severely depressed ent psychiatric unit. Which of the following	clien	nt who has just been admitted to the in priority of care?
	(C)	Anticipation	(D)	Denial Homeography (161)
	(A)		(B)	Reaction formation
8.	Wh	ich of the following is a mature defense n	necha	nism?
	(C) (D)	"You should contact your doctor. medication".	You	r doctor may need to change the
	(B)	"Stop the medication immediately and "You should schedule an appointment"	contac with v	your ophthalmologist."
	(A)	"It takes approximately two to four we usually diminish over time."		The security of observable for
7.	blum	r taking an antidepressant for about a red vision, with no improvement in m rms the patient	nood.	The psychiatric-mental nearth nurse
	(C)	1055 BILLOM FOLKOUSE SET ON HAUSEN "15.00		Commercial of Street, State of Southern
	(A)	Partnership focused Person centred	(D)	Non-discriminatory
i.	relati	ch one of the following is not a professionship?	onal re	equirement when building therapeutic
		1 - tal at a commence (1 181		arelioadiction) (A)
	(C)	Aversion therapy	(D)	Milieu therapy
	(A)	Behavioural therapy	(B)	Cognitive therapy

62	. Afi	er a successful M.Sc. Entrance	Test MS Y	I felt relaxed and calm, she stopped
	(A)	eating, felt hungry, which part of he Sympathetic (B) Somatic	r nervous s (C	
63.	Sub	otle behaviours and communication raction with others are called	style that	are used in the work environment and
	(A)	Hard Skill	(B)	Time Management
	(C)	Soft Skill	(D)	
64.	Pari	of the brain that regulates emotion	is fraction	O Y 120 P.CO. on E. Lo Shewar S. Lambar, and T
	(A)	Limbic system	(B)	
	(C)	Cerebellum	(D)	
65.	Wha	at type of quality assurance provi	ides an op	portunity for simultaneous corrective
	(A)	Retrospective Quality Assurance	(B)	Concurrent Quality Assurance
	(C)	External Quality Assurance	(D)	Internal Quality Assurance
66.	The	ethical principle, which shows oblig	gation to tel	I the truth is
	(A)		(C)	Fidelity (D) Beneficence
67.	grou	communication in which manage ps of people in other departments i e hierarchy as them is called	ers interact n the organ	with the managers, physicians and nization who are not at the same level
	(A)	Vertical communication	(B)	Horizontal communication
	(C)	Diagonal communication	(D)	Upward communication
68.	"Espi	rit de Corps" refers to		The amount of the second of th
	(A)	Sense of achievement	(P)	Compa of L. Anna sterner and (A)
	(C)	Sense of belonging	(B) (D)	Sense of humour Sense of mortality
69.	A Ga	ntt chart is a simple graphical chart	denicting	Parrol (access abreving it birty), agrees ( ) — (8)
		tasks & projects	(B)	List of tasks & timelines
		events & objectives	(D)	activities and events
W 100 70 AT A	7 BI 60	to before the section, and the section of		00092

70.	Burn an ac		t from hot water	bottles, he	eating pad, inh	alers and Sitz's bath is
	(A)	Malpractice	Bandulas no	(B)	Negligence	lover that applied to
	(C)	Unintentional fault	ewatest (O)	(D)	Failure in doi	ng duty
71.		ch of the following		n cause	osteoporosis, 1	ulcers, weight gain &
	(A)	Aminoglycosides(	B) Corticostero	ids (C)	Barbiturates	(D) Diuretics
72.		nurse is aware of the			utic agents. Wh	nich organ shows acute
	(A)	Heart (	B) Lungs	(C)	Liver	(D) Kidney
73.	Phen	otypic monohybrid	ratio is -			- Marie Medicine (1975) - Pastal Medicine (1975)
	(A)	9:3:3:1		(B)	1:2:1	louis Yes court in the
	(C)	3:1		(D)	2:1	Taolor
74.	The	first vascular respon	se to injury is			
		slowing of the circ		(B)	recruitment o	f vascular beds
	(C) capillary engorgement			(D)	arteriolar vas	oconstriction
75.	Sick	le cell anaemia is	(C) Pidality	y yii		
	(A)	Autosomal heredit	ary disease	(B)	Allosomic he	reditary disease
	(C)	Epistatic effect	er necitivideste o	(D)	Nutritional di	isorder
76.	Hino	lu Marriage Act was	s passed in			i as ynorskij sal m naos isolika (A.)
	(A)	1954 (	B) 1955	(C)	1948	(D) 1975
77.	Who	marries in Monoga	my ?			Title (Rest or three team three Rest. )
	(A)	One female and tw	o males	(B)	One male and	two females
	(C)	Two females and t	hree males	(D)	One male and	i one female
78.	Grou	ıps which provide e	xperience lacking	intimacy		
	(A)	Secondary groups		(B)	Primary grou	ps
	(C)	In-groups		(D)	Organized gr	oups
TICM	ScN-2	0024	PARTICIPATE AND	12	erakina dan darih dan bersak bersak dan bersak da b	

79.	The	process of moldings and shaping	the personalit	y of human being in infant is called
•	(A)		(B)	Socialization
	, (C)	Shaping	(D)	Humanization
80.	The	development of self is closely ass	ociated with -	
	(A)	Internalization of norms	(B)	Analysis of the culture
	(C)	Categorization of values	(D)	Rejection of bad habits
81.	Whi	ich of the following best describes	parallel play	between two toddlers?
	(A)	Sharing crayons to colour separa		(E) Assessment of unit for del
	(B)	Playing a board game with anoth	ner child	ARB belt serious
	(C)	Sitting near each other while pla	ying with sep	arate dolls
	(D)	Sharing their dolls with two diff		(A) Widest for an electrone
82.	more (A)	e frequent episodes of otitis media Lowered resistance from malnut	due to which	e is aware that the child is at risk for of the following?
	(B)	Ineffective functioning of the Eu		
	(C)	Plugging of the Eustachian tube		
	(D)	Associated congenital defects of	the middle ea	r smorthered transfer (A)
83.	A me	other would like to know what a onse would be of which of the foll	good activity owing?	is for a child with Autism. The best
	(A)	Loud music	(B)	Various playmates
	(C)	Self-stimulating activities	(D)	Small group activity
84.	Whic	ch kind of treatment is needed to CI?	for a child w	ith pink classification according to
	(A)	Home remedy	(B)	Outpatient service
	(C)	Urgent referral	(D)	OPD treatment and urgent referral
85.	True	about fetal circulation	rocet a Particular	(A) The second of the second o
	(A)	Blood in SVC has more oxygen s	aturation.	
	(B)	Pressure in left ventricle is more.		estimate any woller sale double of
	(C)	Brain receives blood with low ox	ygen saturatio	n.
Y	(D)	Heart receives blood with high ox		
JEM:	ScN-20	024	13	

	Which of the following is a minor criterion for diagnosis of rheumatic fever according to								
6.	Which	ied Jones crite	eria?						
			olasiisoot -	(8)		Carditis			
		ASO titre		(	D) .	Subcutaneous nodules			
	(C)	Fever				ealing of those services	an and Total		
			a wood for	tiffy betaloos					
37.	NAD	A's criteria a	calild for dear	ree of dehydra	tion	CONTROL OF TOTAL PROPERTY.			
	(A) Assessment of child for degree of dehydration.								
	<ul> <li>(B) Assessment of child for degree of malnutrition.</li> <li>(C) Assessment of child for presence of heart disease.</li> <li>(D) Assessment of child for degree of mental retardation.</li> </ul>								
			ex e cultures as	liantom of	lana.	term nutritional status?			
88.	Whi	ch of the follo	wing is the bes	t indicator or	(B)	term nutritional status?  Height for age			
	(A)	Mid arm cir			(D)	Weight for height			
	(C)	Weight for	age		(D)	Working zor			
				state, the mass					
89.	Ave	rage gain of h	neight in first ye	ear is	(0)	75 cm (D)	100 cm		
	(A)		(B) 50	cm golff	(C)	75 cm (D)			
90.	Tris	somy 13 is see	en in			D to androme			
	(A)			the middle car	(B)	1			
	(C)				(D)	Turner syndrome			
					10 16	1.1 managario	effect will be		
91	W	nile a patient	with ascites is	receiving albu	ımin	, the planned therapeutic	CHCCt will be		
	gre	eater if the nur	rse regulates the	e musion to i	low		100		
	(A	) Slowly and	d restricts fluid	intake		RETINITION SITE IN A STATE OF THE STATE OF T			
	(B	) Rapidly ar	nd withholds flu	uid intake			7 Hone W 18		
	(C) Rapidly and encourages fluid intake								
	(D) Slowly and encourages liberal fluid intake								
		00				we have the selection in	arti (5)		
92	. Δ.	n intentional t	touching of pat	ient's body wi	thou	t consent is termed as	3.5-1otion		
. 9.		A) Assault	(B) I	Battery	((	C) Negligence (D)	Malpractice		
		which the fo	llowing condit	ions of blood t	rans	fusion is contraindicated for Congestive cardiac fa	30 × 6 × 6 × 6 × 6		
9		The second second second	nilia		(1	D) Congostive			
					(1	D) Bleeding haemorrhag	ge		
	((	C) Bleeding	HOSE	generates asp	Y SERVI	PARE MARANTER AND ACTION	MARKET STREET,		

94.	Drug that causes expulsion of gas from intestinal tract									
	(A)	Astringent	(B) Carmir	natives (C	)	Catharatics	(D)	Emetics		
95.	The resistance an individual possesses by virtue of his genetic and constitutional make up is									
	(A)	Active immunit	У	(B)	)	Passive immur	ity			
	(C)	Adaptive immu	nity	(D)	)	Innate immuni	ty			
96. Arterial blood gas levels of patient shows pH 7.25, PACO <sub>2</sub> 37 mmHg PAO and HCO <sub>3</sub> 18. This laboratory value indicates										
	(A)	Metabolic alkal	osis	(B)	)	Metabolic acid	osis			
	(C)	Respiratory acid	losis	(D)	)	Respiratory alk	alosis			
97.	An infection resulting from a treatment or diagnostic procedure is									
	(A)	Nosocomial	(B) Iatroger	nie (C)	)	Endogenous	(D)	Contagious		
98.	A nurse has been gathering physical assessment data on a patient and is now listening to the patient's concerns. The nurse sets a goal of care that incorporates the patient's opinion to make treatment decision. This is an example of the nurse engaged in which phase of the nurse patient relationship?  (A) Working phase  (B) Pre-interaction phase									
	(C)	Termination pha	ise	(D)	)	Orientation pha	se			
99.	A nutechr	urse caring for niques when hand	patients post of lling patients. V	peratively us Which of Mas	ses	s careful hand w's basic needs	hygien is bein	e and sterile		
	(A)	Physiologic		(B)		Safety and secu	rity			
	(C)	Self-esteem		(D)		Love and belon	ging			
100.	A professional nurse committed to autonomy would be careful to									
	(A) provide the information and support a patient to make decisions.									
	(B) treat each patient fairly.									
	(C) keep any promises made to patient.									
	(D)	avoid causing ha	rm to patient.							
		Man Managa, Ma					ш	00.00		
TEM	ScN_20	124		10			98			

# JEMScN-2024 SPACE FOR ROUGH WORK

to reacher and adentify (Q) or mind about



insummaA (A)

2