

A-3-X

Roll No.....

Total No. of Questions : 40]

[Total No. of Printed Pages : 15

10thARM(SZ)JKUT2024

1003-X

MATHEMATICS

Time : 3 Hours]

[Maximum Marks : 80

Section-A

1 each

1. Which of the following numbers is an irrational number ?

(A) 0.101

(B) 0.202202220.....

(C) 0.1011

(D) None of these

10thARM(SZ)JKUT2024-1003-X
A-3-X

Turn Over

2. Sum of zeroes of the polynomial $2x^2 - 8x + 6$ is :

(A) -4

(B) 3

(C) 4

(D) None of these

3. The pair of linear equations $2x + 3y - 9 = 0$ and $4x + 6y - 18 = 0$ are :

(A) Coincident

(B) Parallel

(C) Intersecting

(D) None of these

4. 35th term of the A.P. : 21, 18, 15, is :

(A) -18

(B) -71

(C) -81

(D) None of these

5. $\cot 30^\circ$ is equal to :

(A) $\sec 30^\circ$

(B) $\cot 60^\circ$

(C) $\tan 60^\circ$

(D) None of these

6. The distance of a point from the x-axis is called its :

(A) Abscissa

(B) Ordinate

(C) Coordinate

(D) None of these

7. H.C.F. of 7 and 28 is :

(A) 4

(B) 28

(C) 7

(D) None of these

10thARM(SZ)JKUT2024-1003-X
A-3-X

8. The probability that it will rain tomorrow is 0.85. What is the probability that it will not rain tomorrow ?

(A) 0.25

(B) 0.145

(C) 0.05

(D) None of these

9. Volume of cone is :

(A) $\pi r^2 h$

(B) $\frac{1}{3} \pi r^2 h$

(C) $3\pi r^2 h$

(D) None of these

10thARM(SZ)JKUT2024-1003-X

A-3-X

Turn Over

10. Discriminant of the quadratic equation $3x^2 - 2\sqrt{6}x + 2 = 0$ is :

(A) 24

(B) 6

(C) 0

(D) None of these

11. Prime factorization of 1771 is $7 \times 11 \times 13$. (True/False)

12. The sum of first 51 positive integers is :

(A) 1316

(B) 1326

(C) 1362

(D) None of these

13. -0.5 can be the probability of an event. (True/False)
14. All circles are (congruent, similar)
15. Number of tangents that can be drawn from a point outside the circle
is
16. Write formula for sum to n terms of an A.P.
17. $x=0, y=2$ is a solution of equation $y-2x=-2$. ✓ (True/False)
18. The value of $\cos A$ exceeds 1. (True/False)

Or

$$\sin^2 A + \dots = 1 \text{ for } 0^\circ \leq A \leq 90^\circ.$$

19. Calculate mean of first 6 prime numbers.
20. Write the formula for class mark of grouped data.

Or

If mean = 15.6, median = 15.73, then mode =

Section-B

2 each

21. Solve the pair of linear equations $3x - 5y - 4 = 0$ and $9x = 2y + 7$ by substitution method.
22. Find the roots of the quadratic equation $2x^2 + x - 6 = 0$ by factorisation.
23. Given $\sec \theta = \frac{13}{12}$, calculate all other trigonometric ratios.

10thARM(SZ)JKUT2024-1003-X
A-3-X

24. Find volume of sphere of radius 3 cm.

Or

Calculate the curved surface area of cylinder of radius 2 cm and height 7 cm.

25. Find the values of y for which the distance between the points

$P(2, -3)$ and $Q(10, y)$ is 10 units.

Or

Check whether $(5, -2)$, $(6, 4)$ and $(7, -2)$ are the vertices of an isosceles triangle.

26. Find a quadratic polynomial, the sum and product of whose zeroes are $\sqrt{2}$ and $\frac{1}{3}$, respectively.

Turn Over

10thARM(SZ)JKUT2024-1003-X

A-3-X

Section-C**3 each**

27. Find the coordinates of the points which divide the line segment joining $A(-2, 2)$ and $B(2, 8)$ into four equal parts.
28. Find the area of a quadrant of a circle whose circumference is 22 cm.
29. Prove that the opposite sides of a quadrilateral circumscribing a circle subtend supplementary angles at the centre of the circle.

Or

Two tangents TP and TQ are drawn to a circle with centre O from an external point T. Prove that :

$$\angle PTQ = 2\angle OPQ.$$

30. E is a point on the side AD produced of a parallelogram ABCD and BE intersects CD at F. Show that :

$$\Delta ABE \sim \Delta CFB$$

31. The diagonals of a quadrilateral ABCD intersect each other at the point O such that $\frac{AO}{BO} = \frac{CO}{DO}$. Show that ABCD is a trapezium.

32. Prove that $6 + \sqrt{2}$ is irrational. <https://www.jkboseonline.com>

33. An AP consists of 50 terms of which 3rd term is 12 and the last term is 106. Find the 29th term.

Or

Find the sum of the first 15 multiples of 8.

- ★. One card is drawn from a well-shuffled deck of 52 cards. Find the probability of getting :

(i) A face card

(ii) A spade

Section-D

4 each

35. A train travels a distance of 480 km at a uniform speed. If the speed had been 8 km/h less, then it would have taken 3 hours more to cover the same distance. Find the speed of the train.

Or

Find the value of K so that the quadratic equation $Kx(x-2) + 6 = 0$ has equal roots.

36. A solid iron pole consists of a cylinder of height 220 cm and base diameter 24 cm, which is surmounted by another cylinder of height 60 cm and radius 8 cm. Find the mass of the pole, given that 1 cm^3 of iron has approximately 8 g mass. (Use $\pi = 3.14$)

Or

From a solid cylinder whose height is 2.4 cm and diameter 1.4 cm, a conical cavity of the same height and same diameter is hollowed out. Find the total surface area of the remaining solid to the nearest cm^2 .

37. From the top of a 7 m high building, the angle of elevation of the top of a cable tower is 60° and the angle of depression of its foot is 45° . Determine the height of the tower.

10thARM(SZ)JKUT2024—1003-X
A-3-X

<https://www.jkboseonline.com>

Whatsapp @ 9300930012

Send your old paper & get 10/-

अपने पुराने पेपर्स भेजे और 10 रुपये पायें,

Paytm or Google Pay से

Turn Over

38. Evaluate :

$$\frac{5 \cos^2 60^\circ + 4 \sec^2 30^\circ - \tan^2 45^\circ}{\sin^2 30^\circ + \cos^2 30^\circ}$$

Or

Prove the identity :

$$\frac{\sin \theta - 2 \sin^3 \theta}{2 \cos^3 \theta - \cos \theta} = \tan \theta$$

39. If a line intersects sides AB and AC of a $\triangle ABC$ at D and E respectively and is parallel to BC, prove that :

$$\frac{AD}{AB} = \frac{AE}{AC}$$

Or

A vertical pole of length 6 m casts a shadow 4 m long on the ground and at the same time a tower casts a shadow 28 m long. Find the height of the tower.

10. If the median of the distribution given below is 28.5, find the value of x and y :

Class Interval	Frequency
0-10	5
10-20	x
20-30	20
30-40	15
40-50	y
50-60	5
Total	60