



Resonance[®]
Educating for better tomorrow

JEE (MAIN) 2026

MEMORY BASED QUESTIONS & TEXT SOLUTION

SHIFT-1

DATE & DAY: 22 January 2026 & Thursday

PAPER-1

Duration: 3 Hrs.

Time: 09:00 – 12:00 IST

SUBJECT: MATHEMATICS

Selections in JEE (Advanced)/
IIT-JEE Since 2002

52979

Classroom: 35901 | Distance: 17078

Selections in JEE (Main)/
AIEEE Since 2009

262693

Classroom: 194471 | Distance: 68222

Selections in NEET (UG)/
AIPMT/AIIMS Since 2012

22733

Classroom: 15409 | Distance: 7324

Admission Open for 2026-27

Target: JEE (Advanced) | JEE (Main) | NEET (UG) | PCCP (Class V to X)

100% Scholarship on the basis of Class 10th, 12th
& JEE (Main) 2026 %ile / AIR

☎ 0744-2777777 | 📞 73400 10345 | Follow Us: @ResonanceEdu | @Resonance_Edu

REGISTERED & CORPORATE OFFICE (CIN: U80302RJ2007PLC024029):

CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Rajasthan) - 324005

☎ 0744-2777777 | 📞 73400 10345 | 📧 contact@resonance.ac.in | 🌐 www.resonance.ac.in | Follow Us: @ResonanceEdu | @Resonance_Edu

This Solution was download from Resonance JEE (Main) 2026 Solution Portal

Visit CollegeDekho

MATHEMATICS

1. If sum of first 4 terms of an A.P is 6 and sum of first 6 terms is 4, then sum of first 12 terms of an A.P is
(1) - 23 (2) - 21 (3) - 22 (4) - 24
Ans. (1)
2. Find the number of real solutions $x|x+4|+3|x+2|+10=0$
Ans. (0)
3. The coefficient of x^{48} in $1 \cdot (1+x) + 2 \cdot (1+x)^2 + 3 \cdot (1+x)^3 + \dots + 100 \cdot (1+x)^{100}$ is
(1) $(^{101}C_{46}) - 100$ (2) $100(^{101}C_{49}) - ^{101}C_{50}$
(3) $100(^{101}C_{46}) - ^{101}C_{47}$ (4) $^{101}C_{47} - ^{101}C_{46}$
Ans. (2)
4. If $A = \begin{bmatrix} 2 & 3 \\ 3 & 5 \end{bmatrix}$, then the value of $|A^{2025} - 3A^{2024} + A^{2023}|$ is
(1) 18 (2) 17 (3) 20 (4) 16
Ans. (4)
5. If the domain of the function $\frac{1}{\ln(10-x)} + \sin^{-1}\left(\frac{x+2}{2x+3}\right)$ is $(-\infty, -a] \cup (-1, b) \cup (b, c)$, then $(b+c+3a)$ is equal to
(1) 22 (2) 23 (3) 24 (4) 21
Ans. (3)
6. Let $M = \{1, 2, 3, \dots, 16\}$ and R be a relation on M defined by xRy if and only if $4y = 5x - 3$. Then, the number of elements required to added in R to make it symmetric is
(1) 2 (2) 5 (3) 4 (4) 3
Ans. (1)
7. The solution of the differential equation $xdy - ydx = \sqrt{x^2 + y^2}dx$ is (where C is integration constant)
(1) $\sqrt{x^2 + y^2} = cx + y$ (2) $\sqrt{x^2 + y^2} = cx^2 + y$
(3) $\sqrt{x^2 + y^2} = cx - y$ (4) $\sqrt{x^2 + y^2} = cx^2 - y$
Ans. (4)
8. The number of values of x satisfying $\tan^{-1}(4x) + \tan^{-1}(6x) = \frac{\pi}{6}$ and $x \in \left[-\frac{1}{2\sqrt{6}}, \frac{1}{2\sqrt{6}}\right]$ is
(1) 3 (2) 0 (3) 2 (4) 1
Ans. (4)
9. The value of $\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{dx}{[x]+4}$ is Where $[.]$ denotes greatest integer function.
(1) $\frac{\pi}{20} + \frac{7}{20}$ (2) $\frac{7\pi}{20} + \frac{1}{60}$ (3) $\frac{7\pi}{20} - \frac{1}{60}$ (4) $\frac{7\pi}{20} - \frac{7}{60}$
Ans. (4)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | facebook.com/ResonanceEdu | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

10. If the area of the region $\{(x, y): x^2 + 1 \leq y \leq 3 - x\}$ is divided by the line $x = -1$ in the ratio $m : n$ (where m and n are coprime natural numbers). Then, the value of $m + n$ is:

Ans. ()

11. The value of α for which the line $\alpha x + 2y = 1$ never touches the hyperbola $\frac{x^2}{9} - \frac{y^2}{1} = 1$ is

- (1) $R - \left\{-\frac{\sqrt{5}}{2}, \sqrt{\frac{5}{2}}\right\}$ (2) $R - \{-\sqrt{5}, \sqrt{5}\}$
(3) $R - \left\{-\frac{\sqrt{5}}{3}, \frac{\sqrt{5}}{3}\right\}$ (4) R

Ans. (3)

12. If probability distribution is given by

| | | | | | | | | |
|--------|-----|--------|--------|------------|------|-----|-----|-----|
| x | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| $P(x)$ | k | $2k^2$ | $6k^2$ | $2k^2 + k$ | $4k$ | k | k | k |

Then, the value of $P(3 < x \leq 6)$ is

- (1) 0.6 (2) 0.8 (3) 0.4 (4) 0.2

Ans. (1)

13. If the image of the point $P(3, 2, a)$ reflected about the line $\frac{x-3}{2} = \frac{y-5}{5} = \frac{z-2}{-2}$ is $(5, b, c)$. Then the value of $a^2 + b^2 + c^2$ is

- (1) $\frac{4849}{8}$ (2) $\frac{4245}{4}$ (3) $\frac{3947}{8}$ (4) $\frac{2429}{4}$

Ans. (1)

14. If $S = \{1, 2, \dots, 50\}$, two numbers α and β are selected at random find the probability that product is divisible by 3:

- (1) $\frac{664}{1225}$ (2) $\frac{646}{1225}$ (3) $\frac{527}{1225}$ (4) $\frac{461}{1225}$

Ans. (1)

15. If the end points of chord of parabola $y^2 = 12x$ are (x_1, y_1) and (x_2, y_2) and it subtend 90° at the vertex of parabola then $(x_1 x_2 - y_1 y_2)$ equals:

- (1) 288 (2) 280 (3) 290 (4) not possible

Ans. (1)

16. If $\int (\cos x)^{-5/2} (\sin x)^{-11/2} dx = \frac{p_1}{q_1} (\cot x)^{9/2} + \frac{p_2}{q_2} (\cot x)^{5/2} + \frac{p_3}{q_3} (\cot x)^{1/2} - \frac{p_4}{q_4} (\cot x)^{-3/2} + c$

(where c is constant of integration), then value of $\frac{15p_1 p_2 p_3 p_4}{q_1 q_2 q_3 q_4}$ is

- (1) 14 (2) 16 (3) 10 (4) 9

Ans. (2)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | facebook.com/ResonanceEdu | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in