


JEE-Main-28-01-2025 (Memory Based)
[EVENING SHIFT]
Chemistry

Question: Consider the following oxides,



Change in oxidation state of vanadium when amphoteric oxide reacts with acids to form VO_4^+ is

Options:

- (a) 1
- (b) 2
- (c) 3
- (d) 4

Answer: (b)

Question: Bohr's model is applicable for single electron atom of atomic number Z . Dependency of frequency of rotation of electron in n^{th} principal quantum number is proportional to

Options:

- (a) Z/n^2
- (b) Z^2/n^3
- (c) n^3/Z
- (d) Z/n

Answer: (b)

Question: Which has maximum oxidizing power among the following

Options:

- (a) VO_2^+
- (b) $Cr_2O_7^{2-}$
- (c) MnO_4^-
- (d) TiO_2

Answer: (c)

Options: Calculate the spin magnetic moment of Mn_2O_3

- (a) $a = \sqrt{24}$
- (b) $b = \sqrt{36}$
- (c) $c = \sqrt{34}$
- (d) $d = \sqrt{20}$

Answer: (a)



Question: Which of the following compound(s) is/are yellow in colour?

(a) CdS , (b) PbS , (c) CuS , (d) ZnS (Cold), (e) $PbCrO_4$

Choose the correct answer from the options given below:

Options:

- (a) (a), (c) and (e) only
- (b) (a) and (e) only
- (c) (b) and (d) only
- (d) (a), (b) and (e) only



(d) None of these

Answer: (a)

Question: Which of the group - 15 element forms $d\pi - d\pi$ Bond and strongest basic hydride?

Options:


(a) $Z = 7$

(b) $Z = 15$

(c) $Z = 33$





(d) $Z = 51$

Answer: (b)



Product

Options:



Answer: (a)

Question: Which of the following complex is paramagnetic

Options:

- (a) $[\text{NiCl}_4]^{2-}$
- (b) $[\text{Ni}(\text{CO})_4]$
- (c) $[\text{Ni}(\text{CN})_4]^{2-}$
- (d) $[\text{Fe}(\text{CO})_5]$


Answer: (a)



Question: 30 gm HNO_3 is added to a solution to prepare 75% w/w solution having density 1.25 g/mL. Volume of solution is

Options:

- (a) 32 mL
- (b) 48 mL
- (c) 36 mL
- (d) 28 mL

Answer: (a)

Question: S-I  and  are ring chain isomers


S-II  NH_2 and  NH are functional isomers

Options:

- (a) Both S-I and S-II are correct Statements
- (b) S-I is correct and S-II is not correct
- (c) S-I wrong statement and S-II is correct statement
- (d) Both Statements are correct

Answer: (a)

Question: For an elementary reaction



When volume becomes $\frac{1}{3}$ rd, rate of reaction becomes

Options:

- (a) 8 times
- (b) 9 times
- (c) 6 times
- (d) 2 times

Answer: (b)

Question: Match the following List-I with List-II

| | List - I | | List-II |
|---|-----------------------------------|----|-------------------------|
| A | $[\text{COF}_6]^{3-}$ | i | sp^3d^2 |
| B | $[\text{CO}(\text{NH}_3)_6]^{3+}$ | ii | d^2sp^3 |

| | | | |
|---|---------------------------------|-----|----------------|
| C | $[\text{NiCl}_4]^{2-}$ | iii | sp^3 |
| D | $[\text{Ni}(\text{CN})_4]^{2-}$ | iv | dsp^2 |


Choose the correct answer from the options given below:

Options:

- (a) A-i, B-II, C-iii, D-iv
- (b) A-ii, B-i, C-iv, D-iii
- (c) A-i, B-ii, C-iv, D-iii
- (d) A-ii, B-i, C-iii, D-iv

Answer: (a)

Question: The correct name of I & II in the following process is:



Options:

- (a) I → Sublimation
II → Vaporisation
- (b) I → Sublimation
II → Decomposition
- (c) I → Sublimation
II → Deposition
- (d) I → Deposition
II → Sublimation

Answer: (c)

Question: Consider the following statements:

Statement I: In law of octaves, elements were arranged in increasing order of their atomic numbers.

Statement II: Lothar Meyer, plotted the physical properties against atomic weight


Choose the correct answer from the options given below:

Options:

- (a) Both statement I and statement II are correct
- (b) Both statement I and statement II are incorrect
- (c) Statement I is correct but statement II is incorrect
- (d) Statement I is incorrect but statement II is correct

Answer: (d)

Question: Consider the following sequence of reaction



Choose the correct option about major product

Options:

- (a) 'C' gives Fehling's solution test
- (b) 'C' can be prepared by reacting PhMgBr with CO_2
- (c) 'C' can give Tollen's test
- (d) 'C' can give effervescence with NaHCO_3

Answer: (c)

Question: Which of the following biomolecules doesn't contain $C_1 - C_4$ glycosidic linkage

Options:

- (a) Amylopectin
- (b) Maltose
- (c) Lactose
- (d) Sucrose

Answer: (d)

Question: No. of Paramagnetic species among the following is O_2 , O_2^+ , O_2^- , NO_2 , NO , CO


Answer: (5)

Question: How many of the following molecules are polar?

CH_4 , CCl_4 , CH_2Cl_2 , H_2O , NH_3 , H_2O_2 , O_2F_2

Answer: (5)

Question: How many of the following will give Benzoic acid on Oxidation with $KMnO_4$?



Answer: (6)