

## CUET 2025 Mathematics Memory based Question Paper

---

### 1. The feasible region is bounded by the inequalities:

$$3x + y \geq 90, \quad x + 4y \geq 100, \quad 2x + y \leq 180, \quad x, y \geq 0$$

If the objective function is  $Z = px + qy$  and  $Z$  is maximized at points  $(6, 18)$  and  $(0, 30)$ , then the relationship between  $p$  and  $q$  is:

- (A)  $p = 15, q = 12$
- (B)  $p = 12, q = 15$
- (C)  $p = 18, q = 10$
- (D)  $p = 10, q = 18$

---

### 2. If $A$ is a $2 \times 2$ matrix and $|A| = 4$ , then $|A^{-1}|$ is:

- (A) 16
- (B)  $\frac{1}{4}$
- (C) 4
- (D) 1

---

### 3. For a matrix $A$ of order $3 \times 3$ , which of the following is true?

- (A)  $\text{adj}(A) = A^2$
- (B)  $\text{adj}(A) \neq A^2$
- (C)  $\text{adj}(A) = A^T$
- (D)  $\text{adj}(A) = A^{-1}$

---

### 4. If $A$ is a square matrix such that $\text{adj}(\text{adj}(A)) = A$ , then $|A|$ is:

- (A) 1
- (B) 3
- (C) 0

(D) 9

---

**5. A person wants to invest at least 20,000 in plan A and 30,000 in plan B. The return rates are 9% and 10% respectively. He wants the total investment to be 80,000 and investment in A should not exceed investment in B. Which of the following is the correct LPP model (maximize return  $Z$ )?**

- (A) Maximize  $Z = 0.09x + 0.1y$
- (B) Maximize  $Z = 0.1x + 0.09y$
- (C) Maximize  $Z = 0.15x + 0.10y$
- (D) Maximize  $Z = 0.10x + 0.09y$

---

**6. The angle between vectors  $\mathbf{a} = \hat{i} + \hat{j} - 2\hat{k}$  and  $\mathbf{b} = 3\hat{i} - \hat{j} + 2\hat{k}$  is:**

- (A)  $60^\circ$
- (B)  $90^\circ$
- (C)  $45^\circ$
- (D)  $30^\circ$

---

**7. If vectors  $\mathbf{u}$ ,  $\mathbf{v}$ , and  $\mathbf{w}$  satisfy  $\mathbf{u} + \mathbf{v} + \mathbf{w} = 0$ , and  $\mathbf{u}$  and  $\mathbf{v}$  are unit vectors, while  $|\mathbf{w}| = \sqrt{3}$ , then the angle between  $\mathbf{v}$  and  $\mathbf{w}$  is:**

- (A)  $90^\circ$
- (B)  $60^\circ$
- (C)  $120^\circ$
- (D)  $45^\circ$

---

**8. Direction cosines of a vector perpendicular to  $\mathbf{a} = \hat{i} + 2\hat{j} + 3\hat{k}$  and  $\mathbf{b} = 2\hat{i} - \hat{j} + \hat{k}$  are:**

- (A)  $\frac{1}{\sqrt{6}}, \frac{1}{\sqrt{6}}, \frac{2}{\sqrt{6}}$
- (B)  $\frac{1}{\sqrt{3}}, \frac{1}{\sqrt{3}}, \frac{1}{\sqrt{3}}$
- (C)  $\frac{1}{\sqrt{5}}, \frac{2}{\sqrt{5}}, \frac{1}{\sqrt{5}}$
- (D)  $\frac{1}{\sqrt{3}}, \frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}}$

