0266 C

Total No. of Questions: 24 Total No. of Printed Pages: 3

## MATHEMATICS

Paper - II (A)

(English Version)

Time : 3 Hours

Max. Marks: 75

Instructions to candidate: This Question paper consists of three sections - A. B and C.

## SECTION - A

(10 × 2 = 20)

- I. Very short answer type questions:
  - (i) Answer all questions.
  - (ii) Each question carries two marks.
  - 1. Find the square root of (-5 + 12i).
  - 2. If  $z_1 = -1$ ,  $z_2 = -i$  then find Arg  $(z_1, z_2)$ .
  - 3. Simplify  $\left(\frac{(\cos\alpha + i\sin\alpha)^4}{(\sin\beta + i\cos\beta)^8}\right)$ .
  - 4. If  $x^2 6x + 5 = 0$  and  $x^2 3ax + 35 = 0$  have a common root, then find a.
  - 5. If 1, 1,  $\alpha$  are the roots of  $x^3 6x^2 + 9x 4 = 0$  then find  $\alpha$ .
  - 6. If  ${}^{12}P_5 + 5$ .  ${}^{12}P_4 = {}^{13}P_r$ , find r.
  - 7. If  ${}^{n}C_{5} = {}^{n}C_{6}$  then find  ${}^{13}C_{n}$ .
  - 8. Write down and simplify the 7th term in (3x 4y)10.
  - 9. Find the mean deviation from the mean of the following discrete data.

    ' 6, 7, 10, 12, 13, 4, 12, 16.
  - 10. If the mean and variance of the binomial variable x are 2.4 and 1.44 respectively, find p  $(1 < x \le 4)$ .

- II. Short answer type questions.
  - (i) Attempt any five questions.
  - (ii) Each question carries four marks.
  - 11. Show that  $\frac{2-i}{(1-2i)^2}$  and  $\frac{-2-1}{25}$  are conjugate to each other.
  - 12. Determine the range of the following expression  $\frac{x^2+x+1}{x^2-x+1}$ ,  $x \in \mathbb{R}$ .
  - 13. Find the sum of all 4-digit numbers that can be formed using the digits
  - 14. Find the number of ways of selecting a cricket team of 11 players from 7 batsmen and 6 bowlers such that there will be at least 5 bowlers in the
  - 15. Resolve the following fraction into partial fractions:  $\frac{5x+6}{(2+x)(1-x)}$
  - 16. If A and B are two events with  $P(A \cup B) = 0.65$  and  $P(A \cap B) = 0.15$  then find the value of P(Ac) + P(Bc).
  - 17.A problem in calculus is given to two students A and B whose chances of solving it are  $\frac{1}{3}$  and  $\frac{1}{4}$  respectively. Find the probability of the problem being solved if both of them try independently.

- III. Long Answer type questions:
  - (i) Answer any five questions.
  - (ii) Each question carries seven marks.
- 18. Show that one value of  $\frac{1+\sin\frac{\pi}{8}+i\cos\frac{\pi}{8}}{1+\sin\frac{\pi}{8}-i\cos\frac{\pi}{8}}$  is -1.

- 19. Solve the following equation  $x^4 10x^3 + 26x^2 10x + 1 = 0$ .
- 20. If P and Q are the sum of odd terms and the sum of even terms respectively in the expansion of  $(x + a)^n$  then prove that

(i) 
$$P^2 - Q^2 = (x^2 - a^2)^n$$

(ii) 
$$4 PQ = (x + a)^{2n} - (x - a)^{2n}$$

- 21. If  $x = \frac{1.3}{3.6} + \frac{1.3.5}{3.6.9} + \frac{1.3.5.7}{3.6.9.12} + \dots \alpha$  then prove that  $9x^2 + 24x = 11$ .
- 22. Find the mean deviation from the mean for a continuous frequency distribution.

40-50	50-60	60-70	70-80	80-90	90-100
5	15	25		20	50-100
	40-50	40-50 50-60 5 15	40-50     50-60     60-70       5     15     25	40-50     50-60     60-70     70-80       5     15     25     30	40-50     50-60     60-70     70-80     80-90       5     15     25     30     20

- 23. State and prove "Addition theorem on probability".
- 24. The range of a random variable X is { 0, 1, 2 }. Given that P  $(x = 0) = 3c^3$ , P  $(x = 1) = 4c 10c^2$ , P (x = 2) = 5c 1
  - (i) Find the value of c and
  - (ii) P(x < 1),  $P(1 < x \le 2)$ ,  $P(0 < x \le 3)$ .