



GRADUATE APTITUDE TEST IN ENGINEERING 2025

अभियांत्रिकी स्नातक अभिक्षमता परीक्षा २०२५

Organising Institute: INDIAN INSTITUTE OF TECHNOLOGY ROORKEE



Answer Key for Engineering Sciences (XE)

Q. No.	Session	Q. Type	Section	Key/Range	Marks
1	8	MCQ	GA	D	1
2	8	MCQ	GA	B	1
3	8	MCQ	GA	B	1
4	8	MCQ	GA	C	1
5	8	MCQ	GA	A	1
6	8	MCQ	GA	A	2
7	8	MCQ	GA	B	2
8	8	MCQ	GA	C	2
9	8	MCQ	GA	A	2
10	8	MCQ	GA	C	2
11	8	MCQ	XE-A	D	1
12	8	MCQ	XE-A	A	1
13	8	MCQ	XE-A	D	1
14	8	MCQ	XE-A	A	1
15	8	MCQ	XE-A	A	1
16	8	NAT	XE-A	5 to 5	1
17	8	NAT	XE-A	2 to 2	1
18	8	MCQ	XE-A	B	2
19	8	MCQ	XE-A	D	2
20	8	MSQ	XE-A	A;C	2
21	8	NAT	XE-A	0.68 to 0.73	2
22	8	MCQ	XE-B	A	1
23	8	MCQ	XE-B	A	1
24	8	MCQ	XE-B	B	1
25	8	MCQ	XE-B	A	1
26	8	MCQ	XE-B	A	1
27	8	MCQ	XE-B	B	1
28	8	MCQ	XE-B	D	1
29	8	MCQ	XE-B	A	1
30	8	MCQ	XE-B	A	1

31	8	MCQ	XE-B	A	2
32	8	MCQ	XE-B	A	2
33	8	MCQ	XE-B	A	2
34	8	MCQ	XE-B	A	2
35	8	MCQ	XE-B	C	2
36	8	NAT	XE-B	71 to 71	2
37	8	NAT	XE-B	4.80 to 5.00	2
38	8	NAT	XE-B	1 to 1	2
39	8	NAT	XE-B	0.50 to 0.60	2
40	8	NAT	XE-B	-0.32 to -0.32	2
41	8	NAT	XE-B	0.95 to 1.05	2
42	8	NAT	XE-B	0.85 to 0.90	2
43	8	NAT	XE-B	0.85 to 1.28	2
44	8	MCQ	XE-C	B	1
45	8	MCQ	XE-C	A	1
46	8	MCQ	XE-C	A	1
47	8	MCQ	XE-C	A	1
48	8	MSQ	XE-C	C;D	1
49	8	MSQ	XE-C	A;C;D	1
50	8	MSQ	XE-C	A;B;C	1
51	8	NAT	XE-C	1 to 1	1
52	8	NAT	XE-C	0.60 to 0.70	1
53	8	MCQ	XE-C	A	2
54	8	MCQ	XE-C	D	2
55	8	MCQ	XE-C	A	2
56	8	MCQ	XE-C	B	2
57	8	NAT	XE-C	1.4 to 1.8	2
58	8	NAT	XE-C	1.3 to 1.5	2
59	8	NAT	XE-C	4.20 to 4.60	2
60	8	NAT	XE-C	1.00 to 1.20	2
61	8	NAT	XE-C	0.35 to 0.50	2
62	8	NAT	XE-C	0.90 to 1.30	2
63	8	NAT	XE-C	0.8 to 1.2	2
64	8	NAT	XE-C	0.19 to 0.27	2
65	8	NAT	XE-C	2.0 to 2.6	2
66	8	MCQ	XE-D	D	1
67	8	MCQ	XE-D	B	1
68	8	MCQ	XE-D	C	1

69	8	MCQ	XE-D	A	1
70	8	MCQ	XE-D	D	1
71	8	MSQ	XE-D	B;C	1
72	8	NAT	XE-D	490 to 494	1
73	8	NAT	XE-D	0.40 to 0.40	1
74	8	NAT	XE-D	400 to 400	1
75	8	MCQ	XE-D	A	2
76	8	MCQ	XE-D	C	2
77	8	MCQ	XE-D	B	2
78	8	MCQ	XE-D	D	2
79	8	MCQ	XE-D	C	2
80	8	MSQ	XE-D	A;B;D	2
81	8	MSQ	XE-D	A;C	2
82	8	NAT	XE-D	603.5 to 607.5	2
83	8	NAT	XE-D	1.46 to 1.50	2
84	8	NAT	XE-D	4.9 to 5.1	2
85	8	NAT	XE-D	3.43 to 3.47	2
86	8	NAT	XE-D	392 to 394	2
87	8	NAT	XE-D	10 to 10	2
88	8	MCQ	XE-E	B	1
89	8	MCQ	XE-E	C	1
90	8	MCQ	XE-E	A	1
91	8	MCQ	XE-E	C	1
92	8	MCQ	XE-E	C	1
93	8	MCQ	XE-E	A	1
94	8	NAT	XE-E	0.030 to 0.034	1
95	8	NAT	XE-E	80 to 80	1
96	8	NAT	XE-E	773 to 776	1
97	8	MCQ	XE-E	B	2
98	8	MSQ	XE-E	A;D	2
99	8	MSQ	XE-E	C;D	2
100	8	NAT	XE-E	6.9 to 7.2	2
101	8	NAT	XE-E	63 to 66	2
102	8	NAT	XE-E	11.5 to 12.0	2
103	8	NAT	XE-E	1515 to 1545	2
104	8	NAT	XE-E	1.30 to 1.38	2
105	8	NAT	XE-E	8.9 to 9.4	2
106	8	NAT	XE-E	8.1 to 8.9	2

107	8	NAT	XE-E	800 to 800	2
108	8	NAT	XE-E	8.9 to 9.1	2
109	8	NAT	XE-E	5300 to 5400	2
110	8	MCQ	XE-F	D	1
111	8	MCQ	XE-F	D	1
112	8	MCQ	XE-F	D	1
113	8	MCQ	XE-F	A	1
114	8	MCQ	XE-F	C	1
115	8	MCQ	XE-F	B	1
116	8	MCQ	XE-F	D	1
117	8	MCQ	XE-F	A	1
118	8	MCQ	XE-F	A	1
119	8	MCQ	XE-F	C	2
120	8	MSQ	XE-F	C	2
121	8	MSQ	XE-F	A;B	2
122	8	MSQ	XE-F	D	2
123	8	MSQ	XE-F	C;D	2
124	8	MSQ	XE-F	A;B	2
125	8	MSQ	XE-F	A;C	2
126	8	MSQ	XE-F	B;D	2
127	8	NAT	XE-F	4975 to 5025	2
128	8	NAT	XE-F	0.52 to 0.60	2
129	8	NAT	XE-F	2.0 to 2.0	2
130	8	NAT	XE-F	1300 to 1330	2
131	8	NAT	XE-F	9.4 to 10.2	2
132	8	MCQ	XE-G	C	1
133	8	MCQ	XE-G	B	1
134	8	MCQ	XE-G	C	1
135	8	MCQ	XE-G	C	1
136	8	MCQ	XE-G	A	1
137	8	MCQ	XE-G	A	1
138	8	MSQ	XE-G	A;C	1
139	8	NAT	XE-G	0.40 to 0.44	1
140	8	NAT	XE-G	21.0 to 21.0	1
141	8	MCQ	XE-G	A	2
142	8	MCQ	XE-G	B	2
143	8	MCQ	XE-G	A	2
144	8	MCQ	XE-G	C	2

145	8	MCQ	XE-G	A	2
146	8	MSQ	XE-G	B;C	2
147	8	MSQ	XE-G	A	2
148	8	MSQ	XE-G	A;B;D	2
149	8	MSQ	XE-G	B;C	2
150	8	NAT	XE-G	0.046 to 0.050	2
151	8	NAT	XE-G	152.0 to 156.0	2
152	8	NAT	XE-G	3.65 to 3.75	2
153	8	NAT	XE-G	6.25 to 6.32	2
154	8	MCQ	XE-H	A	1
155	8	MCQ	XE-H	C	1
156	8	MCQ	XE-H	A	1
157	8	MCQ	XE-H	C	1
158	8	MCQ	XE-H	B	1
159	8	MCQ	XE-H	C	1
160	8	MSQ	XE-H	A;B	1
161	8	NAT	XE-H	1 to 1	1
162	8	NAT	XE-H	1.72 to 1.78	1
163	8	MCQ	XE-H	D	2
164	8	MCQ	XE-H	C	2
165	8	MCQ	XE-H	B	2
166	8	MCQ	XE-H	D	2
167	8	MCQ	XE-H	D	2
168	8	MCQ	XE-H	B	2
169	8	MSQ	XE-H	B;D	2
170	8	NAT	XE-H	189 to 191	2
171	8	NAT	XE-H	0.18 to 0.19	2
172	8	NAT	XE-H	40 to 42	2
173	8	NAT	XE-H	50 to 52	2
174	8	NAT	XE-H	5 to 5	2
175	8	NAT	XE-H	2 to 2	2